Document Identifier: **PMC8892656**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| not required. |
| Inclusion and Exclusion Criteria |
| not required. |
| Attrition |
| not required. |
| Sex as a biological variable |
| not detected. |
| Subject Demographics |
| Age: not required. |
| Weight: not required. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| Four experiments were carried out in triplicate ( n = 12) , and increased concentrations of MF , MF-CCNC , and CCNc were given for 24 h one well which was neither given MF , MF-CCNC , nor CCNc was considered as control . |

| |
|---|
| Number: Four experiments were carried out in triplicate ( n = 12) , and increased concentrations of MF , MF-CCNC , and CCNc were given for 24 h one well which was neither given MF , MF-CCNC , nor CCNc was considered as control . |
| Cell Line Authentication |
| not detected. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Experimental Models: Cell Lines | | | |
| To see the effect of MF-CCNc versus MF alone and nanocapsules without MF at different concentrations on SH-SY5Y cells , 2 x 105 SH-SY5Y cells were seeded in 16-well plates ( 4 wells for each concentration ) with DMEM that were supplemented with 10 FBS in 5 CO2 incubator . | SH-SY5Y | | Suggestion: RRID:CVCL_0019( link) |
| Software and Algorithms | | | |
| With the help of Glide package , it was then constructed to perform the protein preparation wizard. | Glide | | Suggestion: Glide (RRID:SCR_000187)( link) |
| All the statistical analyses were performed on GraphPad Prism v8 (GraphPad Software, San Diego, CA, United States) and Origin 2020b. | GraphPad | | Suggestion: GraphPad Prism, RRID:SCR_002798( link) |
| Statistical analysis of variance between treated and control groups was done using one-way ANOVA and Duncans multiple range tests in GraphPad Prism v8.4. | GraphPad Prism | | |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| Statistical analysis of variance between treated and control groups was done using one-way ANOVA and Duncans multiple range tests in GraphPad Prism v8.4. | ANOVA |
| | Duncans multiple range tests |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq