Document Identifier: **PMC8896033**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Patients who decide not to take part in the PA programme, but who consent to completing a questionnaire and analysis of their electronic patient records, will receive the baseline questionnaire (figure 1).
IRB: Ethics and dissemination The Medical Research Ethics Committee of the University Medical Centre Groningen, the Netherlands, concluded that this study was not subject to the Dutch Medical Research Involving Human Subjects Act (registration number: 201900586).
Inclusion and Exclusion Criteria
19 Study population Patients aged 18 years or older who finished their primary cancer treatment (ie, chemotherapy, surgery, radiotherapy or immunotherapy) at least 6 months ago will be eligible for inclusion, including those undergoing adjuvant hormonal therapy.
Attrition
Two patient partners from this patient consultation group are also incorporated in our research project team.
Sex as a biological variable
24 It has proven to be effective at increasing PA in patients with chronic obstructive pulmonary disease,25-27 in patients undergoing haemodialysis,28 in women with obesity29 and in adult survivors of childhood cancer.
Subject Demographics
Age: 19 Study population Patients aged 18 years or older who finished their primary cancer treatment (ie, chemotherapy, surgery, radiotherapy or immunotherapy) at least 6 months ago will be eligible for inclusion, including those undergoing adjuvant hormonal therapy.
Randomization
This approach allows missing data to be included in the analyses because it includes differences in the number of repeated measurements across individuals when values are missing at random.45 46 We will include three levels in the model--general practice , patient and measurement time--and will use random intercepts at the general practice and patient levels to allow for differences between settings and individuals .
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Depending on the data distribution , we will use independent t-tests or non-parametric equivalents to measure differences between participants and non-participants .	t-tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq