Document Identifier: **PMC8896822**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Second strand synthesis was carried out (Second Strand Synthesis Enzyme mix New England Biolabs) and the dsDNA was used to generate a Nextera library for sequencing on an Illumina MiSeq, as described.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Code Information

Availability: Any additional information required to reanalyze the data reported in this paper is available from the lead contact upon request.
Data Information
Availability: Data and code availability Sequencing data have been deposited at the NCBI SRA and are publicly available as of the date of publication.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Reagents All standard laboratory reagents, including AcIm, were purchased from Millipore-Sigma, with the exception of NMIA purchased from InvitrogenThermo Fisher Scientific.	Millipore-Sigma		
Nanopolish and Tombo analysis of data Tombo (v1.5.1) and Nanopolish (v0.11.1) were both used to detect native modifications in rRNA datasets as well as detect modifications deposited from SHAPE reagents.	Nanopolish		Suggestion: Nanopolish (RRID:SCR_016157)(link)
52 Single molecule positional current, standard deviation of current, and dwell time data were extracted as numpy arrays directly from single read fast5 data using custom written python scripts.	python		Suggestion: python-bx (RRID:SCR_024202)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Kolmogorov-Smirnov (KS) statistical testing was performed in order to detect modified nucleotides.	Kolmogorov-Smirnov
Reactivity profiles from Tombo per-read statistical testing were further adjusted using Benjamini-Hochberg procedure for multiple testing.	Benjamini-Hochberg

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq