Document Identifier: **PMC8900085**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| IACUC: All procedures performed in the current study were in accordance with the 1964 Helsinki Declaration and ethical approval for the study was obtained from Necmettin Erbakan University Ethical Committee with a decision no. 20181321, dated 03.05.2018. |
| Consent: Informed consent was obtained from all individual participants andor their legal guardians included in the study. |
| Inclusion and Exclusion Criteria |
| In the patient group, cases with pre-existing heart disease or dysrhythmia, or syndromes and sequences associated with cardiac components, or chronic disease other than diabetes mellitus (DM) were excluded from the study. |
| Attrition |
| not detected. |
| Sex as a biological variable |
| not detected. |
| Subject Demographics |
| Age: not detected. |
| Weight: not detected. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |

| |
|---|
| not required. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| Images were analyzed with Adobe Photoshop CS2 version 9.0 program at a resolution of 1500 DPI and accuracy of four milliseconds. | Adobe Photoshop | | Suggestion: Adobe Photoshop, RRID:SCR_014199( link) |
| Statistical Analysis Statistical analysis was performed using Statistical Package for the Social Sciences statistics, version 22 (IBM Inc., Armonk, NY, USA). | Statistical Package for the Social Sciences | | Suggestion: SPSS, RRID:SCR_002865( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| Chi-square test was used to evaluate categorical data in independent groups. | Chi-square test |
| The Kolmogorov-Smirnov and Shapiro-Wilk tests were used to determine whether the continuous variables fit the normal distribution or not. | Kolmogorov-Smirnov |
| | Shapiro-Wilk tests |
| When homogeneous distribution was observed, an independent sample t-test (Students t-test) was applied in independent groups and a dependent samples t-test (paired t) and two-way ANOVA tests were applied in dependent groups. | t-test |
| | ANOVA |
| In cases where normal distribution was not observed, Mann-Whitney U tests in independent groups, and Wilcoxon and Friedman tests in dependent groups were used. | Mann-Whitney U tests |
| | Wilcoxon |
| | Friedman tests |
| For correlation analysis, Pearsons correlation analysis was performed when the continuous variables were parametrically distributed and, if not, Spearman correlation analysis was used. | Pearsons correlation |
| | Spearman correlation |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq