Document Identifier: **PMC8904074**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
Apoptotic cells were counted as DAPI-positive cellstotal cells in three random fields.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
, phosphorylated mitogen-activated protein kinases (p-p38 rabbit , 1:1,000 , 9211) , and rabbit IgG (rabbit , 1:1,000 , 7074) antibodies were purchased from Cell Signaling Technology (CST) , and b-actin (mouse , 1:1,000 , sc-47778) and mouse IgG (mouse , 1:1,000 , sc-516102) antibodies were purchased from Santa Cruz Biotechnology Inc	p-p38		
	rabbit IgG		
	rabbit , 1:1,000 , 7074) antibodies were purchased from Cell Signaling Technology (CST) , and b-actin		Suggestion: (Cell Signaling Technology Cat# 7074, RRID:AB_2099233)(link)
	mouse IgG		
Experimental Models: Cell Lines			
MTT assay The SK-BR-3 cells were plated in a 96-well plate at a density of 4x104 cellsml and placed in an incubator .	SK-BR-3		Suggestion: RRID:CVCL_0033(link)
Software and Algorithms			
RPMI-1640 medium for cell culturing was purchased from Welgene, and fetal bovine serum (FBS) and penicillinstreptomycin were purchased from Gibco BRLThermo Fisher Scientific, Inc.	Gibco BRLThermo Fisher Scientific		
Absorbance (optical density) was measured at 595 nm using an ELISA reader (Bio-Rad Laboratories) and Microplate Manager(r) 6 software (Bio-Rad Laboratories) to calculate the viability of the cells .	Bio-Rad Laboratories		
The secondary antibody was reacted at room temperature for 2 h, and the proteins were reacted with ECL detection reagents (PierceThermo Fisher Scientific, Inc.).	PierceThermo Fisher Scientific		
Protein expression was measured using the Image J Launcher (provided by NCBI).	Image J Launcher		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analyses were performed using a Students t test and using a one-way ANOVA followed by Dunnetts or Tukeys test, when more than two conditions were compared.	t test
	ANOVA
	Tukeys test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq