Document Identifier: **PMC8915277**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: When in-person, patients sign informed consent, complete baseline data collection and are randomised prior to hospital discharge (figure 1).
IRB: 31 This sample size yields sufficient power to detect meaningful differences in changes in KCCQ scores, that typically are considered as a 0.50 SD change, from baseline to 4 weeks, given that a 3–5 point difference in KCCQ is clinically meaningful.32 Ethics and dissemination This study has been approved by the Biomedical Research Alliance of New York (BRANY #20-08-329-380), Weill Cornell Medicine Institutional Review Board (20-08022605), and Mt. Sinai Institutional Review Board (20-01901).
Inclusion and Exclusion Criteria
Table 1 Inclusion and exclusion criteria Inclusion Exclusion Patients with a confirmed diagnosis of HF Medicare and/or Medicaid recipients Receiving care at New York Presbyterian or Mount Sinai hospitals.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
When in-person, patients sign informed consent, complete baseline data collection and are randomised prior to hospital discharge (figure 1).
Blinding
Blinding The enrolment coordinators , study statistician , principal investigators and coinvestigators are blinded to the treatment arm .
Power Analysis

30 Sample size considerations and power analysis The target sample size in the parent trial is 2100.
Replication
not required.
Data Information
Availability: All study materials , including the informed consents and patient-reported outcome surveys , are available in these languages .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
In-person recruitment Enrolment coordinators approach eligible patients during their hospitalisation and complete an enrolment form in REDCap .	REDCap		Suggestion: REDCap (RRID:SCR_003445)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The calculation for KCCQ score uses a two-group t-test with a 5% 2-sided significance level, and thus provides a conservative estimate of power compared with the TMLE methodology that will be used in the analysis of the data.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq