Document Identifier: **PMC8921729**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
To inhibit TGF-b1 stimulation, anti-TGF-b1 neutralization antibody (R&D systems) was used at a concentration of 300 ngml according to the manufacturers instructions.	anti-TGF-b1		
The antibodies used in this study were anti-aSMA (Abcam , Cambridge , MA) , anti-GAPDH (IMGENEX , San Diego , CA) , and anti-PISD antibody molecular weight (MW) = 46 kDa , observed PISD MW = 50-55 kDa , according to the manufacturer Proteintech , Rosemont , IL .	anti-aSMA		
	anti-GAPDH		
	anti-PISD		
As a secondary antibody , anti-rabbit alkaline-phosphatase conjugated antibody (secondary antibody solution Alk-Phos . conjugated Thermo Fisher Scientific) was used.	anti-rabbit alkaline-phosphatase		
Recombinant DNA			
PE and pPE were detected by monitoring a precursor ion mz 196 at Q3 in negative ion mode.	pPE		Suggestion: RRID:Addgene_170130(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Students t test was used to compare two groups , and one-way analysis of variance followed by Bonferroni analysis was used to compare three or more groups .	Students t test
	analysis of variance
	Bonferroni
Oligonucleotides	
The sequence primers used for amplification were as follows: glyceraldehyde-3-phosphate dehydrogenase (GAPDH) , forward TCAACAGCGACACCCACTCCT , reverse TGAGGTCCACCACCCTGTTG aSMA , forward CTGTTCCAGCCATCCTTCAT , reverse TCATGATGCTGTTGTAGGTGGT phosphatidylserine decarboxylase (PISD) , forward CTGAGCCAATCCCTACAGCC , reverse TACAAAGCCACCTCCCAGTG phosphatidylserine synthase 1 (PSS1) , forward TGTTAGCTTTCCCCAATGGA , reverse GCAAAAATATCAAAGTGGCTGAT phosphatidylserine synthase 2 (PSS2) , forward GAGTCCGAGGTCTACGACGA , reverse TGGCCACAATACCTCTCTTGG and collagen-1 , forward GGGATTCCCTGGACCTAAAG , reverse GGAACACCTCGCTCTCCA .	TCAACAGCGACACCCACTCCT
	CTGTTCCAGCCATCCTTCAT
	CTGAGCCAATCCCTACAGCC
	TGTTAGCTTTCCCCAATGGA
	GCAAAAATATCAAAGTGGCTGAT
	GAGTCCGAGGTCTACGACGA
	TGGCCACAATACCTCTCTTGG
	GGGATTCCCTGGACCTAAAG
	GGAACACCTCGCTCTCCA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq