Document Identifier: **PMC8925962**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was reviewed and approved by the Institutional Review Board of Asan Medical Center (IRB No. 2020-0297 and 2021-0170) and written informed consent was obtained from all participants..
Consent: This study was reviewed and approved by the Institutional Review Board of Asan Medical Center (IRB No. 2020-0297 and 2021-0170) and written informed consent was obtained from all participants..
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Human SARS-CoV-2 immunoglobulin G (IgG) antibodies were measured using an in-house-developed enzyme-linked immunosorbent assay (ELISA).	IgG		
Horseradish peroxidase-conjugated anti-human IgG (Jackson Immunoresearch, West Grove, PA, USA) was used as secondary antibody.	anti-human IgG		
Software and Algorithms			
The data were analyzed using SPSS version 24.0 (IBM Corp., Armonk, NY, USA), and graph plotting was performed using GraphPad Prism version 9 (GraphPad Software, San Diego, CA, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis Categorical variables were compared using the chi-square or Fishers exact test, and continuous variables using Students t test or the Mann-Whitney U test, as appropriate.	chi-square
	Fishers exact test
	t test
	Mann-Whitney U test
According to the normality of the data, paired samples such as antibody responses after the first and second doses of the COVID-19 vaccines were compared using the paired t test or Wilcoxon rank-sum test.	Wilcoxon rank-sum test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq