Document Identifier: **PMC8931635**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and methods Animals and reagents All animal experiments were performed in accordance with the National Institutes of Health Guidelines for the Handling of Laboratory Animals (15) and were approved by the Ethics Committee of The Eighth Affiliated Hospital of Xinjiang Medical University (Urumqi, China approval no. 2020-035).
Euthanasia Agents: Subsequently, mice were anesthetized using sodium pentobarbital (100 mgkg intraperitoneal) and the abdominal cavity was opened through an incision along the midline of the abdomen to expose the abdominal aorta.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
A total of 40 male Kunming (KM) mice (weight, 20+-2 g 4 weeks-old Beijing Vital River Laboratory Animal Technology Co., Ltd.) were acclimated for 1 week in an environment of 25C with a 12-h lightdark cycle, relative humidity of 55, and free access to food and water.
Subject Demographics
Weight: A total of 40 male Kunming (KM) mice (weight, 20+-2 g 4 weeks-old Beijing Vital River Laboratory Animal Technology Co., Ltd.) were acclimated for 1 week in an environment of 25C with a 12-h lightdark cycle, relative humidity of 55, and free access to food and water.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
Statistical analysis All experiments were repeated three times.
Number: Statistical analysis All experiments were repeated three times.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
After blocking with 5 skimmed milk at room temperature for 2 h, the membranes were incubated with primary antibodies against cleaved caspase-8 (cat. no. 9748 dilution, 1:1,000), caspase-8 (cat. no. 4927 dilution, 1:1,000 both from Cell Signaling Technology, Inc.), cleaved caspase-3 (cat. no. ab32042 dilution, 1:1,000), caspase-3 (cat. no. ab184787 dilution, 1:2,000), cleaved poly(ADP-ribose) polymerase (PARP cat. no. ab32064 dilution, 1:1,000), PARP (cat. no. ab191217 dilution, 1:1,000), PPARg (cat. no. ab178860 dilution, 1:1,000), Nrf2 (cat. no. ab62352 dilution, 1:1,000), NAD(P)H quinone oxidoreductase 1 (NQO1 cat. no. ab213239 dilution, 1:500), HO-1 (cat. no. ab52947 dilution, 1:2,000), NOD-like receptor protein 3 (NLRP3 cat. no. ab263899 dilution, 1:1,000), caspase-1 (cat. no. ab138483 dilution, 1:1,000), IL-1b (cat. no. ab234437 dilution, 1:1,000), apoptosis-associated speck-like protein (ASC cat. no. ab283684 dilution, 1:1,000) and the loading control, b-actin (cat. no. ab8226 dilution, 1:1,000 all from Abcam) at 4C overnight.	cleaved caspase-8		
	caspase-8		
	cleaved caspase-3		Suggestion: (BIOCARE MEDICAL Cat# CP 229, RRID:AB_2737391)(link)
	caspase-3		
	PARP		
	Nrf2		
	NQO1		
	HO-1		
	NOD-like receptor protein 3		
	NLRP3		
	caspase-1		
	IL-1b		
	b-actin		Suggestion: (US Biological Cat# F4510-81C, RRID:AB_2106720)(link)
Following incubation with the primary antibodies, the membranes were incubated with HRP-conjugated anti-rabbit (cat. no. ab97051 dilution, 1:10,000) or anti-mouse (cat. no. ab6728 dilution, 1:2,000 both from Abcam) antibodies at 37C for 2 h.	anti-rabbit		
	anti-mouse		Suggestion: (C. Birchmeier - Max Delbruck Center for Molecular Medicine, Berlin, Germany Cat# Guinea pig anti-mouse Lbx1 polyclonal antibody, RRID:AB_2532144)(link)
Software and Algorithms			
The density of each band was semi-quantified using ImageJ software (v1.8 National Institutes of Health).	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis was performed using GraphPad Prism 8.0 software (GraphPad Software, Inc.). P<0.05 was considered to indicate a statistically significant difference.	GraphPad Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way ANOVA followed by Tukeys post hoc test was carried out to compare the differences among multiple groups.	ANOVA
	Tukeys post hoc test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq