Document Identifier: **PMC8942398**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the local institutional review board.
Consent: Since this was a retrospective review of medical records, informed consent was waived.
Inclusion and Exclusion Criteria
Patients were excluded from antifibrinolytic treatment if they had allergy to EACA, disseminated intravascular coagulation, coronary stenting (drug-eluting stent within one year of placement or bare-metal stent within two months of implantation), heart valve replacement, atrial fibrillation, current anticoagulation therapy, or documented personal history of DVT, PE, or hematuria.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
Statistical Analysis A power analysis was conducted in a web calculator using data from Wang et al.2 Results comparing two proportions, IV (81) vs. topical (71), showed that 267 patients per group, or 534 total patients, would have 80 power to detect a significant difference between the two groups using an alpha level of 0.05.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All statistical tests were two-sided and conducted with IBM(r) SPSS Statistics, version 26.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Continuous data were assessed for normality using the Kolmogorov-Smirnov test.	Kolmogorov-Smirnov test
Bivariable comparisons by groups were conducted using Pearson Chi-square test, Fisher exact test, Mann-Whitney exact test, ANOVA, Tamhane T2 test (equal variances not assumed), or Kruskal-Wallis exact test.	Pearson Chi-square test
	Fisher exact test
	Mann-Whitney exact test
	ANOVA
	Tamhane T2 test
	Kruskal-Wallis exact test
Exact tests were used to accommodate sparse data.	Exact tests
Wilcoxon signed-rank test was used for analyzing pre-operative and post-operative paired ordinal data.	Wilcoxon signed-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq