Document Identifier: **PMC8944151**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Material and Methods Ethics Statement This study was conducted according to the Declaration of Helsinki and was approved by our Institutional Review Board (Saiseikai Yokohamashi Tobu Hospital Ethics Committee approved on July 7, 2021, Approval No. 20210057).
Consent: In addition, the purpose and content of the study were fully explained in writing to the participants and their voluntary consent was obtained before the study was conducted.
Inclusion and Exclusion Criteria
Patients with abnormal hematuria and urinary sediment, urinary tract infection, suspected renal damage other than diabetic nephropathy, serum creatinine (s-Cr) of 1.1 mgdl or higher, andor a fasting blood glucose of 300 mgdl or higher were excluded.
Attrition
The 70 patients were classified into 3 groups according to the mean values of UAE in the 24-h urine collection performed on the second and third days of hospitalization.
Sex as a biological variable
Subjects A total 70 patients (51 males and 19 females) met these criteria and had a mean age of 53.3+-11.0 years, body mass index (BMI) of 22.5+-4.0 kgm2, and a mean duration of diabetes mellitus of 7.1+-6.1 years.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
Number: The mean UAE in a 24-h urine collection, performed twice, was 22.7+-22.5 mgday, and the estimated glomerular filtration rate (eGFR) was 86.9+-21.8 mlmin1.73 m2.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All statistical analyses were performed with SAS JMP version 11 (SAS Institute, Inc. Cary, NC, USA).	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Numerical data were compared between groups using the unpaired t tests, and Welchs t test was used for analysis if equal variances were not assumed.	t tests
	Welchs t test
Pearsons correlation coefficient was used for correlation analyses.	Pearsons correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq