Document Identifier: **PMC8948404**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: This informed refinements to study procedures: information giving and consent processes; and modifications to delivery methods for study interventions.
IRB: Both amendments were made to facilitate study recruitment in a timely manner, and were agreed on by the study monitoring committee, and notified and accepted by the ethics committee and clinical trials register.
Inclusion and Exclusion Criteria
26 Key exclusion criteria were reported previously.25 Randomisation and masking Non-stratified block randomisation performed independently by Fonterra Co-Operative, and undertaken with blocks of eight using previously described methods.
Attrition
26 Key exclusion criteria were reported previously.25 Randomisation and masking Non-stratified block randomisation performed independently by Fonterra Co-Operative, and undertaken with blocks of eight using previously described methods.
Sex as a biological variable
not detected.
Subject Demographics
Age: Participants Participants were adults aged 18–80 years with pre-diabetes: glycated haemoglobin (HbA1c) 41–49 mmol/mol, (5.9%–6.6%), as defined by the NZ criteria.
Randomization
This study was a 2×2 factorial design, randomised parallel group superiority trial with a 6-month intervention period and follow-up 3 months after interventions were discontinued.
Blinding
The study was double blinded for capsules.
Power Analysis
The sample size of the study was based on the ability to detect a clinically important difference in HbA1c of 3.8 mmol/mol (2.5%) with an SD of 6% and 90% power.

Replication	
not required.	
Data Information	
Identifiers: 10.1136/bmjopen-2021-055214.supp1 Supplementary data Outcomes The primary outcome was HbA1c measured at 6 months.	10.1136/bmjopen-2021-055214.supp1

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The primary outcome variable HbA1c and all other continuous variables were analysed using analysis of covariance (ANCOVA) with adjustment for baseline measures.	analysis of covariance
	ANCOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq