Document Identifier: **PMC8971682**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Materials and methods Animals and functional tests Animal protocols were approved by the Institutional Animal Care and Use Committee at the Indiana University School of Medicine and were in accordance with guidelines from the National Institutes of Health regarding the use and care of experimental animals.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Male MCK-miR-486+ mice (hereafter miR-486+ mice) in the C57BL6 background have been described previously 17 and then backcrossed into FVBN background for six generations (Figure 1).
Subject Demographics
Age: 69 , 70 Briefly, at the end of experiment (28-week-old mice), intact isolated extensor digitorum longus muscles from four groups of mice were attached to an isometric force transducer (model 407A Aurora Scientific) between platinum stimulating electrodes in a glass chamber containing modified Tyrode solution.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Each amplification reaction was performed in duplicate in a final volume of 20 mL with 4 mL cDNA .

Number: Each amplification reaction was performed in duplicate in a final volume of 20 mL with 4 mL cDNA .	
Data Information	
Availability: Proteome data are deposited with ProteomeXchange Consortium (project accession number PXD028554) .	
Identifiers: Proteome data are deposited with ProteomeXchange Consortium (project accession number PXD028554) .	PXD028554

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
10 Primary antibodies against AKT (catalog no. 4691	AKT		
Anti-rabbit IgG conjugated with horseradish peroxidase (HRP) (catalog no. 7074S Cell Signaling Technology) was used as a secondary antibody , and the blot was developed using the substrate solution as per the manufacturers instructions (catalog no. 32106 Thermo Fisher Scientific) .	Anti-rabbit IgG		
Experimental Models: Organisms/Strains			
Male MCK-miR-486+ mice (hereafter miR-486+ mice) in the C57BL6 background have been described previously 17 and then backcrossed into FVBN background for six generations (Figure 1).	MCK-miR-486+		
	C57BL6		Suggestion: RRID:IMSR_JAX:000664(link)
To generate double-transgenic mice, female miR-486+ mice were crossed with male PyMT+ or Neu+ mice.	miR-486+		
Software and Algorithms			
COX-IV and WGA staining was quantified by measuring labeled area using NIH ImageJ software.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Finally , samples were run on Eclipse Orbitrap mass spectrometer with FAIMS pro (Thermo Fisher Scientific) and searched against reviewed and unreviewed Mus musculus UniProt database plus common contaminants on PD 2.5 (additional details in Supplemental methods) .	UniProt		
Statistical analysis Data were analyzed using two-factor (miR-486+ and Neu+) analysis of variance or one-way ANOVA with Tukeys multiple-comparisons test for comparisons between multiple groups with GraphPad Prism version 9 software (GraphPad , San Diego , CA)	GraphPad Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis was performed by one-way ANOVA or nonparametric t test using GraphPad Prism at each time point, and data are presented as mean +- SEM.	ANOVA
	t test
Statistical analysis Data were analyzed using two-factor (miR-486+ and Neu+) analysis of variance or one-way ANOVA with Tukeys multiple-comparisons test for comparisons between multiple groups with GraphPad Prism version 9 software (GraphPad , San Diego , CA)	analysis of variance
	Tukeys multiple-comparisons test
Unpaired parametric t tests were used for comparisons between two groups.	t tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq