Document Identifier: **PMC8974844**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: MATERIALS AND METHODS Peripheral Blood Mononuclear Cells, Cell Purification, and Epithelial Cell Culture Peripheral blood was collected in heparin vacuum tubes (BD Biosciences) from anonymous healthy donors who provided informed consent following the guidelines set by the Dutch government
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Recombinant Proteins and Antibodies Recombinant human IFN-g, CXCL10, CCL3, and CX3CL1 were obtained from Peprotech and CXCL9 from BioLegend.	CXCL10		
	CCL3		
	CX3CL1		
	CXCL9		
Low endotoxin azide-free blocking antibodies for CXCR3 and IFN-gR and isotype control were obtained from BioLegend.	CXCR3		
The following antibodies were used for flow cytometry: CD16-BV421, CD56-PE-Cy5, CD3-Pacific Blue, CD4-BV786, CD8-AF700, CD161-BV605, and va7.2-PE-Cy7 from BioLegend IFN-g-PE, IP-10-PE, and granzyme B-AF647 from BD Biosciences and interleukin 15 (IL-15)-APC from Invitrogen.	CD161-BV605		
	va7.2-PE-Cy7		
	IP-10-PE		
Experimental Models: Cell Lines			
A549 and Calu-3 cells were obtained from ATCC .	A549		Suggestion: RRID:CVCL_0023(link)
	Calu-3		Suggestion: RRID:CVCL_0609(link)
Recombinant Proteins and Antibodies Recombinant human IFN-g, CXCL10, CCL3, and CX3CL1 were obtained from Peprotech and CXCL9 from BioLegend.	CX3CL1		
Software and Algorithms			
Cells were washed and incubated (30 minutes, 4degC) with antibodies for intracellular staining, washed and acquired using the BD Fortessa X-20 system, and analyzed using FlowJo software (version 10, BD).	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Data Analyses Data were entered into GraphPad Prism 8 software.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistically significant differences were tested using 1-way analysis of variance (ANOVA) with Dunnett post hoc testing, or 2-way ANOVA with Sidak post hoc testing.	analysis of variance
	ANOVA
	Dunnett post hoc testing
	Sidak

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq