Document Identifier: **PMC8975390**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Methods Datasets All the data acquisition was approved by the institutional review board of our hospital and was conducted in compliance with the Declaration of Helsinki, International Conference on Harmonization Guidelines for Good Clinical Practice.
Inclusion and Exclusion Criteria
Two or three electrodes at the CI site were excluded.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
The inter-stimulus intervals were randomized but 2 stimulations were at least 700 ms apart the intensity was fixed at a sub-threshold of 70-80 of the individual motor threshold.
Blinding
Sensor-Level Feature Set The standard pipeline was included, such as eye-blinking artifacts and CI-associated and other gross artifacts, which were removed based on independent component analysis and second-order blind inference 17 and further visual inspection.
Power Analysis
not detected.
Replication
not required.

Cell Line Authentication
Authentication: Sensor-Level Feature Set The standard pipeline was included, such as eye-blinking artifacts and CI-associated and other gross artifacts, which were removed based on independent component analysis and second-order blind inference 17 and further visual inspection.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
EEG Recording and Pre-processing Scalp EEG data were recorded using CURRY 7 software and a SynAmps2 amplifier (Compumedics, Neuroscan, Charlotte, NC, USA) from 64 AgAgCl scalp electrodes, which were evenly arranged based on the 10-20 electrode system.	CURRY		Suggestion: CURRY (RRID:SCR_009546)(link)
19 The inverse problem was solved using exact low-resolution brain electromagnetic tomography (eLORETA) , an advanced version of standardized tomography (sLORETA) , which calculates the standardized current source density (CSD , mA.mm-2) at each of the 6239 voxels across the whole brain .	eLORETA		
In order to cross-validate and protect against overfitting , the original dataset was partitioned into 10 folds , and accuracies were estimated on each fold , using parallel computing in MATLAB (2019b , version 9.4) .	MATLAB		Suggestion: MATLAB, RRID:SCR_001622(link)
Statistical testing was performed using SPSS software (version 25.0 IBM Corp . , Armonk , NY , USA) , in-house scripts , and built-in functions in MATLAB with the Optimization and Statistics Toolboxes (2014a , 2019b	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq