Document Identifier: **PMC8979354**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: MATERIAL AND METHOD This study was approved by the Istanbul University Ethic Committee for Animal Experiments (201806) and all the procedures were in accordance with the 1995 Helsinki Declaration and the Ethics in Experimentation Animals.
Euthanasia Agents: At the end of week 4, all rats sacrified with injection of sodium pentobarbital (250 mgkg).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
A total of 18 four-month-old male Sprague - Dawley rats, each weighting 400 g (380-420), were obtained from the central animal unit of Istanbul University and randomly assigned to three groups, either receiving TXA (30 mgkg) intravenously (Group 1) TXA 30 mgkg topical (Group 2) or a matched volume of 0.9 NaCl solution intravenously (Group 3).
Subject Demographics
Age: A total of 18 four-month-old male Sprague - Dawley rats, each weighting 400 g (380-420), were obtained from the central animal unit of Istanbul University and randomly assigned to three groups, either receiving TXA (30 mgkg) intravenously (Group 1) TXA 30 mgkg topical (Group 2) or a matched volume of 0.9 NaCl solution intravenously (Group 3).
Weight: A total of 18 four-month-old male Sprague - Dawley rats, each weighting 400 g (380-420), were obtained from the central animal unit of Istanbul University and randomly assigned to three groups, either receiving TXA (30 mgkg) intravenously (Group 1) TXA 30 mgkg topical (Group 2) or a matched volume of 0.9 NaCl solution intravenously (Group 3).
Randomization
A total of 18 four-month-old male Sprague - Dawley rats, each weighting 400 g (380-420), were obtained from the central animal unit of Istanbul University and randomly assigned to three groups, either receiving TXA (30 mgkg) intravenously (Group 1) TXA 30 mgkg topical (Group 2) or a matched volume of 0.9 NaCl solution intravenously (Group 3).

Blinding
not detected.
Power Analysis
Statistical power analyses using G*Power 3.1: Tests for correlation and regression analyses.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
A total of 18 four-month-old male Sprague - Dawley rats, each weighting 400 g (380-420), were obtained from the central animal unit of Istanbul University and randomly assigned to three groups, either receiving TXA (30 mgkg) intravenously (Group 1) TXA 30 mgkg topical (Group 2) or a matched volume of 0.9 NaCl solution intravenously (Group 3).	Sprague - Dawley		
Software and Algorithms			
Statistical power analyses using G*Power 3.1: Tests for correlation and regression analyses.	G*Power		Suggestion: G*Power, RRID:SCR_013726(link)
Chicago, SPSS Inc.).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The statistical differences between groups were evaluated with a paired t-test and significance was set at $p<0.05$.	t-test
Moment and stiffness differences between groups were assessed using the Kruskal-Wallis non-parametric test.	Kruskal-Wallis non-parametric test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq