Document Identifier: **PMC8985910**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Only the first fresh embryo transfer cycle was analyzed in this study, and all the couples agreed to participate in this study with a signed informed consent form.
IRB: This study was approved by the Research Ethics Committee of the First Affiliated Hospital, College of Medicine, Zhejiang University (No. 2017-708).
Inclusion and Exclusion Criteria
Of these 342 couples, 60 were excluded: 45 male partners used sperm retrieval techniques (testicular sperm extraction or percutaneous epididymal sperm aspiration), 4 male partners did not join the study, and 11 treatment cycles were canceled due to ovarian hyporesponse or natural pregnancy.
Attrition
Of these 342 couples, 60 were excluded: 45 male partners used sperm retrieval techniques (testicular sperm extraction or percutaneous epididymal sperm aspiration), 4 male partners did not join the study, and 11 treatment cycles were canceled due to ovarian hyporesponse or natural pregnancy.
Sex as a biological variable
Among couples attending the infertility clinic, the female partners were 20-42 years old.
Subject Demographics
Age: Among couples attending the infertility clinic, the female partners were 20-42 years old.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analyses were performed using the Statistical Package for the Social Sciences version 23.0 (SPSS, Inc., IBM) software.	Statistical Package for the Social Sciences		Suggestion: SPSS, RRID:SCR_002865(link)
	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
24-26 The PSQI features a diagnostic sensitivity of 98 and a specificity of 55.24 We assessed the relationship between sleep quality and potential confounders using the Kruskal-Wallis test for continuous variables and the chi-square test for categorical variables.	Kruskal-Wallis test
	chi-square test
Throughout the study, to reduce the probability of obtaining false positive results, the P-value was adjusted using Benjamini-Hochberg False Discovery Rate (FDR).	Benjamini-Hochberg

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq