Document Identifier: **PMC8989483**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: The participants were 15 patients hospitalized during the acute to convalescent period at the Niiza Hospital, the Higashiyamato Hospital, and the Tokorozawa Central Hospital between October 2018 and January 2021, who met the following criteria: (1) patients with right hemispheric cerebrovascular disease (2) patients hospitalized within 6 months of stroke onset (3) patients without severe dementia (Mini-Mental State Examination score >=15) (4) patients with USN (with reduced score items in the neuropsychological findings described below) (5) patients for whom wheelchair or chair sitting was possible and (6) patients in whom consent from the attending physician was obtained.
Field Sample Permit: This study was conducted in accordance with the Declaration of Helsinki and was approved by the Research Ethics Committee of Tokyo Metropolitan University (Approval code: 19031).
IRB: This study was conducted in accordance with the Declaration of Helsinki and was approved by the Research Ethics Committee of Tokyo Metropolitan University (Approval code: 19031).
Inclusion and Exclusion Criteria
The exclusion criteria were as follows: (1) inability to hold a wheelchair in a seated position (2) inability to understand tasks due to aphasia or other cognitive impairments (3) inability to understand Japanese (4) visual impairment (5) severe hearing loss (6) inability to reach due to limited range of motion of the right upper extremity (7) amputation of the right upper extremity proximal to half of the forearm (8) severe positional dysesthesia of the fingers due to peripheral neuropathy and (9) patient refusal to participate.
Attrition
not detected.
Sex as a biological variable
Individual demographic data Patient Age Gender (MF) Etiology Lesion site Months from onset FIM-m FIM-c CBS A 66 M Infarction Frontal lobe 3 43 18 4 B 61 M Hemorrhage Corona radiata 1 42 22 5 C 64 M Hemorrhage Putamen 3 55 19 16 D 73 M Infarction corona radiata 6 57 31 6 E 78 M Infarction corona radiata-insular cortex 1 46 16 9 F 75 F Infarction MCA area 5 73 32 4 G 51 M Hemorrhage Putamen 3 41 17 22 H 62 M Hemorrhage Putamen 6 25 18 21 I 68 M Hemorrhage MCA area 3 25 25 20 J 80 M Hemorrhage Putamen 5 66 27 10 K 69 F Infarction Temporal lobe 0 46 26 8 L 50 M Infarction Occipital lobe 0 14 16 2 M 74 M Infarction MCA area 0 39 26 10 N 77 F Infarction Pons-Diencephalon 0 37 22 2 O 52 M Hemorrhage Putamen 0 38 27 1 Average 67.8 3.6 47.3 22.5 11.7 SD 9.6 2.2 15.0 5.2 6.9 M: male F: female MCA: middle cerebral artery FIM: functional independence measure CBS: catherine bergego scale.
Subject Demographics

Age: not detected.
Weight: not detected.
Randomization
Line cancellation: An A4 test sheet with 40 one-inch-long line segments printed seemingly randomly on the paper was presented on the participants front midline desk.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Changes in the line bisection test and line bisection peripheral test were similarly tested using paired Wilcoxons signed-rank test using IBM SPSS Statistics 25 (International Business Machines Corporation, Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The angle was calculated from the distance between the trunk and the touched position, and the difference between pre- and post-intervention was taken in the X and Y directions, respectively, and tested using Wilcoxons signed-rank test under the E and C conditions.	Wilcoxons signed-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq