Document Identifier: **PMC8995161**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: All animal experiments were approved by the ethics committee of Zhejiang Ocean University .
Euthanasia Agents: After 7 days of continuous administration , the whole blood of mice in each group was obtained by eyeball extraction and mice were euthanized by cervical dislocation , and the serum was separated by centrifugation .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
A total of 36 male , 6–8 weeks old C57BL/6 mice , weighing between 18–22 g , were purchased from Zi yuan Laboratory Animal Technology Co . , Ltd (Hangzhou , China) .
Subject Demographics
Age: A total of 36 male , 6–8 weeks old C57BL/6 mice , weighing between 18–22 g , were purchased from Zi yuan Laboratory Animal Technology Co . , Ltd (Hangzhou , China) .
Weight: A total of 36 male , 6–8 weeks old C57BL/6 mice , weighing between 18–22 g , were purchased from Zi yuan Laboratory Animal Technology Co . , Ltd (Hangzhou , China) .
Randomization
After one week of acclimation , the mice were randomly assigned to six groups: control group , LPS + 25 % SW group as the model group (intratracheally administration of 5mg/kg LPS and 25 % SW) , model + dexamethasone (Dex) group (intraperitoneal administration of 5mg/kg dexamethasone) , model + C-PC low , medium , and high-dose groups (intraperitoneal administration of 100 , 200 and 400 mg/kg C-PC) .
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Antibodies against F4/80 , NLRP3 , PYCARD (ASC)	F4/80		
	NLRP3		
In contrast , α-tubulin , horseradish peroxidase (HRP)-labeled secondary antibodies , and CoraLite488 and 555-conjugated secondary antibodies were purchased from Proteintech Group (Chicago , USA) .	α-tubulin		
	HRP)-labeled secondary antibodies ,		
, Caspase-1 , and Cleaved-Caspase-1 antibodies at 4°C overnight .	Cleaved-Caspase-1		
The slides were then washed with PBS three times and incubated in Coralite488 or Coralite594 conjugated secondary antibodies (Proteintech , USA) for 2 h at room temperature.	Coralite594		
The PVDF membranes were then incubated with primary antibodies against NLRP3 , ASC , Caspase-1 , cleaved-Caspase-1 ,	Caspase-1 , cleaved-Caspase-1 ,		
Experimental Models: Cell Lines			
Cell Culture The RAW264.7 and MLE-12 (	RAW264.7		Suggestion: RRID:CVCL_0493(link)
Experimental Models: Organisms/Strains			
Animal Studies The C57BL/6 mice were used to develop the seawater aspiration lung injury model .	C57BL/6		Suggestion: RRID:IMSR_JAX:000664(link)
Software and Algorithms			
30–50 % protein content) and lipopolysaccharide (LPS , compound from Pseudomonas aeruginosa) were purchased from Sigma (San Diego , MO , USA)	Sigma		
Cell culture reagents , including Dulbecco's Modified Eagle Medium , fetal bovine serum (FBS) , Penicillin-Streptomycin , and Trypsin-EDTA (0.25 %) , were purchased from Gibco Life Technologies (Waltham , MA , USA)	Gibco		
The optical density of the protein bands was analyzed using ImageJ software (NIH , Bethesda ,	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
The analysis was done using CytExpert software V2.3.0.84.	CytExpert		

All analyses were performed using GraphPad Prism software version 8.0 (La Jolla, USA).	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences between groups were determined using Student's t-test or one-way ANOVA, and multiple comparisons among groups using the Tukey method were made.	t-test
	ANOVA
	Tukey method
Oligonucleotides	
Table 1 Primer Sequences and Conditions Used in the Present Study Gene Primer Sequence (5'-3') Tm (°C) IL-1β F: 5'-GAAATGCCACCTTTTGACAGT G-3' 61 R: 5'-TGGATGCTCTCATCAGGACAG -3' TNF -α F: 5'-CCTGTAGCCCACGTCGTAG-3 ' 61.5 R: 5'-GGGAGTAGACAAGGTACAACC C-3' MCP-1 F: 5'-TTAAAAACCTGGATCGGAACC AA-3' 60.7 R: 5'-GCATTAGCTTCAGATTTACGG GT-3' IL-6 F: 5'-CTGCAAGAGACTTCCATCCAG -3' 60.8 R: 5'-AGTGGTATAGACAGGTCTGTT GG-3' MIF F: 5'-GCCAGAGGGGTTTCTGTCG-3' 62.3 R: 5'- GTTCGTGCCGCTAAAAGTCA-3' 18srna F: 5'-GTAACCCGTTGAACCCCATT-3' 70.3 R: 5'- CCATCCAATCGGTAGTAGCG-3' Abbreviations: Tm, melting temperature; IL-1β, interleukin-1 β; TNF -α, tumor necrosis factor α; MCP-1, macrophage chemoattractant protein-1; IL-6, interleukin-6; MIF, macrophage migration inhibitory factor.	5'-3'
	5'-GAAATGCCACCTTTTGACAGT G-3'
	5'-TGGATGCTCTCATCAGGACAG -3'
	5'-CCTGTAGCCCACGTCGTAG-3 '
	5'-GGGAGTAGACAAGGTACAACC C-3'
	5'-TTAAAAACCTGGATCGGAACC AA-3'
	5'-GCATTAGCTTCAGATTTACGG GT-3'
	5'-CTGCAAGAGACTTCCATCCAG -3'
	5'-AGTGGTATAGACAGGTCTGTT GG-3'
	5'- GCCAGAGGGGTTTCTGTCG-3'
	5'- GTTCGTGCCGCTAAAAGTCA-3'
	5'- GTAACCCGTTGAACCCCATT-3'
	5'- CCATCCAATCGGTAGTAGCG-3'

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq