




## 158337 Database Development Assignment Part B SECTION A


















```
Worksheet Query Builder
  1 --- Write a query that will list the customer(s) who had ordered maximum number of items (two copies of the same book
     --will be counted as two items). Again, like g) there can be more than one customer. (3 marks)
  3 SELECT c.cust_num "Customer Number", c.cust_fname||' '|| c.cust_lname "Customer", SUM(boi.boi_qty) "Total Order Qty"
        FROM bookorder bo, customer c, bookorderitem boi
  5
        WHERE c.cust_num = bo.bo_custnum
  6
        AND boi.boi_ordernum = bo.bo_ordernum
        GROUP BY c.cust_num, c.cust_fname||' '|| c.cust_lname
  7
        HAVING SUM(boi.boi_qty) = (SELECT MAX(SUM(boi.boi_qty))
  8 🖃
  9
                                   FROM bookorderitem boi, customer c, bookorder bo
 10
                                   where c.cust_num = bo.bo_custnum
 11
                                   and boi.boi_ordernum = bo.bo_ordernum
                                   GROUP BY c.cust_num);
 12
Script Output × Query Result ×
📌 🚇 🙀 🗽 SQL | All Rows Fetched: 1 in 0.041 seconds
1007 TAMMY GIANA
```

```
Worksheet Query Builder
  1 -i. Write a query that will display the customer(s) that referred maximum number of customers. Again, like g) there can
    --be more than one customer. (3 marks)
  3 - SELECT cust_referred "Customer Number", COUNT(cust_referred) "# Customers Referred"
        FROM customer
  5
        GROUP BY cust_referred
      HAVING COUNT(cust_referred) = (SELECT MAX(mycount) "# Customers Referred"
  7 🖃
      FROM (select cust_referred,
  8
                COUNT(cust_referred) mycount
                FROM customer
 10
               GROUP BY cust_referred));
A *
Script Output × Query Result ×
📌 占 🝓 🔯 SQL | All Rows Fetched: 1 in 0.008 seconds
1003
```



```
Worksheet Query Builder
  1 □ --K) ROW LEVEL TRIGGER
     --A row-level trigger that uses a sequence to allow customers to be inserted with a null number value
     -- (As per the STATEMENT LEVEL TRIGGER test code)
     -- CREATE SEQUENCE
  6 ☐ CREATE SEQUENCE seq_cust_num
  7
         INCREMENT BY 1
  8
         START WITH 1
  9
         maxvalue 1000
  10
         nocache
  11
         nocycle;
  12
  13 CREATE OR REPLACE TRIGGER trg dept add
         BEFORE INSERT ON customer
  15
         FOR EACH ROW
         DECLARE
  16
  17
         v custr num customer.cust num%TYPE;
  18 BEGIN
  19 🖃
         IF : NEW. cust_num IS NULL THEN
  20
             SELECT seq_cust_num.NextVal
             INTO v_custr_num
  21
             FROM dual;
  22
             :NEW.cust_num := v_custr_num;
  24
             END IF;
     END;
  25
  26
  27
     show error;
Script Output X Query Result X
 📌 🧽 🔡 📕 | Task completed in 0.312 seconds
Sequence SEQ_CUST_NUM created.
Trigger TRG_DEPT_ADD compiled
No errors.
Assingment2 × Ell CUSTOMER
D 3 - 3 - 3 - 4 - 1
Worksheet Query Builder
     --K) ROW LEVEL TRIGGER Test Code
  1
     INSERT INTO customer VALUES (NULL, 'DOE', 'JOHN', 'P.O BOX 1231', 'LOS ANGELES', 'CA', '27389', 1001);
     -- See JPEG images for test results
Script Output X
📌 🧽 뒴 🖺 闄 | Task completed in 0.078 seconds
1 row inserted.
Assingment2 CUSTOMER
Columns | Data | Model | Constraints | Grants | Statistics | Triggers | Flashback | Dependencies | Details | Partitions | Indexes | SQL
📌 🔃 🛼 🗶 🕒 | Sort.. | Filter:
      CUST_NUM CUST_LNAME CUST_FNAME CUST_ADDRESS
                                                            1 DOE
                             JOHN
                                         P.O BOX 1231
                                                            LOS ANGELES CA
                                                                                      27389
                                                                                                         1001
    1
    2
              1001 MORALES
                             BONITA
                                        P.O. BOX 651
                                                            EASTPOINT FL
                                                                                      32328
                                                                                                       (null)
```

LEILA

THOMAS

1002 THOMPSON RYAN

1003 SMITH

1004 PIERSON

(null)

(null)

(null)

5

90404

32306

83707

3

4

69821 SOUTH AVENUE BOISE

SANTA MONICA CA

TALLAHASSEE FL

ID

P.O. BOX 9835

P.O. BOX 66


```
Worksheet Query Builder
  1 🖃 -- k) STATEMENT LEVEL TRIGGER This trigger logs which users inserts, updates or deletes a value in the
    -- customer table in the user_log_table. It inserts the user ID and a current datetime stamp
  3 -- when the customer table was altered. If the customer table is altered outside of normal
     -- business hours, user information is still inserted into the user_log_table and a flag (Y)
     -- is logged in the 'USER OUTSIDE HOURS' column.
  6
     -- The business hours are all week days between 9am and 4pm.
  8
    DROP TABLE user_log_table; --Wouldn't be used in final version.
 9
 10 GREATE TABLE user_log_table(
 11
        user_num VARCHAR2(60 BYTE) NOT NULL,
        user_log_date VARCHAR2(60),
 12
        user_outside_hours VARCHAR2(1)
 14 ();
 15
 16 CREATE OR REPLACE TRIGGER tr_log_customer
 17 BEFORE INSERT OR UPDATE OR DELETE ON customer
 18 DECLARE
        cur_date_temp VARCHAR2(10) := TO_CHAR(SYSDATE, 'Day'); -- 'Sunday'; Used to test (outside business hours)
 19
 20
        cur_date VARCHAR2(3);
 21
         cur_time INTEGER := TO_NUMBER(TO_CHAR(SYSDATE, 'HH24')); --2;-- Used to test (outside business hours)
 22 BEGIN
 23 cur_date := SUBSTR(cur_date_temp, 0, 3);
 24 IF (cur_date != 'Sat' AND cur_date != 'Sun') AND (cur_time >= 9 AND cur_time <= 16) THEN
        INSERT INTO user_log_table VALUES(USER, TO_CHAR(SYSDATE, 'DD-MON-YYYY HH:MM:SS'), 'N');
 25
      INSERT INTO user_log_table VALUES(USER, TO_CHAR(SYSDATE, 'DD-MON-YYYY HH:MM:SS'), 'Y');
 27
 28
    END IF;
 29
    END;
 30
 31
     show error
Script Output × Duery Result ×
📌 🧽 🔡 🖺 📗 | Task completed in 0.301 seconds
```

Table USER\_LOG\_TABLE dropped.

Table USER\_LOG\_TABLE created.


Trigger TR\_LOG\_CUSTOMER compiled


No errors.




7


```
orksheet Query Builder
 1 = --1)
 2 --Write a procedure to insert a new book record. The procedure should also automatically calculate the book retail value.
    --This retail is calculated as 112.5% of the book cost price plus 8.5% of the average cost price of the existing books.
    --Provide rest of the attributes' values as input parameters. Execute your procedure to insert at least one book record. (3 marks)
 5 CREATE OR REPLACE PROCEDURE InsertBookRecord
 6
    (b_isbn IN VARCHAR2, b_title IN VARCHAR2, b_pubdate IN DATE, b_pubid IN NUMBER, b_cost IN NUMBER, b_category IN VARCHAR2)
    IS
 8
        b_retail NUMBER(5,2);
 g
    BEGIN
        SELECT 0.085* (AVG(book_cost))
10
11
        INTO b_retail
        FROM BOOK;
12
        b_retail := b_retail +( 1.125*b_cost);
13
14
15
        INSERT INTO book(book_isbn, book_title, book_pubdate, book_pubid, book_cost, book_retail, book_category)
16
        VALUES (b_isbn, b_title, b_pubdate, b_pubid, b_cost, b_retail, b_category);
17
18
    EXCEPTION
        WHEN OTHERS THEN
19
20
        dbms_output.put_line('Invlaid data entry. REASON: '||SQLERRM);
    END;
21
22
23
    show error
Script Output × Query Result ×
🕈 🥢 🔡 🚇 📘 | Task completed in 0.698 seconds
rocedure INSERTBOOKRECORD compiled
o errors.
```






```
Worksheet Query Builder
     --m. Write a trigger that does not allow the book retail price to be updated when the increase (in retail price) is over 25%.
    --Provide test data and corresponding results to confirm that the trigger works. (4 marks)
  3 CREATE OR REPLACE TRIGGER retail price update
  4 BEFORE UPDATE OF book_retail ON book
  5 FOR EACH ROW
     DECLARE
         max_price exception;
  8 BEGIN
  9 🖃
         IF :NEW.book_retail > (1.25*:OLD.book_retail)
 10
         THEN
         RAISE max_price;
 11
        END IF;
 12
 13 EXCEPTION
 14 WHEN max_price THEN
        raise_application_error(-20020, 'Price increase is over 25%');
 15
 16
 17
 18
    show error
Script Output × Declary Result ×
📌 🧽 뒴 🚇 屋 | Task completed in 0.172 seconds
Trigger RETAIL_PRICE_UPDATE compiled
No errors.
```








```
Worksheet Query Builder
      --o. Write a cursor to list book authors for all the COMPUTER category books (along with their book title, cost and retail).
      -- Use appropriate exception handling. (3 marks)
   4 DECLARE
   5 CURSOR book_cursor IS
   6 E
         SELECT b.book_title, a.author_fname, a.author_lname, b.book_cost, b.book_retail
          FROM book b, author a, bookauthor ba
         WHERE b.book_isbn = ba.ba_isbn
          AND ba.ba authorid = a.author id
         AND LOWER (book_category) = LOWER ('COMPUTER');
  10
  11
  12
     BEGIN
  13 FOR book IN book_cursor
  14
         dbms output.put line(book.book title || ','|| ' Author: '|| book.author fname || ' '||
             book.author_lname ||' Cost: ' || book.book_cost || ' RRP: '|| book.book_retail);
  16
         END LOOP:
  17
  18
     EXCEPTION
  19
          WHEN OTHERS
          THEN
  20
  21
              IF book_cursor%ISOPEN
              THEN CLOSE book_cursor;
  22
             END IF:
  23
  24
     END:
  25
 Script Output × Query Result ×
 📌 🥢 🔡 💂 📘 | Task completed in 0.083 seconds
DATABASE IMPLEMENTATION, Author: JAMES AUSTIN Cost: 31.4 RRP: 55.95
DATABASE IMPLEMENTATION, Author: JUAN ADAMS Cost: 31.4 RRP: 55.95
 DATABASE IMPLEMENTATION, Author: TINA PETERSON Cost: 31.4 RRP: 55.95
HOLY GRAIL OF ORACLE, Author: JAMES AUSTIN Cost: 47.25 RRP: 75.95
 HANDCRANKED COMPUTERS. Author: WILLIAM WHITE Cost: 21.8 RRP: 25
HANDCRANKED COMPUTERS, Author: LISA WHITE Cost: 21.8 RRP: 25
E-BUSINESS THE EASY WAY, Author: JANICE JONES Cost: 37.9 RRP: 54.5
 PL/SQL procedure successfully completed.
Vorksheet Query Builder
 1 -p. Write a function to format book cost, retail price to $99.99. Use this function in a SQL statement
     --for displaying books' costs and retail prices. (2 marks)
 3 CREATE OR REPLACE
 4 FUNCTION FormatBookCost (b_cost NUMBER)
 5 RETURN VARCHAR2
 6 IS
 7
    book price VARCHAR2(10);
 8
    BEGIN
 9 SELECT TO_CHAR(b_cost, '$99.99')
10 INTO book price
11 FROM dual;
    RETURN book_price;
12
13
    END;
Script Output X Query Result X
📌 🥟 🔡 🖺 🔋 | Task completed in 0.105 seconds
```

function FORMATBOOKCOST compiled



IQPad 5

```
Section_C
           Language C# Statement(s) V

⇔ Connection Assignment2

  //q. List all books with the retail $22 or over. (1 mark)
  var over22 =
      from b in Books
      where b.BookRetail >= 22
      select b;
  over22.Dump();
  //r. List all books that have the word "HOW" in the book title. (1 mark)
  var containsHow =
      from b in Books
      where b.BookTitle.Contains("HOW")
      select b;
  containsHow.Dump();
  //s. List all book categories, book titles and publisher names. (1 mark)
  var BookDetails =
      from b in Books join p in Publishers
      on b.BookPubid equals p.PubID
      select new{
      BookTitle = b.BookTitle,
      Category = b.BookCategory,
      Publisher = p.PubName};
  BookDetails.Dump();
  //t. Display total number of books by each publisher in the order of publisher ID. (1.5 marks)
  var BookTotalByPublisher =
      from b in Books join p in Publishers
      on b.BookPubid equals p.PubID
      group b.BookPubid by new{
          ID = b.BookPubid,
          Name = p.PubName
      into T
      select new{
          ID = T.Key.ID,
          PublisherName = T.Key.Name,
          Count = T.Count()
      };
  BookTotalByPublisher.Dump();
  //u. Display the count of books in each category in the increasing order of category. (1.5 marks)
  //Im assuming the above means in alphabetical order of the category.
  var BooksInCategory =
      from b in Books
      group b.BookCategory by
      new{
          Category = b.BookCategory
      }into T
      orderby T.Key.Category ascending
      select new{
          Category = T.Key.Category,
          Count = T.Count()
      };
  BooksInCategory.Dump();
```

## Results are in question alphabetical order (q, r, s, t, u)

BookIsbn	BookTitle	BookPubdate	PookPubid =	BookCost =	PookPotail =	RookCategory	BoiIsbnBookorderitems	BaIsbnBookauthors
			DOOKFUDIU	Maria Caraca Car				
1059831198	BODYBUILD IN 10 MINUTES A DAY	21-Jan-01 12:00:00 AM	4	18.75	30.95	FITNESS	BoiIsbnBookorderitems	BaIsbnBookauthors
0401140733	REVENGE OF MICKEY	14-Dec-01 12:00:00 AM	1	14.2	22	FAMILY LIFE	BoiIsbnBookorderitems	BaIsbnBookauthors
4981341710	BUILDING A CAR WITH TOOTHPICKS	18-Mar-02 12:00:00 AM	2	37.8	59.95	CHILDREN	BoiIsbnBookorderitems	BalsbnBookauthors
8843172113	DATABASE IMPLEMENTATION	04-Jun-99 12:00:00 AM	3	31.4	55.95	COMPUTER	BoiIsbnBookorderitems	BaIsbnBookauthors
3957136468	HOLY GRAIL OF ORACLE	31-Dec-01 12:00:00 AM	3	47.25	75.95	COMPUTER	BoiIsbnBookorderitems	BalsbnBookauthors
1915762492	HANDCRANKED COMPUTERS	21-Jan-01 12:00:00 AM	3	21.8	25	COMPUTER	BoiIsbnBookorderitems	BaIsbnBookauthors
9959789321	E-BUSINESS THE EASY WAY	01-Mar-02 12:00:00 AM	2	37.9	54.5	COMPUTER	BoiIsbnBookorderitems	BaIsbnBookauthors
2491748320	PAINLESS CHILD- REARING	17-Jul-00 12:00:00 AM	5	48	89.95	FAMILY LIFE	BoiIsbnBookorderitems	BaIsbnBookauthors
0299282519	THE WOK WAY TO COOK	11-Sep-00 12:00:00 AM	4	19	28.75	COOKING	BoiIsbnBookorderitems	BaIsbnBookauthors
0132149871	HOW TO GET FASTER PIZZA	11-Nov-02 12:00:00 AM	4	17.85	29.95	SELF HELP	BoiIsbnBookorderitems	BaIsbnBookauthors
9247381001	HOW TO MANAGE THE MANAGER	09-May-99 12:00:00 AM	1	15.4	31.95	BUSINESS	BoiIsbnBookorderitems	BaIsbnBookauthors
2147428890	SHORTEST POEMS	01-May-01 12:00:00 AM	5	21.85	39.95	LITERATURE	BoiIsbnBookorderitems	BaIsbnBookauthors
			37	331.20	544.85			

▲ Query <book> (2 items)</book>								
BookIsbn	BookTitle	BookPubdate	BookPubid =	BookCost =	BookRetail =	BookCategory	BoiIsbnBookorderitems	BaIsbnBookauthors
	HOW TO GET FASTER PIZZA	11-Nov-02 12:00:00 AM	4	17.85	29.95	SELF HELP	BoiIsbnBookorderitems	BaIsbnBookauthors
	HOW TO MANAGE THE MANAGER	09-May-99 12:00:00 AM	1	15.4	31.95	BUSINESS	BoiIsbnBookorderitems	BaIsbnBookauthors
			5	33.25	61.90			

▲ Query<> (14 items)					
BookTitle	Category	Publisher			
BODYBUILD IN 10 MINUTES A DAY	FITNESS	READING MATERIALS INC.			
REVENGE OF MICKEY	FAMILY LIFE	PRINTING IS US			
BUILDING A CAR WITH TOOTHPICKS	CHILDREN	PUBLISH OUR WAY			
DATABASE IMPLEMENTATION	COMPUTER	AMERICAN PUBLISHING			
COOKING WITH MUSHROOMS	COOKING	READING MATERIALS INC.			
HOLY GRAIL OF ORACLE	COMPUTER	AMERICAN PUBLISHING			
HANDCRANKED COMPUTERS	COMPUTER	AMERICAN PUBLISHING			
E-BUSINESS THE EASY WAY	COMPUTER	PUBLISH OUR WAY			
PAINLESS CHILD-REARING	FAMILY LIFE	REED-N-RITE			
THE WOK WAY TO COOK	COOKING	READING MATERIALS INC.			
BIG BEAR AND LITTLE DOVE	CHILDREN	REED-N-RITE			
HOW TO GET FASTER PIZZA	SELF HELP	READING MATERIALS INC.			
HOW TO MANAGE THE MANAGER	BUSINESS	PRINTING IS US			
SHORTEST POEMS	LITERATURE	REED-N-RITE			

-	▲ Query<> (5 items)				
ID	PublisherName	Count≡			
1	PRINTING IS US	2			
3	AMERICAN PUBLISHING	3			
4	READING MATERIALS INC.	4			
5	REED-N-RITE	3			
2	PUBLISH OUR WAY	2			
		14			

▲ Query<> (8 items) →					
Category	Count =				
BUSINESS	1				
CHILDREN	2				
COMPUTER	4				
COOKING	2				
FAMILY LIFE	2				
FITNESS	1				
LITERATURE	1				
SELF HELP	1				
	14				

```
Windows PowerShell
                                                                                             X
  function map() {
           emit(this.gender,
                   weight: this.weight,
                   count:1
                 });
 function reduce(key, values) {
.. var result = {
             count: 0, weight: 0
           for (var i=0; i < values.length; i++){
                 result.weight += values[i].weight;
result.count += values[i].count;
           var avgWeight = result.weight / result.count;
           return avgWeight;
  db.hobbits.mapReduce(map, reduce, {out: "post_total"}).find();
"_id" : "f", "value" : 67.727272727273 }
"_id" : "m", "value" : 81.8125 }
<
```