MANIFOLD HELIX — POLAR SLICE MAP

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | 118 intervals | 5 carriers



Each numbered circle marks a polar slice. Coordinates: CLR1 (x), CLR2 (y), interval (z).

Intervals: 118 | Carriers: B_volume, B_surface, B_coulomb, B_asymmetry, B_pairing | Events detected: 0

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=0

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 1/118 | ||x||_A = 10.240



Phase = +23.6 deg

B_volu=+2.83 B_surf=+1.23 B_coul=+0.55 B_asym=-1.71 B_pair=-9.60

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=1

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 2/118 | ||x||_A = 10.094



From 0: delta ||x||_A = -0.146

Phase = +24.0 deg

B_volu=+2.85 B_surf=+1.27 B_coul=+0.60 B_asym=-1.63 B_pair=-9.44

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=2

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 3/118 | ||x||_A = 9.951



From 1: delta ||x||_A = -0.142

Phase = +24.4 deg

B_volu=+2.88 B_surf=+1.31 B_coul=+0.66 B_asym=-1.55 B_pair=-9.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=3

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 4/118 | ||x||_A = 9.815



From 2: delta ||x||_A = -0.136

Phase = +24.8 deg

B_volu=+2.91 B_surf=+1.35 B_coul=+0.72 B_asym=-1.47 B_pair=-9.13

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=4

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 5/118 | ||x||_A = 9.687



From 3: delta ||x||_A = -0.128

Phase = +25.2 deg

B_volu=+2.93 B_surf=+1.38 B_coul=+0.77 B_asym=-1.39 B_pair=-8.99

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=5

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 6/118 | ||x||_A = 9.569



From 4: delta ||x||_A = -0.118

Phase = +25.6 deg

B_volu=+2.96 B_surf=+1.42 B_coul=+0.82 B_asym=-1.31 B_pair=-8.85

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=6

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 7/118 | ||x||_A = 9.462



From 5: delta ||x||_A = -0.106

Phase = +26.0 deg

B_volu=+2.98 B_surf=+1.45 B_coul=+0.87 B_asym=-1.25 B_pair=-8.73

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=7

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 8/118 | ||x||_A = 9.369



From 6: delta ||x||_A = -0.093

Phase = +26.3 deg

B_volu=+3.01 B_surf=+1.49 B_coul=+0.92 B_asym=-1.18 B_pair=-8.62

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=8

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 9/118 | ||x||_A = 9.289



From 7: delta ||x||_A = -0.079

Phase = +26.6 deg

B_volu=+3.03 B_surf=+1.52 B_coul=+0.96 B_asym=-1.12 B_pair=-8.52

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=9

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 10/118 | ||x||_A = 9.225



From 8: delta ||x||_A = -0.065

Phase = +26.9 deg

B_volu=+3.06 B_surf=+1.55 B_coul=+1.00 B_asym=-1.07 B_pair=-8.44

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=10

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 11/118 | ||x||_A = 9.175



From 9: delta ||x||_A = -0.049

Phase = +27.1 deg

B_volu=+3.08 B_surf=+1.58 B_coul=+1.04 B_asym=-1.03 B_pair=-8.37

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=11

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 12/118 | ||x||_A = 9.141



From 10: delta ||x||_A = -0.034

Phase = +27.3 deg

B_volu=+3.10 B_surf=+1.60 B_coul=+1.08 B_asym=-0.99 B_pair=-8.32

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=12

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 13/118 | ||x||_A = 9.122



From 11: delta ||x||_A = -0.019

Phase = +27.5 deg

B_volu=+3.12 B_surf=+1.63 B_coul=+1.10 B_asym=-0.96 B_pair=-8.29

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=13

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 14/118 | ||x||_A = 9.118



From 12: delta ||x||_A = -0.004

Phase = +27.7 deg

B_volu=+3.14 B_surf=+1.65 B_coul=+1.13 B_asym=-0.94 B_pair=-8.27

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=14

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 15/118 | ||x||_A = 9.127



From 13: delta ||x||_A = +0.009

Phase = +27.9 deg

B_volu=+3.16 B_surf=+1.67 B_coul=+1.15 B_asym=-0.92 B_pair=-8.27

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=15

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 16/118 | ||x||_A = 9.149



From 14: delta ||x||_A = +0.022

Phase = +28.0 deg

B_volu=+3.18 B_surf=+1.69 B_coul=+1.17 B_asym=-0.91 B_pair=-8.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=16

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 17/118 | ||x||_A = 9.183



From 15: delta ||x||_A = +0.034

Phase = +28.1 deg

B_volu=+3.19 B_surf=+1.70 B_coul=+1.18 B_asym=-0.91 B_pair=-8.31

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=17

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 18/118 | ||x||_A = 9.227



From 16: delta ||x||_A = +0.044

Phase = +28.2 deg

B_volu=+3.21 B_surf=+1.72 B_coul=+1.19 B_asym=-0.91 B_pair=-8.35

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=18

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 19/118 | ||x||_A = 9.280



From 17: delta ||x||_A = +0.053

Phase = +28.2 deg

B_volu=+3.22 B_surf=+1.73 B_coul=+1.19 B_asym=-0.93 B_pair=-8.39

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=19

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 20/118 | ||x||_A = 9.340



From 18: delta ||x||_A = +0.059

Phase = +28.2 deg

B_volu=+3.24 B_surf=+1.74 B_coul=+1.19 B_asym=-0.94 B_pair=-8.45

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=20

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 21/118 | ||x||_A = 9.404



From 19: delta ||x||_A = +0.064

Phase = +28.2 deg

B_volu=+3.25 B_surf=+1.74 B_coul=+1.19 B_asym=-0.96 B_pair=-8.52

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=21

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 22/118 | ||x||_A = 9.471



From 20: delta ||x||_A = +0.067

Phase = +28.2 deg

B_volu=+3.26 B_surf=+1.75 B_coul=+1.18 B_asym=-0.99 B_pair=-8.58

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=22

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 23/118 | ||x||_A = 9.539



From 21: delta ||x||_A = +0.068

Phase = +28.2 deg

B_volu=+3.27 B_surf=+1.75 B_coul=+1.17 B_asym=-1.02 B_pair=-8.65

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=23

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 24/118 | ||x||_A = 9.605



From 22: delta ||x||_A = +0.066

Phase = +28.2 deg

B_volu=+3.27 B_surf=+1.75 B_coul=+1.16 B_asym=-1.05 B_pair=-8.72

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=24

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 25/118 | ||x||_A = 9.668



From 23: delta ||x||_A = +0.063

Phase = +28.1 deg

B_volu=+3.28 B_surf=+1.75 B_coul=+1.15 B_asym=-1.08 B_pair=-8.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=25

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 26/118 | ||x||_A = 9.725



From 24: delta ||x||_A = +0.057

Phase = +28.0 deg

B_volu=+3.28 B_surf=+1.75 B_coul=+1.13 B_asym=-1.11 B_pair=-8.84

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=26

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 27/118 | ||x||_A = 9.774



From 25: delta ||x||_A = +0.049

Phase = +27.9 deg

B_volu=+3.29 B_surf=+1.74 B_coul=+1.11 B_asym=-1.14 B_pair=-8.90

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=27

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 28/118 | ||x||_A = 9.814



From 26: delta ||x||_A = +0.040

Phase = +27.8 deg

B_volu=+3.29 B_surf=+1.74 B_coul=+1.10 B_asym=-1.17 B_pair=-8.94

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=28

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 29/118 | ||x||_A = 9.843



From 27: delta ||x||_A = +0.029

Phase = +27.7 deg

B_volu=+3.29 B_surf=+1.73 B_coul=+1.08 B_asym=-1.20 B_pair=-8.97

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=29

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 30/118 | ||x||_A = 9.858



From 28: delta ||x||_A = +0.016

Phase = +27.6 deg

B_volu=+3.29 B_surf=+1.72 B_coul=+1.06 B_asym=-1.22 B_pair=-8.99

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=30

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 31/118 | ||x||_A = 9.860



From 29: delta ||x||_A = +0.002

Phase = +27.5 deg

B_volu=+3.29 B_surf=+1.71 B_coul=+1.04 B_asym=-1.24 B_pair=-8.99

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=31

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 32/118 | ||x||_A = 9.847



From 30: delta ||x||_A = -0.013

Phase = +27.4 deg

B_volu=+3.29 B_surf=+1.70 B_coul=+1.02 B_asym=-1.26 B_pair=-8.98

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=32

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 33/118 | ||x||_A = 9.819



From 31: delta ||x||_A = -0.028

Phase = +27.2 deg

B_volu=+3.29 B_surf=+1.69 B_coul=+1.01 B_asym=-1.27 B_pair=-8.95

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=33

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 34/118 | ||x||_A = 9.775



From 32: delta ||x||_A = -0.044

Phase = +27.1 deg

B_volu=+3.29 B_surf=+1.68 B_coul=+0.99 B_asym=-1.27 B_pair=-8.90

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=34

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 35/118 | ||x||_A = 9.715



From 33: delta ||x||_A = -0.060

Phase = +27.0 deg

B_volu=+3.28 B_surf=+1.67 B_coul=+0.98 B_asym=-1.27 B_pair=-8.84

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=35

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 36/118 | ||x||_A = 9.639



From 34: delta ||x||_A = -0.075

Phase = +26.9 deg

B_volu=+3.28 B_surf=+1.67 B_coul=+0.97 B_asym=-1.26 B_pair=-8.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=36

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 37/118 | ||x||_A = 9.549



From 35: delta ||x||_A = -0.090

Phase = +26.8 deg

B_volu=+3.28 B_surf=+1.66 B_coul=+0.97 B_asym=-1.24 B_pair=-8.67

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=37

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 38/118 | ||x||_A = 9.446



From 36: delta ||x||_A = -0.104

Phase = +26.7 deg

B_volu=+3.27 B_surf=+1.65 B_coul=+0.97 B_asym=-1.21 B_pair=-8.57

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=38

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 39/118 | ||x||_A = 9.330



From 37: delta ||x||_A = -0.116

Phase = +26.7 deg

B_volu=+3.27 B_surf=+1.64 B_coul=+0.97 B_asym=-1.18 B_pair=-8.45

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=39

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 40/118 | ||x||_A = 9.204



From 38: delta ||x||_A = -0.126

Phase = +26.6 deg

B_volu=+3.26 B_surf=+1.64 B_coul=+0.97 B_asym=-1.14 B_pair=-8.31

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=40

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 41/118 | ||x||_A = 9.069



From 39: delta ||x||_A = -0.135

Phase = +26.6 deg

B_volu=+3.26 B_surf=+1.63 B_coul=+0.98 B_asym=-1.10 B_pair=-8.17

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=41

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 42/118 | ||x||_A = 8.928



From 40: delta ||x||_A = -0.141

Phase = +26.6 deg

B_volu=+3.25 B_surf=+1.63 B_coul=+1.00 B_asym=-1.04 B_pair=-8.02

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=42

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 43/118 | ||x||_A = 8.782



From 41: delta ||x||_A = -0.145

Phase = +26.6 deg

B_volu=+3.25 B_surf=+1.63 B_coul=+1.01 B_asym=-0.98 B_pair=-7.87

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=43

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 44/118 | ||x||_A = 8.636



From 42: delta ||x||_A = -0.147

Phase = +26.6 deg

B_volu=+3.25 B_surf=+1.63 B_coul=+1.04 B_asym=-0.92 B_pair=-7.71

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=44

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 45/118 | ||x||_A = 8.489



From 43: delta ||x||_A = -0.146

Phase = +26.7 deg

B_volu=+3.24 B_surf=+1.63 B_coul=+1.06 B_asym=-0.85 B_pair=-7.55

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=45

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 46/118 | ||x||_A = 8.346



From 44: delta ||x||_A = -0.143

Phase = +26.8 deg

B_volu=+3.24 B_surf=+1.63 B_coul=+1.09 B_asym=-0.77 B_pair=-7.40

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=46

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 47/118 | ||x||_A = 8.209



From 45: delta ||x||_A = -0.137

Phase = +26.9 deg

B_volu=+3.24 B_surf=+1.64 B_coul=+1.13 B_asym=-0.70 B_pair=-7.24

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=47

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 48/118 | ||x||_A = 8.080



From 46: delta ||x||_A = -0.129

Phase = +27.0 deg

B_volu=+3.23 B_surf=+1.65 B_coul=+1.17 B_asym=-0.62 B_pair=-7.10

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=48

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 49/118 | ||x||_A = 7.961



From 47: delta ||x||_A = -0.119

Phase = +27.2 deg

B_volu=+3.23 B_surf=+1.66 B_coul=+1.21 B_asym=-0.53 B_pair=-6.96

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=49

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 50/118 | ||x||_A = 7.854



From 48: delta ||x||_A = -0.107

Phase = +27.4 deg

B_volu=+3.23 B_surf=+1.67 B_coul=+1.25 B_asym=-0.45 B_pair=-6.83

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=50

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 51/118 | ||x||_A = 7.761



From 49: delta ||x||_A = -0.093

Phase = +27.6 deg

B_volu=+3.23 B_surf=+1.69 B_coul=+1.30 B_asym=-0.37 B_pair=-6.71

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=51

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 52/118 | ||x||_A = 7.682



From 50: delta ||x||_A = -0.078

Phase = +27.8 deg

B_volu=+3.24 B_surf=+1.71 B_coul=+1.35 B_asym=-0.29 B_pair=-6.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=52

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 53/118 | ||x||_A = 7.620



From 51: delta ||x||_A = -0.063

Phase = +28.1 deg

B_volu=+3.24 B_surf=+1.73 B_coul=+1.41 B_asym=-0.21 B_pair=-6.52

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=53

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 54/118 | ||x||_A = 7.573



From 52: delta ||x||_A = -0.046

Phase = +28.4 deg

B_volu=+3.24 B_surf=+1.75 B_coul=+1.46 B_asym=-0.13 B_pair=-6.45

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=54

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 55/118 | ||x||_A = 7.544



From 53: delta ||x||_A = -0.029

Phase = +28.7 deg

B_volu=+3.25 B_surf=+1.78 B_coul=+1.52 B_asym=-0.06 B_pair=-6.40

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=55

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 56/118 | ||x||_A = 7.531



From 54: delta ||x||_A = -0.013

Phase = +29.0 deg

B_volu=+3.25 B_surf=+1.80 B_coul=+1.57 B_asym=+0.01 B_pair=-6.36

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=56

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 57/118 | ||x||_A = 7.534



From 55: delta ||x||_A = +0.003

Phase = +29.3 deg

B_volu=+3.26 B_surf=+1.83 B_coul=+1.63 B_asym=+0.07 B_pair=-6.33

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=57

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 58/118 | ||x||_A = 7.553



From 56: delta ||x||_A = +0.019

Phase = +29.6 deg

B_volu=+3.27 B_surf=+1.86 B_coul=+1.69 B_asym=+0.13 B_pair=-6.33

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=58

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 59/118 | ||x||_A = 7.586



From 57: delta ||x||_A = +0.033

Phase = +30.0 deg

B_volu=+3.28 B_surf=+1.89 B_coul=+1.74 B_asym=+0.18 B_pair=-6.34

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=59

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 60/118 | ||x||_A = 7.631



From 58: delta ||x||_A = +0.046

Phase = +30.3 deg

B_volu=+3.29 B_surf=+1.93 B_coul=+1.80 B_asym=+0.22 B_pair=-6.36

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=60

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 61/118 | ||x||_A = 7.688



From 59: delta ||x||_A = +0.057

Phase = +30.7 deg

B_volu=+3.30 B_surf=+1.96 B_coul=+1.85 B_asym=+0.26 B_pair=-6.39

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=61

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 62/118 | ||x||_A = 7.755



From 60: delta ||x||_A = +0.067

Phase = +31.0 deg

B_volu=+3.32 B_surf=+2.00 B_coul=+1.90 B_asym=+0.29 B_pair=-6.44

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=62

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 63/118 | ||x||_A = 7.829



From 61: delta ||x||_A = +0.074

Phase = +31.4 deg

B_volu=+3.33 B_surf=+2.03 B_coul=+1.95 B_asym=+0.31 B_pair=-6.49

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=63

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 64/118 | ||x||_A = 7.909



From 62: delta ||x||_A = +0.080

Phase = +31.7 deg

B_volu=+3.35 B_surf=+2.07 B_coul=+2.00 B_asym=+0.32 B_pair=-6.55

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=64

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 65/118 | ||x||_A = 7.993



From 63: delta ||x||_A = +0.084

Phase = +32.1 deg

B_volu=+3.37 B_surf=+2.11 B_coul=+2.04 B_asym=+0.33 B_pair=-6.62

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=65

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 66/118 | ||x||_A = 8.078



From 64: delta ||x||_A = +0.085

Phase = +32.4 deg

B_volu=+3.38 B_surf=+2.15 B_coul=+2.08 B_asym=+0.33 B_pair=-6.69

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=66

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 67/118 | ||x||_A = 8.162



From 65: delta ||x||_A = +0.084

Phase = +32.7 deg

B_volu=+3.40 B_surf=+2.18 B_coul=+2.12 B_asym=+0.32 B_pair=-6.76

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=67

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 68/118 | ||x||_A = 8.244



From 66: delta ||x||_A = +0.082

Phase = +33.0 deg

B_volu=+3.42 B_surf=+2.22 B_coul=+2.15 B_asym=+0.31 B_pair=-6.82

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=68

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 69/118 | ||x||_A = 8.320



From 67: delta ||x||_A = +0.077

Phase = +33.2 deg

B_volu=+3.45 B_surf=+2.26 B_coul=+2.18 B_asym=+0.29 B_pair=-6.89

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=69

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 70/118 | ||x||_A = 8.390



From 68: delta ||x||_A = +0.070

Phase = +33.5 deg

B_volu=+3.47 B_surf=+2.29 B_coul=+2.20 B_asym=+0.27 B_pair=-6.94

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=70

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 71/118 | ||x||_A = 8.452



From 69: delta ||x||_A = +0.062

Phase = +33.7 deg

B_volu=+3.49 B_surf=+2.33 B_coul=+2.22 B_asym=+0.24 B_pair=-6.99

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=71

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 72/118 | ||x||_A = 8.504



From 70: delta ||x||_A = +0.052

Phase = +33.9 deg

B_volu=+3.52 B_surf=+2.36 B_coul=+2.24 B_asym=+0.22 B_pair=-7.02

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=72

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 73/118 | ||x||_A = 8.544



From 71: delta ||x||_A = +0.040

Phase = +34.1 deg

B_volu=+3.54 B_surf=+2.40 B_coul=+2.25 B_asym=+0.18 B_pair=-7.04

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=73

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 74/118 | ||x||_A = 8.571



From 72: delta ||x||_A = +0.028

Phase = +34.3 deg

B_volu=+3.57 B_surf=+2.43 B_coul=+2.26 B_asym=+0.15 B_pair=-7.05

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=74

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 75/118 | ||x||_A = 8.585



From 73: delta ||x||_A = +0.014

Phase = +34.4 deg

B_volu=+3.59 B_surf=+2.46 B_coul=+2.26 B_asym=+0.12 B_pair=-7.04

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=75

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 76/118 | ||x||_A = 8.585



From 74: delta ||x||_A = +0.000

Phase = +34.5 deg

B_volu=+3.62 B_surf=+2.49 B_coul=+2.26 B_asym=+0.09 B_pair=-7.02

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=76

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 77/118 | ||x||_A = 8.571



From 75: delta ||x||_A = -0.014

Phase = +34.6 deg

B_volu=+3.65 B_surf=+2.51 B_coul=+2.26 B_asym=+0.06 B_pair=-6.98

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=77

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 78/118 | ||x||_A = 8.543



From 76: delta ||x||_A = -0.029

Phase = +34.7 deg

B_volu=+3.67 B_surf=+2.54 B_coul=+2.25 B_asym=+0.03 B_pair=-6.93

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=78

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 79/118 | ||x||_A = 8.500



From 77: delta ||x||_A = -0.043

Phase = +34.7 deg

B_volu=+3.70 B_surf=+2.56 B_coul=+2.24 B_asym=+0.01 B_pair=-6.85

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=79

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 80/118 | ||x||_A = 8.444



From 78: delta ||x||_A = -0.056

Phase = +34.7 deg

B_volu=+3.73 B_surf=+2.58 B_coul=+2.23 B_asym=-0.01 B_pair=-6.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=80

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 81/118 | ||x||_A = 8.376



From 79: delta ||x||_A = -0.068

Phase = +34.7 deg

B_volu=+3.75 B_surf=+2.60 B_coul=+2.21 B_asym=-0.02 B_pair=-6.66

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=81

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 82/118 | ||x||_A = 8.297



From 80: delta ||x||_A = -0.079

Phase = +34.7 deg

B_volu=+3.78 B_surf=+2.62 B_coul=+2.19 B_asym=-0.03 B_pair=-6.55

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=82

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 83/118 | ||x||_A = 8.208



From 81: delta ||x||_A = -0.089

Phase = +34.6 deg

B_volu=+3.81 B_surf=+2.63 B_coul=+2.18 B_asym=-0.03 B_pair=-6.42

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=83

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 84/118 | ||x||_A = 8.111



From 82: delta ||x||_A = -0.097

Phase = +34.6 deg

B_volu=+3.83 B_surf=+2.64 B_coul=+2.16 B_asym=-0.03 B_pair=-6.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=84

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 85/118 | ||x||_A = 8.008



From 83: delta ||x||_A = -0.103

Phase = +34.5 deg

B_volu=+3.86 B_surf=+2.65 B_coul=+2.14 B_asym=-0.01 B_pair=-6.13

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=85

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 86/118 | ||x||_A = 7.901



From 84: delta ||x||_A = -0.107

Phase = +34.4 deg

B_volu=+3.88 B_surf=+2.66 B_coul=+2.12 B_asym=+0.00 B_pair=-5.98

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=86

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 87/118 | ||x||_A = 7.792



From 85: delta ||x||_A = -0.109

Phase = +34.2 deg

B_volu=+3.91 B_surf=+2.66 B_coul=+2.10 B_asym=+0.03 B_pair=-5.83

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=87

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 88/118 | ||x||_A = 7.683



From 86: delta ||x||_A = -0.109

Phase = +34.1 deg

B_volu=+3.93 B_surf=+2.66 B_coul=+2.09 B_asym=+0.07 B_pair=-5.67

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=88

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 89/118 | ||x||_A = 7.575



From 87: delta ||x||_A = -0.107

Phase = +34.0 deg

B_volu=+3.95 B_surf=+2.66 B_coul=+2.07 B_asym=+0.11 B_pair=-5.51

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=89

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 90/118 | ||x||_A = 7.472



From 88: delta ||x||_A = -0.103

Phase = +33.8 deg

B_volu=+3.98 B_surf=+2.66 B_coul=+2.06 B_asym=+0.16 B_pair=-5.35

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=90

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 91/118 | ||x||_A = 7.374



From 89: delta ||x||_A = -0.098

Phase = +33.6 deg

B_volu=+4.00 B_surf=+2.66 B_coul=+2.05 B_asym=+0.21 B_pair=-5.21

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=91

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 92/118 | ||x||_A = 7.284



From 90: delta ||x||_A = -0.090

Phase = +33.5 deg

B_volu=+4.02 B_surf=+2.65 B_coul=+2.04 B_asym=+0.27 B_pair=-5.06

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=92

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 93/118 | ||x||_A = 7.203



From 91: delta ||x||_A = -0.081

Phase = +33.3 deg

B_volu=+4.04 B_surf=+2.65 B_coul=+2.04 B_asym=+0.34 B_pair=-4.93

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=93

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 94/118 | ||x||_A = 7.132



From 92: delta ||x||_A = -0.071

Phase = +33.1 deg

B_volu=+4.05 B_surf=+2.64 B_coul=+2.03 B_asym=+0.41 B_pair=-4.81

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=94

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 95/118 | ||x||_A = 7.072



From 93: delta ||x||_A = -0.060

Phase = +32.9 deg

B_volu=+4.07 B_surf=+2.63 B_coul=+2.04 B_asym=+0.48 B_pair=-4.70

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=95

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 96/118 | ||x||_A = 7.024



From 94: delta ||x||_A = -0.048

Phase = +32.7 deg

B_volu=+4.08 B_surf=+2.62 B_coul=+2.04 B_asym=+0.56 B_pair=-4.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=96

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 97/118 | ||x||_A = 6.988



From 95: delta ||x||_A = -0.036

Phase = +32.5 deg

B_volu=+4.10 B_surf=+2.62 B_coul=+2.05 B_asym=+0.64 B_pair=-4.53

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=97

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 98/118 | ||x||_A = 6.965



From 96: delta ||x||_A = -0.023

Phase = +32.4 deg

B_volu=+4.11 B_surf=+2.61 B_coul=+2.07 B_asym=+0.73 B_pair=-4.47

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=98

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 99/118 | ||x||_A = 6.954



From 97: delta ||x||_A = -0.011

Phase = +32.2 deg

B_volu=+4.12 B_surf=+2.60 B_coul=+2.09 B_asym=+0.81 B_pair=-4.43

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=99

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 100/118 | ||x||_A = 6.956



From 98: delta ||x||_A = +0.001

Phase = +32.0 deg

B_volu=+4.13 B_surf=+2.59 B_coul=+2.11 B_asym=+0.89 B_pair=-4.40

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=100

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 101/118 | ||x||_A = 6.969



From 99: delta ||x||_A = +0.013

Phase = +31.9 deg

B_volu=+4.14 B_surf=+2.58 B_coul=+2.14 B_asym=+0.97 B_pair=-4.39

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=101

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 102/118 | ||x||_A = 6.993



From 100: delta ||x||_A = +0.024

Phase = +31.8 deg

B_volu=+4.15 B_surf=+2.57 B_coul=+2.17 B_asym=+1.05 B_pair=-4.39

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=102

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 103/118 | ||x||_A = 7.028



From 101: delta ||x||_A = +0.035

Phase = +31.6 deg

B_volu=+4.15 B_surf=+2.56 B_coul=+2.21 B_asym=+1.13 B_pair=-4.41

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=103

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 104/118 | ||x||_A = 7.072



From 102: delta ||x||_A = +0.044

Phase = +31.5 deg

B_volu=+4.16 B_surf=+2.55 B_coul=+2.25 B_asym=+1.20 B_pair=-4.44

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=104

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 105/118 | ||x||_A = 7.124



From 103: delta ||x||_A = +0.052

Phase = +31.5 deg

B_volu=+4.16 B_surf=+2.55 B_coul=+2.29 B_asym=+1.26 B_pair=-4.48

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=105

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 106/118 | ||x||_A = 7.182



From 104: delta ||x||_A = +0.059

Phase = +31.4 deg

B_volu=+4.17 B_surf=+2.54 B_coul=+2.34 B_asym=+1.33 B_pair=-4.53

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=106

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 107/118 | ||x||_A = 7.246



From 105: delta ||x||_A = +0.064

Phase = +31.4 deg

B_volu=+4.17 B_surf=+2.54 B_coul=+2.38 B_asym=+1.38 B_pair=-4.59

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=107

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 108/118 | ||x||_A = 7.314



From 106: delta ||x||_A = +0.068

Phase = +31.3 deg

B_volu=+4.17 B_surf=+2.54 B_coul=+2.44 B_asym=+1.43 B_pair=-4.66

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=108

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 109/118 | ||x||_A = 7.384



From 107: delta ||x||_A = +0.070

Phase = +31.4 deg

B_volu=+4.17 B_surf=+2.54 B_coul=+2.49 B_asym=+1.47 B_pair=-4.73

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=109

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 110/118 | ||x||_A = 7.454



From 108: delta ||x||_A = +0.070

Phase = +31.4 deg

B_volu=+4.17 B_surf=+2.54 B_coul=+2.54 B_asym=+1.50 B_pair=-4.80

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=110

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 111/118 | ||x||_A = 7.522



From 109: delta ||x||_A = +0.069

Phase = +31.4 deg

B_volu=+4.16 B_surf=+2.55 B_coul=+2.60 B_asym=+1.53 B_pair=-4.86

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=111

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 112/118 | ||x||_A = 7.588



From 110: delta ||x||_A = +0.066

Phase = +31.5 deg

B_volu=+4.16 B_surf=+2.55 B_coul=+2.66 B_asym=+1.55 B_pair=-4.93

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=112

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 113/118 | ||x||_A = 7.649



From 111: delta ||x||_A = +0.061

Phase = +31.6 deg

B_volu=+4.16 B_surf=+2.56 B_coul=+2.71 B_asym=+1.56 B_pair=-4.98

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=113

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 114/118 | ||x||_A = 7.704



From 112: delta ||x||_A = +0.055

Phase = +31.8 deg

B_volu=+4.16 B_surf=+2.57 B_coul=+2.77 B_asym=+1.57 B_pair=-5.03

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=114

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 115/118 | ||x||_A = 7.752



From 113: delta ||x||_A = +0.048

Phase = +31.9 deg

B_volu=+4.15 B_surf=+2.59 B_coul=+2.83 B_asym=+1.57 B_pair=-5.07

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=115

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 116/118 | ||x||_A = 7.791



From 114: delta ||x||_A = +0.039

Phase = +32.1 deg

B_volu=+4.15 B_surf=+2.60 B_coul=+2.88 B_asym=+1.56 B_pair=-5.10

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=116

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 117/118 | ||x||_A = 7.820



From 115: delta ||x||_A = +0.029

Phase = +32.3 deg

B_volu=+4.14 B_surf=+2.62 B_coul=+2.94 B_asym=+1.54 B_pair=-5.11

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=117

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Interval 118/118 | ||x||_A = 7.839



From 116: delta ||x||_A = +0.019

Phase = +32.5 deg

B_volu=+4.14 B_surf=+2.64 B_coul=+2.99 B_asym=+1.53 B_pair=-5.11

Peter Higgins / Rogue Wave Audio / CC BY 4.0

GHOST STACK — ALL INTERVALS OVERLAID

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | 118 slices composited



All 118 polar slices overlaid. Bold outlines: first (0, green) and last (117, red).

Density reveals where the manifold concentrates. Shape migration shows structural change over time.

Peter Higgins / Rogue Wave Audio / CC BY 4.0

DIFFERENCE POLAR — YEAR-OVER-YEAR CLR CHANGE

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | 117 delta intervals



Year-over-year CLR differences (delta_CLR_j = CLR_j(t) - CLR_j(t-1)). Large polygons = rapid change. Small = stability.

Max delta: 0.16 | Mean delta: 0.08

Peter Higgins / Rogue Wave Audio / CC BY 4.0

AITCHISON NORM PROFILE

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | 118 intervals



Min ||x|| = 6.95 | Max ||x|| = 10.24 | Mean = 8.40 | Range = 3.29

Bars = Aitchison norm per interval. Dashed line = CLR phase angle (secondary axis).

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Rows 1-32 of 118

Year	‖x‖_A	Phase	B_volum	B_surfa	B_coulo	B_asymm	B_pairi
0	10.24	+23.6	+2.83	+1.23	+0.55	-1.71	-9.60
1	10.09	+24.0	+2.85	+1.27	+0.60	-1.63	-9.44
2	9.95	+24.4	+2.88	+1.31	+0.66	-1.55	-9.28
3	9.81	+24.8	+2.91	+1.35	+0.72	-1.47	-9.13
4	9.69	+25.2	+2.93	+1.38	+0.77	-1.39	-8.99
5	9.57	+25.6	+2.96	+1.42	+0.82	-1.31	-8.85
6	9.46	+26.0	+2.98	+1.45	+0.87	-1.25	-8.73
7	9.37	+26.3	+3.01	+1.49	+0.92	-1.18	-8.62
8	9.29	+26.6	+3.03	+1.52	+0.96	-1.12	-8.52
9	9.22	+26.9	+3.06	+1.55	+1.00	-1.07	-8.44
10	9.18	+27.1	+3.08	+1.58	+1.04	-1.03	-8.37
11	9.14	+27.3	+3.10	+1.60	+1.08	-0.99	-8.32
12	9.12	+27.5	+3.12	+1.63	+1.10	-0.96	-8.29
13	9.12	+27.7	+3.14	+1.65	+1.13	-0.94	-8.27
14	9.13	+27.9	+3.16	+1.67	+1.15	-0.92	-8.27
15	9.15	+28.0	+3.18	+1.69	+1.17	-0.91	-8.28
16	9.18	+28.1	+3.19	+1.70	+1.18	-0.91	-8.31
17	9.23	+28.2	+3.21	+1.72	+1.19	-0.91	-8.35
18	9.28	+28.2	+3.22	+1.73	+1.19	-0.93	-8.39
19	9.34	+28.2	+3.24	+1.74	+1.19	-0.94	-8.45
20	9.40	+28.2	+3.25	+1.74	+1.19	-0.96	-8.52
21	9.47	+28.2	+3.26	+1.75	+1.18	-0.99	-8.58
22	9.54	+28.2	+3.27	+1.75	+1.17	-1.02	-8.65
23	9.61	+28.2	+3.27	+1.75	+1.16	-1.05	-8.72
24	9.67	+28.1	+3.28	+1.75	+1.15	-1.08	-8.78
25	9.72	+28.0	+3.28	+1.75	+1.13	-1.11	-8.84
26	9.77	+27.9	+3.29	+1.74	+1.11	-1.14	-8.90
27	9.81	+27.8	+3.29	+1.74	+1.10	-1.17	-8.94
28	9.84	+27.7	+3.29	+1.73	+1.08	-1.20	-8.97
29	9.86	+27.6	+3.29	+1.72	+1.06	-1.22	-8.99
30	9.86	+27.5	+3.29	+1.71	+1.04	-1.24	-8.99
31	9.85	+27.4	+3.29	+1.70	+1.02	-1.26	-8.98

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Rows 33-64 of 118

Year	‖x‖_A	Phase	B_volum	B_surfa	B_coulo	B_asymm	B_pairi
32	9.82	+27.2	+3.29	+1.69	+1.01	-1.27	-8.95
33	9.77	+27.1	+3.29	+1.68	+0.99	-1.27	-8.90
34	9.71	+27.0	+3.28	+1.67	+0.98	-1.27	-8.84
35	9.64	+26.9	+3.28	+1.67	+0.97	-1.26	-8.77
36	9.55	+26.8	+3.28	+1.66	+0.97	-1.24	-8.67
37	9.45	+26.7	+3.27	+1.65	+0.97	-1.21	-8.57
38	9.33	+26.7	+3.27	+1.64	+0.97	-1.18	-8.45
39	9.20	+26.6	+3.26	+1.64	+0.97	-1.14	-8.31
40	9.07	+26.6	+3.26	+1.63	+0.98	-1.10	-8.17
41	8.93	+26.6	+3.25	+1.63	+1.00	-1.04	-8.02
42	8.78	+26.6	+3.25	+1.63	+1.01	-0.98	-7.87
43	8.64	+26.6	+3.25	+1.63	+1.04	-0.92	-7.71
44	8.49	+26.7	+3.24	+1.63	+1.06	-0.85	-7.55
45	8.35	+26.8	+3.24	+1.63	+1.09	-0.77	-7.40
46	8.21	+26.9	+3.24	+1.64	+1.13	-0.70	-7.24
47	8.08	+27.0	+3.23	+1.65	+1.17	-0.62	-7.10
48	7.96	+27.2	+3.23	+1.66	+1.21	-0.53	-6.96
49	7.85	+27.4	+3.23	+1.67	+1.25	-0.45	-6.83
50	7.76	+27.6	+3.23	+1.69	+1.30	-0.37	-6.71
51	7.68	+27.8	+3.24	+1.71	+1.35	-0.29	-6.61
52	7.62	+28.1	+3.24	+1.73	+1.41	-0.21	-6.52
53	7.57	+28.4	+3.24	+1.75	+1.46	-0.13	-6.45
54	7.54	+28.7	+3.25	+1.78	+1.52	-0.06	-6.40
55	7.53	+29.0	+3.25	+1.80	+1.57	+0.01	-6.36
56	7.53	+29.3	+3.26	+1.83	+1.63	+0.07	-6.33
57	7.55	+29.6	+3.27	+1.86	+1.69	+0.13	-6.33
58	7.59	+30.0	+3.28	+1.89	+1.74	+0.18	-6.34
59	7.63	+30.3	+3.29	+1.93	+1.80	+0.22	-6.36
60	7.69	+30.7	+3.30	+1.96	+1.85	+0.26	-6.39
61	7.75	+31.0	+3.32	+2.00	+1.90	+0.29	-6.44
62	7.83	+31.4	+3.33	+2.03	+1.95	+0.31	-6.49
63	7.91	+31.7	+3.35	+2.07	+2.00	+0.32	-6.55

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Rows 65-96 of 118

Year	‖x‖_A	Phase	B_volum	B_surfa	B_coulo	B_asymm	B_pairi
64	7.99	+32.1	+3.37	+2.11	+2.04	+0.33	-6.62
65	8.08	+32.4	+3.38	+2.15	+2.08	+0.33	-6.69
66	8.16	+32.7	+3.40	+2.18	+2.12	+0.32	-6.76
67	8.24	+33.0	+3.42	+2.22	+2.15	+0.31	-6.82
68	8.32	+33.2	+3.45	+2.26	+2.18	+0.29	-6.89
69	8.39	+33.5	+3.47	+2.29	+2.20	+0.27	-6.94
70	8.45	+33.7	+3.49	+2.33	+2.22	+0.24	-6.99
71	8.50	+33.9	+3.52	+2.36	+2.24	+0.22	-7.02
72	8.54	+34.1	+3.54	+2.40	+2.25	+0.18	-7.04
73	8.57	+34.3	+3.57	+2.43	+2.26	+0.15	-7.05
74	8.59	+34.4	+3.59	+2.46	+2.26	+0.12	-7.04
75	8.59	+34.5	+3.62	+2.49	+2.26	+0.09	-7.02
76	8.57	+34.6	+3.65	+2.51	+2.26	+0.06	-6.98
77	8.54	+34.7	+3.67	+2.54	+2.25	+0.03	-6.93
78	8.50	+34.7	+3.70	+2.56	+2.24	+0.01	-6.85
79	8.44	+34.7	+3.73	+2.58	+2.23	-0.01	-6.77
80	8.38	+34.7	+3.75	+2.60	+2.21	-0.02	-6.66
81	8.30	+34.7	+3.78	+2.62	+2.19	-0.03	-6.55
82	8.21	+34.6	+3.81	+2.63	+2.18	-0.03	-6.42
83	8.11	+34.6	+3.83	+2.64	+2.16	-0.03	-6.28
84	8.01	+34.5	+3.86	+2.65	+2.14	-0.01	-6.13
85	7.90	+34.4	+3.88	+2.66	+2.12	+0.00	-5.98
86	7.79	+34.2	+3.91	+2.66	+2.10	+0.03	-5.83
87	7.68	+34.1	+3.93	+2.66	+2.09	+0.07	-5.67
88	7.58	+34.0	+3.95	+2.66	+2.07	+0.11	-5.51
89	7.47	+33.8	+3.98	+2.66	+2.06	+0.16	-5.35
90	7.37	+33.6	+4.00	+2.66	+2.05	+0.21	-5.21
91	7.28	+33.5	+4.02	+2.65	+2.04	+0.27	-5.06
92	7.20	+33.3	+4.04	+2.65	+2.04	+0.34	-4.93
93	7.13	+33.1	+4.05	+2.64	+2.03	+0.41	-4.81
94	7.07	+32.9	+4.07	+2.63	+2.04	+0.48	-4.70
95	7.02	+32.7	+4.08	+2.62	+2.04	+0.56	-4.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | Rows 97-118 of 118

Year	‖x‖_A	Phase	B_volum	B_surfa	B_coulo	B_asymm	B_pairi
96	6.99	+32.5	+4.10	+2.62	+2.05	+0.64	-4.53
97	6.96	+32.4	+4.11	+2.61	+2.07	+0.73	-4.47
98	6.95	+32.2	+4.12	+2.60	+2.09	+0.81	-4.43
99	6.96	+32.0	+4.13	+2.59	+2.11	+0.89	-4.40
100	6.97	+31.9	+4.14	+2.58	+2.14	+0.97	-4.39
101	6.99	+31.8	+4.15	+2.57	+2.17	+1.05	-4.39
102	7.03	+31.6	+4.15	+2.56	+2.21	+1.13	-4.41
103	7.07	+31.5	+4.16	+2.55	+2.25	+1.20	-4.44
104	7.12	+31.5	+4.16	+2.55	+2.29	+1.26	-4.48
105	7.18	+31.4	+4.17	+2.54	+2.34	+1.33	-4.53
106	7.25	+31.4	+4.17	+2.54	+2.38	+1.38	-4.59
107	7.31	+31.3	+4.17	+2.54	+2.44	+1.43	-4.66
108	7.38	+31.4	+4.17	+2.54	+2.49	+1.47	-4.73
109	7.45	+31.4	+4.17	+2.54	+2.54	+1.50	-4.80
110	7.52	+31.4	+4.16	+2.55	+2.60	+1.53	-4.86
111	7.59	+31.5	+4.16	+2.55	+2.66	+1.55	-4.93
112	7.65	+31.6	+4.16	+2.56	+2.71	+1.56	-4.98
113	7.70	+31.8	+4.16	+2.57	+2.77	+1.57	-5.03
114	7.75	+31.9	+4.15	+2.59	+2.83	+1.57	-5.07
115	7.79	+32.1	+4.15	+2.60	+2.88	+1.56	-5.10
116	7.82	+32.3	+4.14	+2.62	+2.94	+1.54	-5.11
117	7.84	+32.5	+4.14	+2.64	+2.99	+1.53	-5.11

V(t) Shape: — | Total Variance: —

Path Length: — | Net Distance: — | Path Efficiency: —

Amalgamation Pass: — | Carriers: 5 | Observations: 118

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR STACK SUMMARY — ALL INTERVALS

NUCLEAR_SEMF_COMPOSI | Nuclear SEMF Binding Energy | 118 intervals compared



Peter Higgins / Rogue Wave Audio / CC BY 4.0