MANIFOLD HELIX — POLAR SLICE MAP

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | 108 intervals | 5 carriers



Each numbered circle marks a polar slice. Coordinates: CLR1 (x), CLR2 (y), interval (z).

Intervals: 108 | Carriers: index, Mechanical, Thermal, Age, Errors | Events detected: 1

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=0

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 1/108 | ||x||_A = 2.586



Phase = -170.0 deg

index=-1.65 Mechan=-0.29 Therma=-0.91 Age=-0.99 Errors=+1.44

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=1

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 2/108 | ||x||_A = 2.570



From 0: delta ||x||_A = -0.016

Phase = -170.1 deg

index=-1.60 Mechan=-0.28 Therma=-0.90 Age=-0.98 Errors=+1.49

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=2

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 3/108 | ||x||_A = 2.556



From 1: delta ||x||_A = -0.014

Phase = -170.2 deg

index=-1.55 Mechan=-0.27 Therma=-0.89 Age=-0.97 Errors=+1.53

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=3

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 4/108 | ||x||_A = 2.543



From 2: delta ||x||_A = -0.013

Phase = -170.3 deg

index=-1.50 Mechan=-0.26 Therma=-0.88 Age=-0.96 Errors=+1.57

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=4

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 5/108 | ||x||_A = 2.531



From 3: delta ||x||_A = -0.012

Phase = -170.4 deg

index=-1.45 Mechan=-0.25 Therma=-0.86 Age=-0.95 Errors=+1.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=5

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 6/108 | ||x||_A = 2.519



From 4: delta ||x||_A = -0.012

Phase = -170.4 deg

index=-1.41 Mechan=-0.24 Therma=-0.85 Age=-0.93 Errors=+1.65

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=6

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 7/108 | ||x||_A = 2.508



From 5: delta ||x||_A = -0.011

Phase = -170.5 deg

index=-1.36 Mechan=-0.23 Therma=-0.84 Age=-0.93 Errors=+1.68

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=7

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 8/108 | ||x||_A = 2.496



From 6: delta ||x||_A = -0.012

Phase = -170.6 deg

index=-1.32 Mechan=-0.22 Therma=-0.83 Age=-0.92 Errors=+1.71

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=8

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 9/108 | ||x||_A = 2.484



From 7: delta ||x||_A = -0.012

Phase = -170.7 deg

index=-1.27 Mechan=-0.21 Therma=-0.82 Age=-0.91 Errors=+1.73

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=9

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 10/108 | ||x||_A = 2.471



From 8: delta ||x||_A = -0.013

Phase = -170.8 deg

index=-1.23 Mechan=-0.20 Therma=-0.81 Age=-0.90 Errors=+1.75

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=10

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 11/108 | ||x||_A = 2.457



From 9: delta ||x||_A = -0.014

Phase = -170.8 deg

index=-1.19 Mechan=-0.19 Therma=-0.80 Age=-0.90 Errors=+1.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=11

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 12/108 | ||x||_A = 2.441



From 10: delta ||x||_A = -0.015

Phase = -170.9 deg

index=-1.16 Mechan=-0.19 Therma=-0.80 Age=-0.89 Errors=+1.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=12

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 13/108 | ||x||_A = 2.425



From 11: delta ||x||_A = -0.017

Phase = -170.9 deg

index=-1.12 Mechan=-0.18 Therma=-0.79 Age=-0.89 Errors=+1.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=13

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 14/108 | ||x||_A = 2.407



From 12: delta ||x||_A = -0.018

Phase = -170.9 deg

index=-1.09 Mechan=-0.17 Therma=-0.79 Age=-0.89 Errors=+1.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=14

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 15/108 | ||x||_A = 2.387



From 13: delta ||x||_A = -0.019

Phase = -170.9 deg

index=-1.06 Mechan=-0.17 Therma=-0.78 Age=-0.88 Errors=+1.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=15

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 16/108 | ||x||_A = 2.367



From 14: delta ||x||_A = -0.020

Phase = -170.9 deg

index=-1.03 Mechan=-0.16 Therma=-0.78 Age=-0.88 Errors=+1.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=16

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 17/108 | ||x||_A = 2.347



From 15: delta ||x||_A = -0.021

Phase = -170.9 deg

index=-1.00 Mechan=-0.16 Therma=-0.78 Age=-0.89 Errors=+1.76

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=17

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 18/108 | ||x||_A = 2.326



From 16: delta ||x||_A = -0.021

Phase = -170.8 deg

index=-0.98 Mechan=-0.16 Therma=-0.78 Age=-0.89 Errors=+1.74

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=18

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 19/108 | ||x||_A = 2.306



From 17: delta ||x||_A = -0.021

Phase = -170.7 deg

index=-0.96 Mechan=-0.16 Therma=-0.78 Age=-0.89 Errors=+1.72

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=19

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 20/108 | ||x||_A = 2.286



From 18: delta ||x||_A = -0.020

Phase = -170.7 deg

index=-0.94 Mechan=-0.15 Therma=-0.78 Age=-0.89 Errors=+1.71

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=20

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 21/108 | ||x||_A = 2.267



From 19: delta ||x||_A = -0.019

Phase = -170.5 deg

index=-0.92 Mechan=-0.15 Therma=-0.78 Age=-0.90 Errors=+1.69

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=21

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 22/108 | ||x||_A = 2.250



From 20: delta ||x||_A = -0.017

Phase = -170.4 deg

index=-0.91 Mechan=-0.15 Therma=-0.78 Age=-0.90 Errors=+1.67

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=22

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 23/108 | ||x||_A = 2.235



From 21: delta ||x||_A = -0.015

Phase = -170.3 deg

index=-0.90 Mechan=-0.15 Therma=-0.79 Age=-0.91 Errors=+1.65

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=23

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 24/108 | ||x||_A = 2.223



From 22: delta ||x||_A = -0.012

Phase = -170.1 deg

index=-0.89 Mechan=-0.15 Therma=-0.79 Age=-0.91 Errors=+1.63

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=24

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 25/108 | ||x||_A = 2.213



From 23: delta ||x||_A = -0.009

Phase = -170.0 deg

index=-0.88 Mechan=-0.16 Therma=-0.80 Age=-0.92 Errors=+1.62

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=25

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 26/108 | ||x||_A = 2.207



From 24: delta ||x||_A = -0.006

Phase = -169.8 deg

index=-0.88 Mechan=-0.16 Therma=-0.80 Age=-0.92 Errors=+1.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=26

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 27/108 | ||x||_A = 2.204



From 25: delta ||x||_A = -0.003

Phase = -169.7 deg

index=-0.88 Mechan=-0.16 Therma=-0.80 Age=-0.93 Errors=+1.60

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=27

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 28/108 | ||x||_A = 2.205



From 26: delta ||x||_A = +0.001

Phase = -169.5 deg

index=-0.88 Mechan=-0.16 Therma=-0.81 Age=-0.93 Errors=+1.60

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=28

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 29/108 | ||x||_A = 2.209



From 27: delta ||x||_A = +0.004

Phase = -169.3 deg

index=-0.88 Mechan=-0.17 Therma=-0.81 Age=-0.93 Errors=+1.60

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=29

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 30/108 | ||x||_A = 2.217



From 28: delta ||x||_A = +0.008

Phase = -169.2 deg

index=-0.88 Mechan=-0.17 Therma=-0.82 Age=-0.93 Errors=+1.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=30

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 31/108 | ||x||_A = 2.229



From 29: delta ||x||_A = +0.012

Phase = -169.1 deg

index=-0.89 Mechan=-0.17 Therma=-0.82 Age=-0.93 Errors=+1.62

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=31

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 32/108 | ||x||_A = 2.244



From 30: delta ||x||_A = +0.015

Phase = -169.0 deg

index=-0.89 Mechan=-0.17 Therma=-0.82 Age=-0.93 Errors=+1.63

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=32

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 33/108 | ||x||_A = 2.263



From 31: delta ||x||_A = +0.018

Phase = -168.9 deg

index=-0.90 Mechan=-0.18 Therma=-0.82 Age=-0.93 Errors=+1.65

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=33

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 34/108 | ||x||_A = 2.284



From 32: delta ||x||_A = +0.022

Phase = -168.8 deg

index=-0.90 Mechan=-0.18 Therma=-0.83 Age=-0.93 Errors=+1.68

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=34

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 35/108 | ||x||_A = 2.309



From 33: delta ||x||_A = +0.024

Phase = -168.8 deg

index=-0.91 Mechan=-0.18 Therma=-0.83 Age=-0.93 Errors=+1.71

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=35

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 36/108 | ||x||_A = 2.335



From 34: delta ||x||_A = +0.027

Phase = -168.8 deg

index=-0.92 Mechan=-0.18 Therma=-0.83 Age=-0.92 Errors=+1.75

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=36

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 37/108 | ||x||_A = 2.364



From 35: delta ||x||_A = +0.029

Phase = -168.8 deg

index=-0.93 Mechan=-0.18 Therma=-0.82 Age=-0.91 Errors=+1.78

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=37

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 38/108 | ||x||_A = 2.394



From 36: delta ||x||_A = +0.030

Phase = -168.8 deg

index=-0.94 Mechan=-0.19 Therma=-0.82 Age=-0.91 Errors=+1.82

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=38

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 39/108 | ||x||_A = 2.426



From 37: delta ||x||_A = +0.031

Phase = -168.8 deg

index=-0.94 Mechan=-0.19 Therma=-0.82 Age=-0.90 Errors=+1.87

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=39

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 40/108 | ||x||_A = 2.458



From 38: delta ||x||_A = +0.032

Phase = -168.9 deg

index=-0.95 Mechan=-0.19 Therma=-0.81 Age=-0.89 Errors=+1.91

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=40

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 41/108 | ||x||_A = 2.489



From 39: delta ||x||_A = +0.032

Phase = -169.0 deg

index=-0.96 Mechan=-0.19 Therma=-0.81 Age=-0.88 Errors=+1.95

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=41

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 42/108 | ||x||_A = 2.520



From 40: delta ||x||_A = +0.031

Phase = -169.2 deg

index=-0.96 Mechan=-0.18 Therma=-0.80 Age=-0.87 Errors=+2.00

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=42

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 43/108 | ||x||_A = 2.550



From 41: delta ||x||_A = +0.030

Phase = -169.3 deg

index=-0.97 Mechan=-0.18 Therma=-0.79 Age=-0.86 Errors=+2.04

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=43

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 44/108 | ||x||_A = 2.577



From 42: delta ||x||_A = +0.028

Phase = -169.5 deg

index=-0.97 Mechan=-0.18 Therma=-0.78 Age=-0.84 Errors=+2.08

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=44

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 45/108 | ||x||_A = 2.602



From 43: delta ||x||_A = +0.025

Phase = -169.7 deg

index=-0.97 Mechan=-0.18 Therma=-0.77 Age=-0.83 Errors=+2.12

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=45

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 46/108 | ||x||_A = 2.624



From 44: delta ||x||_A = +0.022

Phase = -169.9 deg

index=-0.97 Mechan=-0.17 Therma=-0.76 Age=-0.82 Errors=+2.16

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=46

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 47/108 | ||x||_A = 2.642



From 45: delta ||x||_A = +0.018

Phase = -170.2 deg

index=-0.97 Mechan=-0.17 Therma=-0.75 Age=-0.81 Errors=+2.19

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=47

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 48/108 | ||x||_A = 2.656



From 46: delta ||x||_A = +0.014

Phase = -170.5 deg

index=-0.97 Mechan=-0.16 Therma=-0.74 Age=-0.80 Errors=+2.21

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=48

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 49/108 | ||x||_A = 2.666



From 47: delta ||x||_A = +0.010

Phase = -170.8 deg

index=-0.96 Mechan=-0.16 Therma=-0.73 Age=-0.78 Errors=+2.24

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=49

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 50/108 | ||x||_A = 2.671



From 48: delta ||x||_A = +0.005

Phase = -171.1 deg

index=-0.96 Mechan=-0.15 Therma=-0.72 Age=-0.77 Errors=+2.26

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=50

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 51/108 | ||x||_A = 2.671



From 49: delta ||x||_A = +0.000

Phase = -171.4 deg

index=-0.95 Mechan=-0.14 Therma=-0.70 Age=-0.76 Errors=+2.27

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=51

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 52/108 | ||x||_A = 2.667



From 50: delta ||x||_A = -0.004

Phase = -171.8 deg

index=-0.93 Mechan=-0.13 Therma=-0.69 Age=-0.75 Errors=+2.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=52

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 53/108 | ||x||_A = 2.657



From 51: delta ||x||_A = -0.009

Phase = -172.2 deg

index=-0.92 Mechan=-0.13 Therma=-0.68 Age=-0.75 Errors=+2.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=53

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 54/108 | ||x||_A = 2.644



From 52: delta ||x||_A = -0.013

Phase = -172.6 deg

index=-0.90 Mechan=-0.12 Therma=-0.66 Age=-0.74 Errors=+2.28

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=54

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 55/108 | ||x||_A = 2.627



From 53: delta ||x||_A = -0.017

Phase = -173.0 deg

index=-0.88 Mechan=-0.11 Therma=-0.65 Age=-0.73 Errors=+2.27

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=55

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 56/108 | ||x||_A = 2.605



From 54: delta ||x||_A = -0.021

Phase = -173.5 deg

index=-0.86 Mechan=-0.10 Therma=-0.64 Age=-0.73 Errors=+2.26

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=56

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 57/108 | ||x||_A = 2.581



From 55: delta ||x||_A = -0.024

Phase = -174.0 deg

index=-0.83 Mechan=-0.09 Therma=-0.63 Age=-0.72 Errors=+2.25

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=57

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 58/108 | ||x||_A = 2.555



From 56: delta ||x||_A = -0.026

Phase = -174.5 deg

index=-0.80 Mechan=-0.08 Therma=-0.62 Age=-0.72 Errors=+2.23

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=58

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 59/108 | ||x||_A = 2.527



From 57: delta ||x||_A = -0.028

Phase = -175.1 deg

index=-0.77 Mechan=-0.07 Therma=-0.60 Age=-0.72 Errors=+2.21

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=59

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 60/108 | ||x||_A = 2.498



From 58: delta ||x||_A = -0.029

Phase = -175.7 deg

index=-0.74 Mechan=-0.06 Therma=-0.60 Age=-0.72 Errors=+2.19

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=60

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 61/108 | ||x||_A = 2.469



From 59: delta ||x||_A = -0.029

Phase = -176.4 deg

index=-0.71 Mechan=-0.04 Therma=-0.59 Age=-0.72 Errors=+2.18

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=61

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 62/108 | ||x||_A = 2.440



From 60: delta ||x||_A = -0.028

Phase = -177.1 deg

index=-0.67 Mechan=-0.03 Therma=-0.58 Age=-0.72 Errors=+2.16

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=62

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 63/108 | ||x||_A = 2.413



From 61: delta ||x||_A = -0.027

Phase = -177.9 deg

index=-0.63 Mechan=-0.02 Therma=-0.57 Age=-0.72 Errors=+2.14

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=63

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 64/108 | ||x||_A = 2.388



From 62: delta ||x||_A = -0.025

Phase = -178.8 deg

index=-0.59 Mechan=-0.01 Therma=-0.57 Age=-0.73 Errors=+2.12

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=64

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 65/108 | ||x||_A = 2.367



From 63: delta ||x||_A = -0.022

Phase = -179.8 deg

index=-0.55 Mechan=-0.00 Therma=-0.56 Age=-0.73 Errors=+2.11

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=65

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 66/108 | ||x||_A = 2.349



From 64: delta ||x||_A = -0.018

Phase = +179.1 deg

index=-0.51 Mechan=+0.01 Therma=-0.56 Age=-0.73 Errors=+2.10

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=66

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 67/108 | ||x||_A = 2.335



From 65: delta ||x||_A = -0.014

Phase = +177.9 deg

index=-0.46 Mechan=+0.02 Therma=-0.56 Age=-0.74 Errors=+2.09

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=67

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 68/108 | ||x||_A = 2.327



From 66: delta ||x||_A = -0.009

Phase = +176.4 deg

index=-0.41 Mechan=+0.03 Therma=-0.55 Age=-0.74 Errors=+2.09

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=68

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 69/108 | ||x||_A = 2.323



From 67: delta ||x||_A = -0.003

Phase = +174.6 deg

index=-0.37 Mechan=+0.03 Therma=-0.55 Age=-0.75 Errors=+2.10

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=69

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 70/108 | ||x||_A = 2.325



From 68: delta ||x||_A = +0.002

Phase = +172.4 deg

index=-0.32 Mechan=+0.04 Therma=-0.55 Age=-0.75 Errors=+2.10

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=70

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 71/108 | ||x||_A = 2.333



From 69: delta ||x||_A = +0.008

Phase = +169.6 deg

index=-0.27 Mechan=+0.05 Therma=-0.56 Age=-0.76 Errors=+2.12

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=71

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 72/108 | ||x||_A = 2.346



From 70: delta ||x||_A = +0.013

Phase = +165.7 deg

index=-0.22 Mechan=+0.06 Therma=-0.56 Age=-0.76 Errors=+2.14

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=72

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 73/108 | ||x||_A = 2.365



From 71: delta ||x||_A = +0.019

Phase = +160.2 deg

index=-0.17 Mechan=+0.06 Therma=-0.56 Age=-0.76 Errors=+2.16

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=73

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 74/108 | ||x||_A = 2.389

From 72: delta ||x||_A = +0.024

Phase = +151.6 deg

index=-0.13 Mechan=+0.07 Therma=-0.56 Age=-0.76 Errors=+2.19

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=74

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 75/108 | ||x||_A = 2.418



From 73: delta ||x||_A = +0.029

Phase = +136.9 deg

index=-0.08 Mechan=+0.07 Therma=-0.57 Age=-0.77 Errors=+2.22

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=75

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 76/108 | ||x||_A = 2.451



From 74: delta ||x||_A = +0.033

Phase = +111.4 deg

index=-0.03 Mechan=+0.08 Therma=-0.57 Age=-0.77 Errors=+2.25

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=76

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 77/108 | ||x||_A = 2.487



From 75: delta ||x||_A = +0.037

Phase = +78.1 deg

index=+0.02 Mechan=+0.08 Therma=-0.58 Age=-0.77 Errors=+2.29

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=77

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 78/108 | ||x||_A = 2.527



From 76: delta ||x||_A = +0.039

Phase = +52.7 deg

index=+0.06 Mechan=+0.08 Therma=-0.58 Age=-0.76 Errors=+2.34

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=78

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 79/108 | ||x||_A = 2.568



From 77: delta ||x||_A = +0.041

Phase = +38.1 deg

index=+0.11 Mechan=+0.08 Therma=-0.58 Age=-0.76 Errors=+2.38

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=79

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 80/108 | ||x||_A = 2.611

From 78: delta ||x||_A = +0.043

Phase = +29.5 deg

index=+0.15 Mechan=+0.09 Therma=-0.59 Age=-0.76 Errors=+2.42

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=80

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 81/108 | ||x||_A = 2.654



From 79: delta ||x||_A = +0.043

Phase = +24.0 deg

index=+0.19 Mechan=+0.09 Therma=-0.59 Age=-0.75 Errors=+2.47

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=81

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 82/108 | ||x||_A = 2.697



From 80: delta ||x||_A = +0.043

Phase = +20.2 deg

index=+0.23 Mechan=+0.09 Therma=-0.60 Age=-0.74 Errors=+2.51

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=82

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 83/108 | ||x||_A = 2.738



From 81: delta ||x||_A = +0.041

Phase = +17.4 deg

index=+0.27 Mechan=+0.08 Therma=-0.60 Age=-0.74 Errors=+2.55

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=83

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 84/108 | ||x||_A = 2.777



From 82: delta ||x||_A = +0.039

Phase = +15.3 deg

index=+0.31 Mechan=+0.08 Therma=-0.60 Age=-0.73 Errors=+2.59

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=84

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 85/108 | ||x||_A = 2.814



From 83: delta ||x||_A = +0.037

Phase = +13.6 deg

index=+0.34 Mechan=+0.08 Therma=-0.60 Age=-0.72 Errors=+2.63

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=85

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 86/108 | ||x||_A = 2.847



From 84: delta ||x||_A = +0.033

Phase = +12.1 deg

index=+0.37 Mechan=+0.08 Therma=-0.60 Age=-0.71 Errors=+2.66

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=86

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 87/108 | ||x||_A = 2.876



From 85: delta ||x||_A = +0.029

Phase = +11.0 deg

index=+0.40 Mechan=+0.08 Therma=-0.60 Age=-0.70 Errors=+2.69

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=87

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 88/108 | ||x||_A = 2.901



From 86: delta ||x||_A = +0.025

Phase = +10.0 deg

index=+0.43 Mechan=+0.08 Therma=-0.60 Age=-0.68 Errors=+2.72

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=88

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 89/108 | ||x||_A = 2.921



From 87: delta ||x||_A = +0.020

Phase = +9.1 deg

index=+0.45 Mechan=+0.07 Therma=-0.60 Age=-0.67 Errors=+2.74

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=89

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 90/108 | ||x||_A = 2.935



From 88: delta ||x||_A = +0.015

Phase = +8.4 deg

index=+0.47 Mechan=+0.07 Therma=-0.59 Age=-0.66 Errors=+2.76

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=90

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 91/108 | ||x||_A = 2.945



From 89: delta ||x||_A = +0.010

Phase = +7.7 deg

index=+0.49 Mechan=+0.07 Therma=-0.59 Age=-0.65 Errors=+2.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=91

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 92/108 | ||x||_A = 2.950



From 90: delta ||x||_A = +0.005

Phase = +7.2 deg

index=+0.51 Mechan=+0.06 Therma=-0.58 Age=-0.64 Errors=+2.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=92

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 93/108 | ||x||_A = 2.949



From 91: delta ||x||_A = -0.000

Phase = +6.7 deg

index=+0.52 Mechan=+0.06 Therma=-0.58 Age=-0.62 Errors=+2.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=93

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 94/108 | ||x||_A = 2.944

From 92: delta ||x||_A = -0.005

Phase = +6.3 deg

index=+0.54 Mechan=+0.06 Therma=-0.57 Age=-0.61 Errors=+2.77

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=94

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 95/108 | ||x||_A = 2.935

From 93: delta ||x||_A = -0.009

Phase = +6.0 deg

index=+0.55 Mechan=+0.06 Therma=-0.56 Age=-0.60 Errors=+2.76

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=95

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 96/108 | ||x||_A = 2.921

From 94: delta ||x||_A = -0.013

Phase = +5.7 deg

index=+0.55 Mechan=+0.06 Therma=-0.55 Age=-0.59 Errors=+2.75

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=96

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 97/108 | ||x||_A = 2.905

From 95: delta ||x||_A = -0.016

Phase = +5.5 deg

index=+0.56 Mechan=+0.05 Therma=-0.54 Age=-0.58 Errors=+2.74

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=97

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 98/108 | ||x||_A = 2.886



From 96: delta ||x||_A = -0.019

Phase = +5.4 deg

index=+0.56 Mechan=+0.05 Therma=-0.53 Age=-0.58 Errors=+2.72

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=98

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 99/108 | ||x||_A = 2.866



From 97: delta ||x||_A = -0.021

Phase = +5.4 deg

index=+0.56 Mechan=+0.05 Therma=-0.52 Age=-0.57 Errors=+2.70

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=99

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 100/108 | ||x||_A = 2.844



From 98: delta ||x||_A = -0.022

Phase = +5.4 deg

index=+0.56 Mechan=+0.05 Therma=-0.50 Age=-0.56 Errors=+2.68

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=100

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 101/108 | ||x||_A = 2.822



From 99: delta ||x||_A = -0.022

Phase = +5.5 deg

index=+0.56 Mechan=+0.05 Therma=-0.49 Age=-0.56 Errors=+2.66

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=101

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 102/108 | ||x||_A = 2.801



From 100: delta ||x||_A = -0.021

Phase = +5.7 deg

index=+0.55 Mechan=+0.06 Therma=-0.48 Age=-0.55 Errors=+2.65

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=102

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 103/108 | ||x||_A = 2.781



From 101: delta ||x||_A = -0.020

Phase = +6.0 deg

index=+0.55 Mechan=+0.06 Therma=-0.46 Age=-0.55 Errors=+2.63

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=103

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 104/108 | ||x||_A = 2.764



From 102: delta ||x||_A = -0.017

Phase = +6.4 deg

index=+0.54 Mechan=+0.06 Therma=-0.45 Age=-0.55 Errors=+2.61

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=104

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 105/108 | ||x||_A = 2.749



From 103: delta ||x||_A = -0.015

Phase = +6.8 deg

index=+0.54 Mechan=+0.06 Therma=-0.44 Age=-0.55 Errors=+2.60

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=105

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 106/108 | ||x||_A = 2.738



From 104: delta ||x||_A = -0.011

Phase = +7.4 deg

index=+0.53 Mechan=+0.07 Therma=-0.43 Age=-0.55 Errors=+2.59

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=106

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 107/108 | ||x||_A = 2.732



From 105: delta ||x||_A = -0.007

Phase = +8.1 deg

index=+0.52 Mechan=+0.07 Therma=-0.41 Age=-0.55 Errors=+2.59

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR SLICE — t=107

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Interval 108/108 | ||x||_A = 2.729



From 106: delta ||x||_A = -0.002

Phase = +8.8 deg

index=+0.51 Mechan=+0.08 Therma=-0.40 Age=-0.56 Errors=+2.59

Peter Higgins / Rogue Wave Audio / CC BY 4.0

GHOST STACK — ALL INTERVALS OVERLAID

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | 108 slices composited



All 108 polar slices overlaid. Bold outlines: first (0, green) and last (107, red).

Density reveals where the manifold concentrates. Shape migration shows structural change over time.

Peter Higgins / Rogue Wave Audio / CC BY 4.0

DIFFERENCE POLAR — YEAR-OVER-YEAR CLR CHANGE

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | 107 delta intervals



Year-over-year CLR differences (delta_CLR_j = CLR_j(t) - CLR_j(t-1)). Large polygons = rapid change. Small = stability.

Max delta: 0.05 | Mean delta: 0.03

Peter Higgins / Rogue Wave Audio / CC BY 4.0

AITCHISON NORM PROFILE

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | 108 intervals



Min ||x|| = 2.20 | Max ||x|| = 2.95 | Mean = 2.54 | Range = 0.75

Bars = Aitchison norm per interval. Dashed line = CLR phase angle (secondary axis).

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Rows 1-32 of 108

Year	‖x‖_A	Phase	index	Mechani	Thermal	Age	Errors
0	2.59	-170.0	-1.65	-0.29	-0.91	-0.99	+1.44
1	2.57	-170.1	-1.60	-0.28	-0.90	-0.98	+1.49
2	2.56	-170.2	-1.55	-0.27	-0.89	-0.97	+1.53
3	2.54	-170.3	-1.50	-0.26	-0.88	-0.96	+1.57
4	2.53	-170.4	-1.45	-0.25	-0.86	-0.95	+1.61
5	2.52	-170.4	-1.41	-0.24	-0.85	-0.93	+1.65
6	2.51	-170.5	-1.36	-0.23	-0.84	-0.93	+1.68
7	2.50	-170.6	-1.32	-0.22	-0.83	-0.92	+1.71
8	2.48	-170.7	-1.27	-0.21	-0.82	-0.91	+1.73
9	2.47	-170.8	-1.23	-0.20	-0.81	-0.90	+1.75
10	2.46	-170.8	-1.19	-0.19	-0.80	-0.90	+1.77
11	2.44	-170.9	-1.16	-0.19	-0.80	-0.89	+1.78
12	2.42	-170.9	-1.12	-0.18	-0.79	-0.89	+1.78
13	2.41	-170.9	-1.09	-0.17	-0.79	-0.89	+1.78
14	2.39	-170.9	-1.06	-0.17	-0.78	-0.88	+1.78
15	2.37	-170.9	-1.03	-0.16	-0.78	-0.88	+1.77
16	2.35	-170.9	-1.00	-0.16	-0.78	-0.89	+1.76
17	2.33	-170.8	-0.98	-0.16	-0.78	-0.89	+1.74
18	2.31	-170.7	-0.96	-0.16	-0.78	-0.89	+1.72
19	2.29	-170.7	-0.94	-0.15	-0.78	-0.89	+1.71
20	2.27	-170.5	-0.92	-0.15	-0.78	-0.90	+1.69
21	2.25	-170.4	-0.91	-0.15	-0.78	-0.90	+1.67
22	2.24	-170.3	-0.90	-0.15	-0.79	-0.91	+1.65
23	2.22	-170.1	-0.89	-0.15	-0.79	-0.91	+1.63
24	2.21	-170.0	-0.88	-0.16	-0.80	-0.92	+1.62
25	2.21	-169.8	-0.88	-0.16	-0.80	-0.92	+1.61
26	2.20	-169.7	-0.88	-0.16	-0.80	-0.93	+1.60
27	2.20	-169.5	-0.88	-0.16	-0.81	-0.93	+1.60
28	2.21	-169.3	-0.88	-0.17	-0.81	-0.93	+1.60
29	2.22	-169.2	-0.88	-0.17	-0.82	-0.93	+1.61
30	2.23	-169.1	-0.89	-0.17	-0.82	-0.93	+1.62
31	2.24	-169.0	-0.89	-0.17	-0.82	-0.93	+1.63

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Rows 33-64 of 108

Year	‖x‖_A	Phase	index	Mechani	Thermal	Age	Errors
32	2.26	-168.9	-0.90	-0.18	-0.82	-0.93	+1.65
33	2.28	-168.8	-0.90	-0.18	-0.83	-0.93	+1.68
34	2.31	-168.8	-0.91	-0.18	-0.83	-0.93	+1.71
35	2.34	-168.8	-0.92	-0.18	-0.83	-0.92	+1.75
36	2.36	-168.8	-0.93	-0.18	-0.82	-0.91	+1.78
37	2.39	-168.8	-0.94	-0.19	-0.82	-0.91	+1.82
38	2.43	-168.8	-0.94	-0.19	-0.82	-0.90	+1.87
39	2.46	-168.9	-0.95	-0.19	-0.81	-0.89	+1.91
40	2.49	-169.0	-0.96	-0.19	-0.81	-0.88	+1.95
41	2.52	-169.2	-0.96	-0.18	-0.80	-0.87	+2.00
42	2.55	-169.3	-0.97	-0.18	-0.79	-0.86	+2.04
43	2.58	-169.5	-0.97	-0.18	-0.78	-0.84	+2.08
44	2.60	-169.7	-0.97	-0.18	-0.77	-0.83	+2.12
45	2.62	-169.9	-0.97	-0.17	-0.76	-0.82	+2.16
46	2.64	-170.2	-0.97	-0.17	-0.75	-0.81	+2.19
47	2.66	-170.5	-0.97	-0.16	-0.74	-0.80	+2.21
48	2.67	-170.8	-0.96	-0.16	-0.73	-0.78	+2.24
49	2.67	-171.1	-0.96	-0.15	-0.72	-0.77	+2.26
50	2.67	-171.4	-0.95	-0.14	-0.70	-0.76	+2.27
51	2.67	-171.8	-0.93	-0.13	-0.69	-0.75	+2.28
52	2.66	-172.2	-0.92	-0.13	-0.68	-0.75	+2.28
53	2.64	-172.6	-0.90	-0.12	-0.66	-0.74	+2.28
54	2.63	-173.0	-0.88	-0.11	-0.65	-0.73	+2.27
55	2.61	-173.5	-0.86	-0.10	-0.64	-0.73	+2.26
56	2.58	-174.0	-0.83	-0.09	-0.63	-0.72	+2.25
57	2.55	-174.5	-0.80	-0.08	-0.62	-0.72	+2.23
58	2.53	-175.1	-0.77	-0.07	-0.60	-0.72	+2.21
59	2.50	-175.7	-0.74	-0.06	-0.60	-0.72	+2.19
60	2.47	-176.4	-0.71	-0.04	-0.59	-0.72	+2.18
61	2.44	-177.1	-0.67	-0.03	-0.58	-0.72	+2.16
62	2.41	-177.9	-0.63	-0.02	-0.57	-0.72	+2.14
63	2.39	-178.8	-0.59	-0.01	-0.57	-0.73	+2.12

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Rows 65-96 of 108

Year	‖x‖_A	Phase	index	Mechani	Thermal	Age	Errors
64	2.37	-179.8	-0.55	-0.00	-0.56	-0.73	+2.11
65	2.35	+179.1	-0.51	+0.01	-0.56	-0.73	+2.10
66	2.34	+177.9	-0.46	+0.02	-0.56	-0.74	+2.09
67	2.33	+176.4	-0.41	+0.03	-0.55	-0.74	+2.09
68	2.32	+174.6	-0.37	+0.03	-0.55	-0.75	+2.10
69	2.33	+172.4	-0.32	+0.04	-0.55	-0.75	+2.10
70	2.33	+169.6	-0.27	+0.05	-0.56	-0.76	+2.12
71	2.35	+165.7	-0.22	+0.06	-0.56	-0.76	+2.14
72	2.37	+160.2	-0.17	+0.06	-0.56	-0.76	+2.16
73	2.39	+151.6	-0.13	+0.07	-0.56	-0.76	+2.19
74	2.42	+136.9	-0.08	+0.07	-0.57	-0.77	+2.22
75	2.45	+111.4	-0.03	+0.08	-0.57	-0.77	+2.25
76	2.49	+78.1	+0.02	+0.08	-0.58	-0.77	+2.29
77	2.53	+52.7	+0.06	+0.08	-0.58	-0.76	+2.34
78	2.57	+38.1	+0.11	+0.08	-0.58	-0.76	+2.38
79	2.61	+29.5	+0.15	+0.09	-0.59	-0.76	+2.42
80	2.65	+24.0	+0.19	+0.09	-0.59	-0.75	+2.47
81	2.70	+20.2	+0.23	+0.09	-0.60	-0.74	+2.51
82	2.74	+17.4	+0.27	+0.08	-0.60	-0.74	+2.55
83	2.78	+15.3	+0.31	+0.08	-0.60	-0.73	+2.59
84	2.81	+13.6	+0.34	+0.08	-0.60	-0.72	+2.63
85	2.85	+12.1	+0.37	+0.08	-0.60	-0.71	+2.66
86	2.88	+11.0	+0.40	+0.08	-0.60	-0.70	+2.69
87	2.90	+10.0	+0.43	+0.08	-0.60	-0.68	+2.72
88	2.92	+9.1	+0.45	+0.07	-0.60	-0.67	+2.74
89	2.94	+8.4	+0.47	+0.07	-0.59	-0.66	+2.76
90	2.94	+7.7	+0.49	+0.07	-0.59	-0.65	+2.77
91	2.95	+7.2	+0.51	+0.06	-0.58	-0.64	+2.77
92	2.95	+6.7	+0.52	+0.06	-0.58	-0.62	+2.77
93	2.94	+6.3	+0.54	+0.06	-0.57	-0.61	+2.77
94	2.93	+6.0	+0.55	+0.06	-0.56	-0.60	+2.76
95	2.92	+5.7	+0.55	+0.06	-0.55	-0.59	+2.75

Peter Higgins / Rogue Wave Audio / CC BY 4.0

VALUE TABLE — CLR COORDINATES PER INTERVAL

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | Rows 97-108 of 108

Year	‖x‖_A	Phase	index	Mechani	Thermal	Age	Errors
96	2.91	+5.5	+0.56	+0.05	-0.54	-0.58	+2.74
97	2.89	+5.4	+0.56	+0.05	-0.53	-0.58	+2.72
98	2.87	+5.4	+0.56	+0.05	-0.52	-0.57	+2.70
99	2.84	+5.4	+0.56	+0.05	-0.50	-0.56	+2.68
100	2.82	+5.5	+0.56	+0.05	-0.49	-0.56	+2.66
101	2.80	+5.7	+0.55	+0.06	-0.48	-0.55	+2.65
102	2.78	+6.0	+0.55	+0.06	-0.46	-0.55	+2.63
103	2.76	+6.4	+0.54	+0.06	-0.45	-0.55	+2.61
104	2.75	+6.8	+0.54	+0.06	-0.44	-0.55	+2.60
105	2.74	+7.4	+0.53	+0.07	-0.43	-0.55	+2.59
106	2.73	+8.1	+0.52	+0.07	-0.41	-0.55	+2.59
107	2.73	+8.8	+0.51	+0.08	-0.40	-0.56	+2.59

V(t) Shape: — | Total Variance: —

Path Length: — | Net Distance: — | Path Efficiency: —

Amalgamation Pass: — | Carriers: 5 | Observations: 108

Peter Higgins / Rogue Wave Audio / CC BY 4.0

POLAR STACK SUMMARY — ALL INTERVALS

HS-17_FLEET_COMPOSIT | Backblaze Fleet Composition | 108 intervals compared



Peter Higgins / Rogue Wave Audio / CC BY 4.0