Voor jouw apotheek

Svelte Fundamentals

Short recap day #1

Peter Kassenaar – info@kassenaar.com

eduvision
opleiding & training

Yesterday - Front-end Frameworks

Zooming in on Svelte

- Introduction – overview of the front-end landscape
- Svelte tooling – installation
  - Node, NPM, `npm create`, Vite
- NodeJS commands
  - `npm install`, `npm run dev`
- Hello World; structure and architecture of Svelte apps.
- Building block/concepts
  - Components, runes, TypeScript, HTML, Styles

Day #1 -

- Svelte Template Syntax
  - `{#if}`, `{#each}`, `{#snippet}`, `{@render}`
- Svelte 5 reactivity (Runes)
  - `$state()`, `$derived()`, `$effect()`, `$props()`
- Events and Component communication
  - `onclick`, `onhover`, `onxxx`, passing props & functions to child components
  - Don't mutate props in child components!
- TypeScript in Svelte Projects
  - Typing `props`, `generics`, `interface`

Look at the Documentation

SVELTE Docs Tutorial Packages Playground Blog

search CTRL K

Introduction

Overview
Getting started
.svelte files
.svelte.js and .svelte.ts files

Runes

What are runes?
$state
$derived
$effect
$props
$bindable
$inspect
$host

Template syntax

Basic markup
{#if ...}
{#each ...}
{#key ...}
{#await ...}
{#snippet ...}
{@render ...}

SVELTE • INTRODUCTION

Overview

Svelte is a framework for building user interfaces on the web. It uses a compiler to turn declarative components written in HTML, CSS and JavaScript...

App.svelte JS TS

```
<script lang="ts">
  function greet() {
    alert('Welcome to Svelte!');
  }
</script>

<button onclick={greet}>click me</button>

<style>
  button {
    font-size: 2em;
  }
</style>
```

...into lean, tightly optimized JavaScript.

On this page
Overview

https://svelte.dev/docs/svelte/overview

Important: Learn Concepts instead of Code

Questions?

Today

- Working with user input and form data
  - Binding (`bind:`), validation, controlled/uncontrolled
- Http:communicating with external API's
  - Design pattern in depth: Smart/View components
- State management in Svelte Applications
  - Classic, using `store`
  - Modern, using global `$state()`

April 20 - day 3: SvelteKit

- Goals of SvelteKit – setting up SvelteKit
- Client modules & Server modules
- File based routing
  - `+page.svelte`, `+layout.svelte`, `params`, nested layouts
- Data fetching in SvelteKit (server sided)
- Form actions and `+server.ts` API endpoints
- (Environment variables
- Deployment and strategies)