Vue Fundamentals

Short recap day #1

Peter Kassenaar –
info@kassenaar.com

Last week - Front-end Frameworks



Zooming in on Vue

- Introduction – overview of the front-end landscape
- Vue tooling – installation
  - Node, NPM, create-vue, Vue DevTools
- NodeJS commands
  - `npm install, npm run dev`
- Hello World; structure and architecture of Vue apps.
- Options API vs. Composition API
  - `{ …, …}`
  - `<script setup>`


BABEL
JS
TS
NUXT
B

Visual of the Vue instance



Vue 3: `npm create vue@latest`

```
Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\info> cd .\Desktop\
PS C:\Users\info\Desktop> npm create vue@3
Need to install the following packages:
  create-vue@3
Ok to proceed? (y)

Vue.js - The Progressive JavaScript Framework

√ Project name: ... vue-project
√ Add TypeScript? ... No / Yes
√ Add JSX Support? ... No / Yes
√ Add Vue Router for Single Page Application development? ... No / Yes
√ Add Pinia for state management? ... No / Yes
√ Add Vitest for Unit Testing? ... No / Yes
√ Add an End-to-End Testing Solution? » No
√ Add ESLint for code quality? ... No / Yes

Scaffolding project in C:\Users\info\Desktop\vue-project...

Done. Now run:

  cd vue-project
  npm install
  npm run dev

PS C:\Users\info\Desktop>
```

Under the hood this uses `Vite` as bundler, instead of `Webpack`

Vue 3 - project



App.vue

```
<template>
    <div class="wrapper">
      <HelloWorld msg123="Hello World!" name="Joris" />
    </div>
</template>
```

Template

```
<script setup>
  import HelloWorld from './components/HelloWorld.vue’
  …
</script>
```

Script

```
<style scoped>
  .wrapper {
    line-height: 1.5;
  }, …

</style>
```

Style

Also last week

- Components:
  - data binding `{{ … }}`
  - attribute binding `v-bind:` or `:`
  - event binding `v-on:` or `@`
- Computed properties
- Binding to images
- Using `v-model`
  - Textboxes, checkboxes, selection lists

- Lifecycle methods
  - `onMounted()`
  - `onUpdated()`
  - `onUnmounted()`
- Conditional Styles / Classes

Important: Learn Concepts instead of Code

Questions?

Today – Day 2, (½ day)

- Communication between components
  - Props and events; using `emit(…)`
  - Slots
- Using HTTP API's

  Using Live API's

  Building a small application
- (Vue Router
  - Routing to different pages / components)
- Next steps….

If you liked it, endorse



https://www.linkedin.com/in/peterkassenaar/



Thank you

www.vuetraining.nl/