Git Init

->Git init is a command used in Git that can create an empty git repository or organise an already existing one

```
MINGW64:/g/Com skills
                                                                            Х
C00297005@CD-A001-01 MINGW64 /g/Com skills (master)
Reinitialized existing Git repository in //CS-STUDENT-01/HOME$/202300/KCIAD_B_Y1
/C00297005/Com skills/.git/
000297005@CD-A001-01 MINGW64 /g/Com skills (master)
$ git remote add origin https://github.com/PeterLowe/git-one-MontanaNicholas.git
error: remote origin already exists.
000297005@CD-A001-01 MINGW64 /g/Com skills (master)
$ git status
On branch master
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file: Git Assignment - Montana Nicholas.docx
new file: Script for Assignment.txt
.00297005@CD-A001-01 MINGW64 /g/Com skills (master)
```

Git Remote

->Git remote is a command used in Git that can help you manage connections to remote repositories.

Git clone

->Git clone is a command used in Git that creates a copy of an already existing repository.

```
MINGW64:/c/Users/monta/OneDrive - South East Technological University/...
                                                                                    \times
$ git status
On branch master
nothing to commit, working tree clean
 nonta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/gi
t (master)
$ git clone https://github.com/PeterLowe/git-one-MontanaNicholas.git
Cloning into 'git-one-MontanaNicholas'...
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 5 (delta 0), reused 5 (delta 0), pack-reused 0
Receiving objects: 100% (5/5), 9.77 KiB | 9.77 MiB/s, done.
 nonta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/gi
  (master)
$ dir -a
    .git
                             Git\ screenshots.docx git-one-MontanaNicholas
   Git\ assignment.txt git\ assignment.docx
 nonta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/g
  (master)
```

Git Add

->Git add is a command used in Git that adds files in the working directory to the main staging area

Git Status

->Git status is a command used in Git that shows the status of the working tree (or just the state of your working directory)

```
MINGW64:/c/Users/monta/OneDrive - South East Technological University/Com Skills/git/git-... 

**Constant of the Skills of the S
```

Git Commit

->Git commit is a command used in Git that records the changes and saves made to the repository

Git Push

->Git push is a command used in Git that updates the remote repository with local commits

Git Pull

->Git pull is a command used in Git that updates the local version of a repository from a remote repository

Git Log

->Git log is a command used in Git that shows a list/the history of all the commits made to a repository

```
🥎 MINGW64:/c/Users/monta/OneDrive - South East Technological University/Com Skills/git/git-one-Mont...
 onta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/git/git-one-
 ontanaNicholas (master)
$ git log
commit 90806f32a6a71d3c3701854c5e0529fd25bf9dd5 (HEAD -> master, origin/master, origin/HEA
Author: (Student C00297005) Montana Nicholas <C00297005@setu.ie>
Date: Fri Oct 20 09:57:58 2023 +0100
   starting report
 onta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/git/git-one-
 ontanaNicholas (master)
$ git pull
Already up to date.
 onta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/git/git-one-Mont
naNicholas (master)
$ git push origin master
Everything up-to-date
 onta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/git/git-one-Mont
naNicholas (master)
```

Git stash

->Git stash is a command used in Git that allows you to temporarily save your local changes in a "stash" which is in a separate area - this is useful when you need to work on something else without committing your current changes

```
monta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/gi
t/git-one-MontanaNicholas (master)
$ git stash
No local changes to save

monta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/gi
t/git-one-MontanaNicholas (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

monta@MSI MINGW64 ~/OneDrive - South East Technological University/Com Skills/gi
t/git-one-MontanaNicholas (master)
$ !
```