Form 24 for 12/07/05

Radiogram No. 1761u FGB ИДЭ-2 Smoke Detector Cleaning

| GMT | CREW | ACTIVITY |
|-------------|-------------|--|
| 06:00-06:10 | | Morning inspection |
| 06:10-06:40 | | Post-sleep |
| 06:40-07:15 | | BREAKFAST |
| 07:15-07:30 | | Daily planning conference (S-band) |
| 07:30-07:45 | | BREAKFAST |
| 07:45-08:15 | | Work prep |
| 08:15-11:15 | | FGB ИДЭ-2 smoke detector cleaning (location of needle cleaning accessories: ИДЭ-2 or ΦΓБ1ΠΓΟ_4_412 in or ΦΓБ1ΠΓΟ_4_409_1 w. b. #II-2 248-16) |
| 11:15-12:45 | FE-1 | Physical Exercise (TVIS) 2 |
| 11:15-12:15 | CDR | Physical Exercise (RED) |
| 12:15-12:45 | | EXPRESS Rack 3: Starting software upload |
| 12:45-12:50 | FE-1 | On MCC Go ISS O2 repress from Progress 354 CpΠK (start) |
| 12:50-13:50 | | LUNCH |
| 13:50-14:10 | CDR | EPO procedure review |
| 13:50-13:55 | FE-1 | ISS O2 repress using Progress 354 CpΠK (terminate) |
| 13:55-15:15 | | Recharging CKB1 with Khladon |
| 14:10-14:20 | CDR | Setting up camera for EPO |
| 14:20-14:40 | | EPO. Demonstration |
| 14:50-15:50 | | MISSE3/4 collar install |
| 15:15-16:45 | FE-1 | Cleaning BT7 screen on ГЖТ4 |
| 15:50-16:20 | | СОЖ maintenance |
| 16:20-16:30 | CDR | EXPRESS Rack 3: terminate Interface Controller software upload |
| 16:30-18:00 | | Physical Exercise (TVIS) |
| 16:45-16:55 | FE-1 | Taking readings from AOK ΓΑΗΚ-4M gas analyzer |
| 16:55-17:15 | | IMS update |
| 17:15-18:15 | | Physical Exercise (VELO+RED) day 2 |
| 18:00-18:05 | CDR FE-1 | Transferring TVIS, RED, and HRM data to MEC |
| 18:05-18:35 | | Daily plan review |
| 18:15-18:45 | | |
| 18:35-18:50 | CDR | VHF1 comm check (via DRY) |
| 18:45-18:55 | FE-1 | Report prep |
| 18:55-19:10 | | Daily planning conference (S-band) |
| 19:10-19:30 | | Report prep |
| 19:30-20:00 | | DINNER |
| 20:00-20:30 | FE-1 | Daily food prep |
| 20:00-20:30 | CDR | Daily food prep |
| 20:30-21:30 | | Pre-sleep |
| 21:30-06:00 | | SLEEP |

Note: Note: See OSTP for references to US activities.

End of radiogram