Radiogram No. 301u Form 24 for 05/20/2009 PROGRESS 402 (DC1) FUEL AND OXIDIZER (ЗУГ, ЗУО) REFILLING SYSTEM LEAK CHECKS. RS ATTITUDE CONTROL THRUSTER (ДО) INHIBIT

| GMT | CREW | ACTIVITY |
|-------------|------------|--|
| 06:00-06:10 | CDR, FE-2 | Morning Inspection |
| 06:00-06:05 | FE-1 | SLEEP Data Log Entry |
| 06:05-06:10 | FE-1 | Morning Inspection |
| 06:10-06:40 | | Post-sleep |
| 06:40-06:55 | FE-2 | |
| 06:40-07:30 | CDR, FE-1 | BREAKFAST |
| 06:55-07:00 | FE-2 | HAM Radio Setup |
| 07:00-07:10 | FE-2 | HAM Radio Session |
| 07:10-07:45 | FE-2 | BREAKFAST |
| 07:30-07:40 | CDR | Work Prep. Unstow RODF EVA from DC1. ORLAN-MK (Progress 402 Delivery) |
| 07:30-07:45 | FE-1 | Work Prep |
| 07:40-07:45 | CDR | PLANTS-2 Payload Status Check |
| 07:45-08:00 | | Daily Planning Conference (S-band) |
| 08:00-08:05 | FE-2 | ELT Activation |
| 08:00-08:15 | CDR | Work Prep |
| 08:05-09:20 | FE-2 | Physical Exercise (TVIS) |
| 08:15-09:30 | CDR | PNEUMOCARD Experiment Ops |
| 08:20-10:20 | FE-1 | US Sound Level Meter (SLM) Setup and Acoustic Survey |
| 09:20-10:35 | FE-2 | Physical Exercise (ARED) |
| 09:30-11:00 | CDR | Physical Exercise (TVIS), day 3 |
| 10:20-10:50 | FE-1 | US Sound Level Meter (SLM) Setup and Acoustic Survey |
| 10:50-11:50 | FE-1 | Physical Exercise (VELO) |
| 10:50-10:55 | FE-2 | EPM Laptop Installation and Activation |
| 10:55-11:25 | FE-2 | CARD Setup System for Pulmonary Activity Study |
| 11:00-11:10 | CDR | PLANTS-2 Plant Photography |
| 11:25-11:55 | CDR | ISS-MCC-M TV. FLYING SAUCER .Set up and Run TV Conference. Tagup with specialists (S-band) |
| 11:25-11:55 | FE-2 | CARD Blood Pressure Monitor Prep |
| 11:55-12:15 | FE-2 | CARD Repository Urine Collection |
| 11:55-12:25 | FE-1 | US Sound Level Meter (SLM) Setup and Acoustic Survey |
| 12:05-12:25 | CDR | FLYING SAUCER Tagup with Experiment Developers (S-band) |
| 12:15-12:40 | FE-2 | CARD Pulmonary Activity Study 1 |
| 12:25-12:55 | CDR, FE-1 | Testing EVA Support Panels [ΠΟΒ] in DC1 and ΠxO [Transfer Compartment] |
| 12:40-13:05 | FE-2 | Start Recharge of Rechargeable EVA Battery Assembly (REBA) |
| 12:55-13:25 | CDR, FE-1 | Skills training for the Shuttle R-Bar Pitch Maneuver |
| 13:05-13:25 | FE-2 | Start BSA Battery Charge |
| 13:25-14:15 | CDR | LUNCH |
| 13:25-14:25 | FE-1, FE-2 | LUNCH |
| 14:25-14:45 | CDR | Configure the Setup for Rodnik Water Tank 1 [БВ1] Bladder Compression |
| 14:25-15:25 | FE-1 | Equipment Pre-pack for Return on Shuttle Flight 2J/A |
| 14:25-14:30 | FE-2 | VOA Power Down |
| 14:30-14:45 | FE-2 | EVA MBS Camera Checkout |
| 14:45-14:55 | CDR | SM VHF2 Comm Test |

| 15:05-15:10 | FE-2 | CHECS Jumper Quick Disconnect |
|-------------|------------|--|
| 15:10-15:20 | FE-2 | CARD Pulmonary Activity Study 2 |
| 15:15-15:20 | CDR | Rodnik Water Tank 1 [5B1] Bladder Compression |
| 15:20-15:50 | CDR | ODF Replacement |
| 15:20-16:05 | FE-2 | Hardware Prepack for Return on Shuttle Flight 2J/A |
| 15:25-15:30 | FE-1 | BCAT-4 Camera Checkout |
| 15:30-15:35 | FE-1 | Payload Status Check |
| 15:35-15:55 | FE-1 | SLM Stowage |
| 15:50-15:55 | CDR | Rodnik Water Tank 1 [5B1] Bladder Compression |
| 15:55-16:00 | FE-1 | Image Downlink |
| 16:05-16:20 | | PAO Event (S-band) |
| 16:25-16:35 | CDR | Rodnik Water Tank 1 [БВ1] Bladder Compression Closeout Ops |
| 16:30-16:50 | FE-2 | Connecting WHC to UPA |
| 16:35-17:35 | CDR | Physical Exercise (VELO) day 3 |
| 16:45-18:15 | FE-1 | Physical Exercise (ARED) |
| 16:50-17:10 | FE-2 | IMS Update |
| 17:10-17:25 | FE-2 | Food Frequency Questionnaire |
| 17:25-17:55 | FE-2 | CARD Data Save |
| 17:35-18:55 | CDR | ODF Replacement |
| 17:55-18:20 | FE-2 | CARD Pulmonary Activity Study 3 |
| 18:15-18:55 | FE-1 | Evening Work Prep |
| 18:20-18:25 | FE-2 | EPM Laptop Deactivation |
| 18:25-18:30 | FE-2 | Disconnecting DCP Power Cable |
| 18:30-18:40 | FE-2 | EMU Terminate Recharge of Rechargeable EVA Battery Assembly (REBA) |
| 18:40-18:45 | FE-2 | Transfer TVIS, CEVIS, and HRM data to MEC |
| 18:45-18:55 | FE-2 | Evening Work Prep |
| 18:55-19:10 | | Daily Planning Conference (S-band) |
| 19:10-19:30 | | Evening Work Prep |
| 19:30-21:30 | FE-1, FE-2 | Progless (disper daily food prop. evening tailet) |
| 19:30-21:25 | CDR | Presleep (dinner, daily food prep, evening toilet) |
| 21:25-21:30 | CDR | Rodnik Water Tank 1 [5B1] Bladder Compression Close KH1 Valve |
| 21:30-06:00 | | SLEEP |
| Task List | CDR | RS Medical Kits Audit |
| | | Searching for Air Heater Fan [БВН] #3 |
| | | Audit of Thermally Conductive Gaskets ТП-ТРГ-Л СЛИЮ 317 |

Notes:
1. SM Window #9 shutter opening is at crew discretion w/ Report to MCC
2. See OSTP for references to US activities
End of Radiogram