## Form 24 for 08/31/2010

## Radiogram No. 3962u Form 24 f PROGRESS 406 UNDOCKING FROM SM [AO].

| GMT         | CREW                | ACTIVITY  |
|-------------|---------------------|---|
| 06:00-06:10 | CDR, FE-3,<br>FE-5  | Morning Inspection  |
| 06:00-06:15 | FE-2, FE-4,<br>FE-6 | Sample Collection   |
| 06:10-06:40 | CDR, FE-3,<br>FE-5  | Post-sleep  |
| 06:15-06:25 | FE-4                | MELFI Sample Insertion  |
| 06:15-06:55 | FE-2, FE-6          | Post-sleep  |
| 06:25-07:05 | FE-4                | Post-sleep  |
| 06:40-07:30 | CDR, FE-3,<br>FE-5  | BREAKFAST   |
| 06:55-07:45 | FE-2, FE-6          | BREAKFAST   |
| 07:05-07:55 | FE-4                | BREAKFAST   |
| 07:30-07:40 | FE-3                | BAR Terminate Kelvin-video charging, start charging TTM-2   |
| 07:30-07:50 | CDR, FE-5           | Work Prep   |
| 07:40-08:00 | FE-3                | Work Prep   |
| 07:45-07:55 | FE-6                | Work Prep   |
| 07:50-08:00 | FE-2                | PHS Evaluation Setup  |
| 07:55-08:00 | FE-6                | HAM Radio Deactivation  |
| 08:00-08:25 |                     | Daily Planning Conference (S-band)  |
| 08:25-08:55 | FE-2                | Periodic Health Status - Subject  |
| 08:25-08:40 | CDR                 | On MCC GO БМΠ Φ2 Absorption Cartridge Regeneration (start)  |
| 08:25-08:45 | FE-4                | Work Prep   |
| 08:25-08:55 | FE-6                | Periodic Health Status - Assistance   |
| 08:30-10:00 | FE-3                | Physical Exercise (TVIS), Day 4   |
| 08:40-09:55 | CDR                 | PNEUMOCARD Experiment   |
| 08:45-08:55 | FE-4                | Portable PFS power on and a 45-minute warm-up   |
| 08:50-09:00 | FE-5                | Set up video equipment to record ARED exercise  |
| 08:55-09:05 | FE-4                | USOS Window Shutter Close   |
| 08:55-09:20 | FE-2                | Periodic Health Status (PHS) Data Logging. Stowage  |
| 09:00-10:00 | FE-5                | Physical Exercise (ARED)  |
| 09:20-09:30 | FE-2                | CIR Align Guide Installation Prep   |
| 09:30-09:50 | FE-2                | Manual Flow Control Valve (MFCV) positioning marks reapplication  |
| 09:40-11:30 | FE-4                | VO2 Protocol Preparation  |
| 09:50-10:20 | FE-2                | CCAA Swapover   |
| 10:00-11:00 | FE-6                | Physical Exercise T 2   |
| 10:00-11:30 | CDR                 | Physical Exercise (TVIS), Day 3   |
| 10:00-11:00 | FE-3                | Physical Exercise (ARED)  |
| 10:10-11:00 | FE-5                | FGB Dust Collector ΠC1, ΠC2 Filter Replacement (Location ΦΓ51ΠΓΟ_2_224_1 bag #358-9 or #367-20. Discard the removed unit. Update IMS) |
| 10:20-10:30 | FE-2                | SDRM Powerup  |

| 10:30-11:45 | FE-2               | SLEEP. Battery Swap/Data Download & Initialization  |
|-------------|--------------------|---|
| 11:00-11:30 | FE-6               | BIORHYTHM Preparation and Recording   |
| 11:00-11:05 | FE-3               | Stow Video Equipment Used for ARED Exercise Video   |
| 11:10-11:40 | FE-3               | КЛ-154M TV camera test during Progress 406 undocking.Data Recording                         |
| 11:15-11:25 | FE-5               | Photography of Progres 406 Docking Assembly   |
| 11:30-12:15 | FE-4               | VO2max Experiment Protocol Recording  |
| 11:30-13:00 | FE-5               | Physical Fitness Evaluation (on treadmill)  |
| 11:30-13:00 | FE-6               | Physical Exercise (ARED)  |
| 11:45-11:50 | FE-2               | Relocation of the MWA in support of the Biolab HM Photo Session                             |
| 11:50-12:00 | FE-2               | Water Recovery System Recycle Filter Tank Assembly (RFTA) R&R                               |
| 12:00-12:10 | FE-3               | BAR TTM-2 Charge Terminate  |
| 12:00-12:10 | FE-2, CDR          | Remove WHC Kabin for Water Recovery System (WRS) Recycle Filter Tank Assembly (RFTA) access |
| 12:10-12:40 | FE-2               | Water Recovery System Recycle Filter Tank Assembly (RFTA) R&R                               |
| 12:15-12:30 | FE-4               | VO2 - Thermolab Data Transfer to Portable PFS, Disconnect and Stow Thermolab Equipment      |
| 12:30-12:50 | FE-4               | SDTO T2 Harness Reconfiguration   |
| 12:40-13:00 | FE-2,CDR           | In Flight Maintenance (IFM) Kabin Installation  |
| 12:45-12:55 | FE-3               | VHF1 comm session with ISS crew during RGS 21 AOS   |
| 13:00-13:05 | FE-4               | VO2max Data Downlink  |
| 13:00-13:10 | FE-2               | Water Recovery System Recycle - Stow Filter Tank Assembly                                   |
| 13:10-14:10 |                    | LUNCH   |
| 14:10-14:15 | FE-3               | Switch ПрК-ТК PEV to CLOSED position  |
| 14:10-15:40 | FE-5               | Cleaning ГЖТ4 (Gas-Liquid Heat Exchanger) BT-7 Fan Screen                                   |
| 14:10-14:50 | CDR                | СОЖ Maintenance   |
| 14:10-14:55 | FE-4               | VO2max MBS Stowage  |
| 14:20-14:30 | FE-3               | VHF2 comm session with ISS crew during RGS 21 AOS   |
| 14:20-15:05 | FE-6               | Reconfigure LAB stowage for FSS operations  |
| 14:30-14:35 | FE-2               | VCA2 Camera Adjustment  |
| 14:35-15:05 | FE-2               | Biolab HM Arm Photosession  |
| 14:50-15:05 | CDR                | Private Medical Conference (Ku+S-band)  |
| 14:55-15:45 | FE-4               | VO2. PPFS Conclude  |
| 15:05-15:30 | CDR                | БЖ (Liquid Unit) capsule repress with N2 from БПА-М Nitrogen Purge Unit                     |
| 15:05-16:50 | FE-6               | Setting up FSS in the Lab   |
| 15:10-15:25 | FE-2               | Private Medical Conference  |
| 15:25-15:50 | FE-2               | Environmental Health System (EHS) CSA-CP Calibration  |
| 15:45-15:50 | FE-4               | Daily Diet Monitoring   |
| 15:50-17:50 | CDR, FE-3,<br>FE-5 | ISS-24/ISS-25 Crew Handover   |
| 15:55-17:25 | FE-4               | Physical Exercise (ARED)  |
| 15:55-16:00 | FE-2               | SDRM-EXP Powerdown  |
| 16:15-17:15 | FE-2               | Physical Exercise T 2   |
| 16:50-17:50 | FE-6               | Fluid Servicing System (FSS) Refill   |

| 17:15-17:25 | FE-2                                   | T2 Snubber Arm Inspection                              |
|-------------|--|--|
| 17:25-18:55 | FE-2                                   | Physical Exercise (ARED)                               |
| 17:25-17:35 | FE-4                                   | SDTO T2 Harness Setup                                  |
| 17:35-18:35 | FE-4                                   | Physical Exercise T 2                                  |
| 17:50-18:50 | CDR                                    | Physical Exercise (TVIS)                               |
| 17:50-18:05 | FE-3                                   | Private Medical Conference (Ku+S-band)                 |
| 18:05-18:20 | FE-5                                   | Private Medical Conference (Ku+S-band)                 |
| 18:05-18:25 | FE-3                                   | IMS Update   |
| 18:10-18:15 | FE-6                                   | Daily Diet Monitoring                                  |
| 18:15-18:20 | FE-6                                   | HAM Radio Power Up                                     |
| 18:20-19:10 | <b>FE-5</b> , FE-6                     | Evening Work Prep                                      |
| 18:25-19:10 | FE-3                                   | Evening Work Prep                                      |
| 18:35-18:45 | FE-4                                   | SDTO T2 Harness Data Downlink                          |
| 18:45-18:55 | FE-4                                   | SDTO T2 Inspection                                     |
| 18:55-19:10 | FE-4                                   | PFS MBS Stowage  |
| 18:55-19:10 | FE-2                                   | Evening Work Prep                                      |
| 18:55-19:10 | CDR                                    | Pre-sleep  |
| 19:10-19:30 |  | Daily Planning Conference (S-band)                     |
| 19:30-21:15 | CDR                                    | Pre-sleep  |
| 19:30-19:35 | FE-2                                   | MPC Power Up   |
| 19:30-21:30 | <b>FE-3</b> , FE-4, <b>FE-5</b> , FE-6 | Pre-sleep  |
| 19:35-21:25 | FE-2                                   | Pre-sleep  |
| 21:15-21:30 | CDR                                    | БМП Ф2 Absorption Cartridge Regeneration (termination) |
| 21:25-21:30 | FE-2                                   | MPC Power Down   |
| 21:30-06:00 |  | SLEEP  |
|             |  |  |

## Notes:

- SM Window #9 shutter opening is at crew discretion w/ Report to MCC
  See OSTP for references to US activities
  Pre-sleep ops: dinner, daily food prep, evening toilet
  End of Radiogram