

Radiogram No. 11u Form 24 for 03/16/05

Medical Experiments. Elektron R&R

GMT	CREW	ACTIVITY
06:00-06:10		Morning inspection
06:10-06:40		Post-sleep
06:40-07:30		BREAKFAST
07:30-08:00	CDR	Prep for work
07:30-07:45	FE-1	WIENER. БСПН new software patch install. Tagup w/specialists. (S-band)
07:45-08:00	FE-1	Prep for work
08:00-08:15		Daily planning conference (S-band)
08:15-08:25	FE-1	Changeout of Nitrogen Purge Assembly (БПА). Tagup w/specialists (S-band)
08:25-08:35	FE-1	On MCC GO: Mating TLM cnctr with ВД-СУ off and FETC2-12 powered off
08:35-12:45	FE-1	Changeout of Nitrogen Purge Assembly (БПА) Checking hydraulic resistance in Elektron Oxygen Generation Hardware pipeline Tagup w/specialists (S-band)
08:15-08:45	CDR	Audiogram using EARQ s/w
08:45-09:15	CDR	CMO proficiency training
09:25-10:55	CDR	Physical Exercise (RED)
10:55-12:00	CDR	Potable water collection for on-orbit microbiology analysis
12:00-12:20	CDR	Water microbial analysis kit: coliform detection
12:20-13:15	CDR	WMK: in-flight water processing
12:45-13:15	FE-1	PROFILAKTIKA. Blood analysis
13:15-14:15		LUNCH
14:15-14:45	FE-1	Water sampling from Water supply system – water stores [CBO-3B]
14:15-15:15	CDR	Airlock reconfig for heat exchanger repairs
14:45-15:05	FE-1	CO Gas Analyzer Fan changeout in
15:05-15:15	FE-1	COЖ maintenance. Inspection of БРПК separator. Check ИП-1
15:15-15:55		Kazbek fit check
15:55-16:55	CDR	FSS set up in Airlock
16:05-16:30	FE-1	Audiogram using EARQ s/w
16:30-18:15	FE-1	PROFILAKTIKA. TVIS exercise test. Tagup w/specialists. (S-band)
16:55-17:25	CDR	Crew debrief on heat exchanger repairs (S-band)
17:25-18:25	CDR	Physical Exercise (CEVIS)
18:15-18:30	FE-1	PROFILAKTIKA. Copying Cardiocassette-2000 data and downlink via OCA
18:25-18:30	CDR	TVIS/RED/HRM data transfer to MEC
18:30-18:50		Daily plan review циток
18:50-19:05		Daily planning conference (S-band)
19:05-19:30		Report prep
19:30-20:00		DINNER
20:00-20:30		Daily ration prep
20:30-21:30		Pre-sleep
21:30-06:00	.	SLEEP

Task list	FE-1	PLANTS-2. P/L status check
		IMS file prep
		Audit of CCBП wipes in БО TK
		Verification that ACH-M data recorder to Laptop 3 on board

Note: See OSTP for references to US activities

End of radiogram