## Radiogram No. 9608 u

## Form 24 for 02/19/09

## DC-SM PEV Leak Check

GMT	CREW	ACTIVITY
06:00-06:10		Morning Inspection
06:10-06:30	CDR	
06:10-06:35	FE-1	Post-sleep
06:10-06:40	FE-2	
06:30-07:00	CDR	SOLO Urine Collection
06:35-06:50	FE-1	Ham Radio Session with students from High School #1 in Gagarin
06:40-07:00	FE-2	BREAKFAST
06:50-07:00	FE-1	
07:00-07:15		Daily Planning Conference (S-band)
07:15-07:45	FE-1, FE-2	BREAKFAST
07:15-07:45	CDR	SOLO: Blood Sample Collection
07:45-08:05		SOLO: Refrigerated Centrifuge Setup
07:45-08:15	FE-1, FE-2	Prep for Work
08:15-08:35	CDR	SOLO: MELFI Blood Sample Insertion
08:15-08:30	FE-1	БМП Ф2 Absorption Cartridge Regeneration (start)
08:15-09:45	FE-2	Physical Exercise (ARED)
08:35-09:15	CDR	SOLO: Blood Analysis using PCBA
08:45-10:45	FE-1	DC-SM PEV Leak Check. Tagup with specialists (S-band)
09:15-10:05	CDR	BREAKFAST
09:45-10:45	FE-2	Physical Exercise (TVIS)
10:05-10:35	CDR	Prep for Work
10:40-11:40		Physical Exercise (TVIS)
10:45-11:45	FE-1	ODF replacement
10:45-11:15	FE-2	Psychological Evaluation Program (WinSCAT)
11:15-11:35		IWIS Remote Sensor Unit (RSU) Relocation
11:35-11:45		CWC Audit
11:40-13:10	CDR	Physical Exercise (ARED)
11:45-13:15	FE-1	Physical Exercise (TVIS), day 2
11:45-12:05	FE-2	IMS Update
13:10-14:05	CDR	LUNCH
13:15-14:15	FE-1, FE-2	
14:05-14:10	CDR	HAM Radio Setup
14:10-14:20		HAM Radio Session
14:25-14:55		Increment 18 crew photo
14:55-17:10	FE-1	SM Window Inspection Tagup with specialists (S-band)
14:55-15:25	CDR	A/L Video Tour
14:55-15:55	FE-2	Cleaning dust filters ΠΦ1-4 in SM
15:25-15:35	CDR (assists)	SM Window Inspection

CDR	SDTO Components R&R Experiment 1
FE-2	Private Family Conference (Ku + S-band)
FE-2	Potable Water Collection for In-Flight Chemical and Microbial Analysis
FE-1	Physical Exercise (VELO), day 2
	Evening Work Prep
- FE-2	Water Recovery
	СОЖ Maintenance
CDR	Evening Work Prep
	Daily Diet Monitoring
	Daily Planning Conference (S-band)
CDR, FE-2	Presleep (dinner, daily food prep, evening toilet)
FE-1	reside (difficer, daily food prep, everifing toller)
	БМП Ф2 Absorption Cartridge Regeneration (termination)
	Pre-sleep ops
	SLEEP
	FE-2 FE-1 FE-2 CDR

- Notes:
  1. SM Window #9 shutter opening is at crew discretion w/ Report to MCC
  2. See OSTP for references to US activities.
  End of Radiogram