Radiogram No. 8149u **Prep for EVA-20** Form 24 for 07/12/08

GMT	CREW	ACTIVITY
09:30-09:40	CDR, FE-1	Morning Inspection
09:30-09:35	FE-2	SLEEP - data logging
09:35-09:55		Acoustic dosimeters: equipment setup (operation 1 of 5)
09:40-10:10	CDR, FE-1	Post-sleep
09:55-10:05	FE-2	Morning Inspection
10:05-10:35		Post-sleep
10:10-11:00	CDR, FE-1	BREAKFAST
10:35-11:25	FE-2	BREAKFAST
11:00-11:25	CDR, FE-1	Prep for Work
11:25-11:40		Daily Planning Conference (S-band)
11:40-11:45	CDR	Terminate discharging the first Orlan Battery Pack 825M3 and remove the first Battery Pack from discharging
11:40-12:10	FE-2	Prep for Work
11:45-12:15	CDR, FE-1	Post-EVA Orlan debrief with specialists (S-band)
12:10-12:15	FE-2	Scheduled inspection of RED
12:15-13:45		Physical Exercise (RED)
12:15-12:25	FE-1	Set up 825M3 pack 1 for charging and start charging
12:15-13:05	CDR	Orlan feedwater bladder refill
12:25-13:05	FE-1	СОЖ Maintenance
13:05-13:15	CDR, FE-1	Orlan drying
13:15-14:45	FE-1	Physical Exercise (TVIS), day 3
13:15-13:35	CDR	Private Family Conference (Ku + S-band)
13:45-14:45	FE-2	Physical Exercise (CEVIS)
14:15-15:15	CDR	Physical Exercise (VELO + RED), Day 3
14:45-15:00	FE-1	NOA 2. Close-out ops and fill out electronic log
15:00-15:20		Private Family Conference (Ku + S-band)
15:15-15:20	CDR	Orlan drying
15:20-16:20	CDR, FE-1	Post-EVA debrief. Tagup with specialists (S-band, VHF)
16:20-17:20		LUNCH
17:20-17:30	CDR, FE-1	Orlan drying
17:30-19:30		EVA-20a equipment and tool staging, photography of bags. <i>Tagup with specialists (S-band)</i>
17:40-18:40	FE-2	Inspection of Node-2 smoke detectors
18:40-19:15		Lab smoke detector inspection
19:15-19:45		Inspection of Node-1 smoke detectors
19:30-21:00	CDR	Physical Exercise (TVIS), day 3
19:45-20:15	FE-2	A/L smoke detector inspection
21:00-21:20	CDR	IMS Update
21:00-22:00	FE-1	Physical Exercise (VELO + RED), Day 3

CDR	Prep for Work
FE-2	Transfer of TVIS, RED, and HRM data to MEC
FE-1	Prep for Work
FE-2	
	Daily Planning Conference (S-band)
	DINNER
	Daily Food Prep
FE-2	Pre-sleep
CDR, FE-1	
FE-2	Acoustic Dosimeters: pre-sleep equipment setup (operation 2 of 5)
	SLEEP
	FE-2 FE-1 FE-2 FE-2 CDR, FE-1

Notes:

- SM Window #9 shutter opening is at crew discretion with Report to MCC / r/g 6083, 6004
 See OSTP for references to US activities.
 End of Radiogram