

Radiogram No. 3744u

Form 24 for 06.24.02

Closing of SM-Progress Hatches / Recording of Crew Medical Evaluation Video

| GMT | Crew | Activity |
|-------------|-----------|--|
| 05:00–05:10 | | Morning inspection |
| 05:10–05:40 | | Post-sleep |
| 05:40–06:15 | | BREAKFAST |
| 06:15–06:30 | | Daily planning conference (<i>S-band</i>) |
| 06:30–07:00 | FE-1 | Prep for work |
| 06:30–06:50 | FE-2 | |
| 06:30–06:50 | CDR | Progress activation, removal of air duct |
| 06:50–07:10 | FE-2, CDR | Removal of QD screw clamps |
| 07:10–07:20 | CDR | DVCAM recording of SM(AO)-Progress interface before closing of ? ??-?? hatch, after the removal of QD clamps |
| 07:20–07:30 | | Downlink of video recording of SM(AO)-Progress interface made before closing of ? ??-?? hatch (<i>Ku-band</i>) |
| 07:30–07:45 | FE-1 | Payload status check |
| 07:30–07:50 | CDR, FE-2 | Closing of SM-Progress hatches |
| 07:50–08:40 | | Docking interface leak check (SM (AO)-Progress) |
| 08:05–08:15 | FE-1 | EXPRESS Rack 2 powerup |
| 08:15–08:45 | | Defibrillator test |
| 08:40–09:15 | CDR, FE-2 | HDTV: recording of crew medical evaluation video (session 2) |
| 09:10–09:40 | FE-1 | Monthly maintenance of TVIS |
| 09:15–10:45 | FE-2 | Physical exercise (???? +RED) |
| 09:35–10:15 | CDR | Maintenance of ??? |
| 09:40–10:40 | FE-1 | Physical exercise (TVIS) |
| 10:15–11:15 | CDR | DC-1 fans ?1 & ?2: mesh screen cleaning |
| 10:40–10:45 | FE-1 | Weekly maintenance of TVIS |
| 10:45–11:05 | FE-2 | Monthly maintenance of CEVIS |
| 11:15–12:15 | | Noise level measurements in SM and DC-1 |
| | CDR | Physical exercise (TVIS) |
| 12:15–13:15 | | LUNCH |
| 13:15–14:15 | | ISS crew orientation |
| 14:15–14:45 | FE-1, CDR | Crew Medical Restraint System (CMRS) checkout |
| 14:15–15:15 | FE-2 | Physical exercise (TVIS) |
| 14:45–16:15 | CDR | Physical exercise (???? +RED) |
| 14:45–14:50 | FE-1 | IV-CPDS power cycle |
| 15:00–15:05 | | ZCG Furnace: deactivation of Improved Zeolite Electronic Control System (IZECS) |
| 15:05–15:20 | | ZCG Furnace: configuration overview |
| 15:15–15:45 | FE-2 | Noise level measurements in SM and DC-1: copying data to Laptop3 |
| 15:20–15:35 | FE-1 | ZCG Furnace: prep for HISD video |
| 15:35–16:45 | | ZCG Furnace: autoclave config |

| | | |
|-------------|------|---|
| 15:45–16:00 | FE-2 | RELAKSATSIYA: Laptop 3 config |
| 16:00–16:35 | | RELAKSATSIYA: payload installation |
| 16:35–17:15 | | IMS file prep |
| 16:45–16:55 | FE-1 | EXPRESS Rack 2: ARIS guide removal |
| 17:15–17:50 | | Daily plan review |
| 17:50–18:05 | | Daily planning conference (<i>S-band</i>) |
| 18:05–18:30 | | Report prep |
| 18:30–19:00 | | DINNER |
| 19:00–19:30 | | Daily food prep |
| 19:30–20:30 | | Pre-sleep |
| 20:30–06:00 | | SLEEP |

Note: See OSTP for references to US activities

End of radiogram