

Radiogram No. 6241u

Form 24 for 08/01/2014

Fan Replacement. TKF 423 Transfers

TIME	CREW	ACTIVITY
06:00-06:05	CDR, FE-1 , FE-2	IVA - Reading Exercise Clothes Reminder
06:00-06:10	FE-4	Morning Inspection. SM ПСС (Caution & Warning Panel) Test
06:00-06:05	FE-5, FE-6	Reading REMINDER
06:05-06:10	CDR, FE-1 , FE-2	IVA - Reading Routine Clothes Reminder
06:05-06:10	FE-5	Morning Inspection
06:05-06:10	FE-6	Reading REMINDER
06:10-06:15	CDR	Reading Reminder
06:10-06:20	FE-1	Morning Inspection. Laptop RS1(2) Reboot
06:10-06:20	FE-2	Morning Inspection. Reload Laptop RSS2 / r/g 1009 step 1 Visual Inspection of Circuit Breaker (A3CO) Position on DC1 Power Switch Panel (БВП) and Fuses on DC Fuse Boxes БПП-30, 36 per LED indication (prior to DC1 power bus check)
06:10-06:40	FE-4 , FE-6	Post-sleep
06:10-06:50	FE-5	Post-sleep
06:15-06:20	CDR	Morning Inspection
06:20-06:50	CDR, FE-1 , FE-2	Post-sleep
06:40-07:30	FE-4	BREAKFAST
06:40-07:10	FE-6	HRF Blood Draw
06:50-06:55	CDR	HRF - Closeout Ops and Stowage
06:50-07:30	FE-1 , FE-2	BREAKFAST
06:50-07:05	FE-5	HRF - Blood collection assistance
06:55-07:30	CDR	BREAKFAST
07:05-07:45	FE-5	BREAKFAST
07:10-07:25	FE-6	BREAKFAST
07:25-07:35	FE-6	MSG - Visual inspection and activation
07:30-07:45	CDR, FE-1 , FE-4	Work Prep
07:30-07:40	FE-2	CASKAD. Manual Mixing in Bioreactor
07:35-07:45	FE-6	HRF Refrigerated Centrifuge Configuration
07:45-08:10		Daily Planning Conference (<i>S-band</i>)
08:10-08:25	CDR, FE-1 , FE-2 , FE-4 , FE-5	ISS crew and ГОГУ (RSA Flight Control Management Team) weekly conference (<i>S-band</i>)
08:10-08:15	FE-6	HRF - Crew removes blood tubes and powers off the Refrigerated Centrifuge
08:15-08:20	FE-6	HRF - MELFI Sample Insertion
08:20-08:35	FE-6	BREAKFAST

08:25-10:55	CDR	SLM data transfer
08:25-08:40	FE-1, FE-2, FE-4	IMS Tagup (<i>S-band</i>)
08:35-09:25	FE-5	BASS Operations Preparation (<i>S-band</i>)
08:40-08:45	FE-1	Comm Config prior to MRM1 Ops
08:40-09:20	FE-2	COЖ Maintenance
08:40-09:20	FE-4	BC5-95 R&R in DC1. <i>Tagup with specialists</i>
08:45-10:45	FE-1	Replacement of MO-2-5008 fan in MRM1 5BH with the low noise unit and conducting acoustic measurements. <i>Tagup with specialists as necessary</i>
09:20-09:40	FE-2, FE-4	BC5-95 Test in DC1 (comm check in channel 1 and 2)
09:25-10:45	FE-5	ARED Exercise
09:25-09:50	FE-6	Work Prep
09:40-11:40	FE-2	ABOUT GAGARIN FROM SPACE. TM D700 HAM Radio Resetting. <i>Tagup with specialists</i>
09:40-10:30	FE-4	TKГ 423 (DC1) Transfers and IMS Ops
09:50-10:50	FE-6	T2 Exercise2
10:30-12:00	FE-4	БД-2 Exercise, Day 1
10:45-10:50	FE-1	Comm Reconfig upon Completion of MRM1 Ops
10:50-11:50	FE-1	B3 Fan Screen Cleaning in DC1
10:50-12:10	FE-5	BASS - Test Ops
10:55-11:10	CDR	SLM data transfer
11:10-12:30	CDR	ARED Exercise
11:50-12:50	FE-1	БД-2 Exercise, Day 2
12:00-13:00	FE-2	VELO Exercise, Day 1
12:00-13:00	FE-4	TKГ 423 (DC1) Transfers and IMS Ops
12:30-13:30	CDR, FE-5, FE-6	LUNCH
12:50-12:55	FE-1	IVA - Exercise Clothes Survey
12:55-13:55	FE-1	LUNCH
13:00-14:00	FE-2, FE-4	LUNCH
13:30-14:00	CDR, FE-6	EMU On-Orbit Fit Verification
13:55-14:00	FE-1	Dried Clothes Stowage
14:00-14:30	CDR, FE-5	EMU On-Orbit Fit Verification
14:00-14:05	FE-1	Comm Config prior to MRM2 Ops
14:00-14:40	FE-2, FE-4	Installation of overlay plates on FGB interior panels (panel 303). <i>Tagup with specialists</i>
14:00-14:15	FE-6	HRF - Closeout Ops and Stowage
14:05-16:05	FE-1	Replacement of MO-2-5008 fan in MRM2 5BH with the low noise unit and conducting acoustic measurements. <i>Tagup with specialists as necessary / r/g 6247</i>
14:20-14:40	FE-6	HRF - Hardware Setup
14:30-15:00	CDR, FE-5	EMU On-Orbit Fit Verification

14:40-16:10	FE-2, FE-4	Installation of overlay plates on FGB interior panels (panel 404) - gathering and preliminary operations. <i>Tagup with specialists</i>
14:40-16:10	FE-6	ARED Exercise
15:00-17:00	CDR	US EVA Tools Gathering
15:00-16:10	FE-5	T2 Exercise
16:05-16:10	FE-1	Comm Reconfig upon Completion of MRM2 Ops
16:10-16:45	FE-1	Sound Level Data Downlink after taking acoustic measurements. <i>Tagup with specialists</i>
16:10-17:40	FE-2	БД-2 Exercise, Day1
16:10-16:25	FE-4	Installation of overlay plates on FGB interior panels (panel 404) - Disinfectant Treatment. <i>Tagup with specialists</i>
16:10-16:35	FE-6	Temp stow items located at NOD1O2
16:25-17:25	FE-4	VELO Exercise, Day 1
16:30-18:00	FE-5	BASS Closeout Ops
16:35-16:45	FE-6	Z1 Ingress
16:45-18:15	FE-1	ARED Exercise
16:45-17:05	FE-6	Z1 Cargo Ops
17:00-18:10	CDR	T2 Exercise
17:05-17:20	FE-6	IFM - Hatch Inspection
17:20-17:25	FE-6	Z1 Egress
17:25-17:40	FE-4	Installation of overlay plates on FGB interior panels (panel 404) - Disinfectant Treatment. <i>Tagup with specialists</i>
17:25-17:50	FE-6	Restow temp stowed items at NOD1O2
17:40-17:45	FE-2	IVA - Exercise Clothes Survey
17:40-18:00	FE-4	IMS Delta File Prep
17:45-17:50	FE-2	IVA - Everyday Clothes Survey
17:50-18:15	FE-2	Evening Work Prep
18:00-18:15	FE-6	Health Maintenance System (HMS) - Food Rations Photography
18:10-18:15	CDR	IVA - Exercise Clothes Survey
18:15-18:35		Flight Director/ISS Crew Tagup
18:35-19:00		Daily Planning Conference (<i>S-band</i>)
19:00-19:05	CDR	Dried Clothes Stowage
19:00-19:05	FE-1	IVA - Everyday Clothes Survey
19:00-19:10	FE-2	CASKAD. Manual Mixing in Bioreactor
19:00-19:30	FE-4, FE-5	Evening Work Prep
19:00-19:10	FE-6	MSG - Glovebox Power Down
19:05-19:10	CDR	IVA - Routine Clothes Survey
19:10-19:30	CDR, FE-1 , FE-6	Evening Work Prep
19:10-19:25	FE-2	Evening Work Prep
19:25-19:30	FE-2	Dried Clothes Stowage

19:30-21:20	CDR, FE-1 , FE-2	Pre-sleep
19:30-21:30	FE-4 , FE-5	Pre-sleep
19:30-21:25	FE-6	Pre-sleep
21:20-21:25	CDR	IVA - Reading Exercise Clothes Reminder
21:20-21:25	FE-1 , FE-2	IVA - Reading Exercise Clothes Reminder
21:25-21:30	CDR	IVA - Reading Routine Clothes Reminder
21:25-21:30	FE-1 , FE-2	IVA - Reading Routine Clothes Reminder
21:25-21:30	FE-6	Reading Reminder
21:30-06:00		SLEEP
Task List	FE-1 , FE-2 , FE-4	Preparation of reports for Roscosmos site
		ECON-M. Observations and Photography

Notes:

1. See OSTPV for references to US activities.
 2. Pre-sleep ops: daily food prep, dinner, pre-sleep
 3. Russian crew uses US exercise equipment strictly per F24 or OSTPV
- End of Radiogram