Radiogram No. 859u

## Form 24 for 08/06/2009

Emergency Response to Fire On-board ISS Drill. Replacement of CKB1 Heat Exchanger-Evaporator (БТА). Transfer ЦВМ, ТВМ Images Version 8.03 to КЦП1

| GMT         | CREW  | ACTIVITY   |
|-------------|---|--|
| 06:00-06:10 |   | Morning Inspection   |
| 06:10-06:40 |   | Post-sleep   |
| 06:40-07:30 |   | BREAKFAST  |
| 07:30-07:40 |   | Work Prep  |
| 07:40-08:05 |   | Daily Planning Conference (S-band)   |
| 08:05-08:15 |   | Work Prep  |
| 08:15-09:15 | FE-1  | Physical Exercise (CEVIS)  |
| 08:15-08:20 | FE-3  | Water Transfer. Closeout ops   |
| 08:15-08:45 | FE-5  | BIORHYTHM Data Preparation and Recording 2B  |
| 08:15-09:45 | FE-2  | Physical Exercise (ARED)   |
| 08:15-08:45 | FE-4  | BIORHYTHM Data Preparation and Recording 2A  |
| 08:15-09:15 | CDR   | Disconnect CKB1 BTA [Heat Exchanger] from Compressor and Condenser Unit. Tagup with Specialists (S-band) |
| 08:20-09:00 | FE-3  | СОЖ Maintenance  |
| 08:45-09:45 | FE-4, FE-5                                  | DOUG Software Review   |
| 09:15-09:25 | CDR   | On MCC Go: Demate CKB1 БТА Telemetry Connectors from БИТС2-12  |
| 09:25-11:25 | FE-3  | Preparation for CKB1 Heat Exchangers Unit [6TA] R&R. Tagup (S-band) /                                    |
| 09:25-12:25 | CDR   | Preparation for CKB1 Heat Exchangers Unit [6TA] R&R. Tagup (S-band)                                      |
| 09:30-11:00 | FE-1  | Physical Exercise (ARED)   |
| 09:45-10:45 | FE-5  | Physical Exercise (TVIS)   |
| 09:45-10:45 | FE-2, FE-4                                  | SSRMS Ops  |
| 10:45-11:45 | FE-4  | Physical Exercise (TVIS)   |
| 10:45-12:15 | FE-5  | Physical Exercise (ARED)   |
| 11:15-11:30 | FE-1  | Lab-On-a-Chip-Application Development. Portable Test System Media Slide Photography                      |
| 11:45-12:45 | FE-1  | Node1 Cargo Transfers  |
| 11:45-12:45 | FE-2,FE-4                                   | SSRMS Ops  |
| 11:45-12:45 | FE-3  | Physical Exercise (VELO), day 4  |
| 12:15-12:30 | FE-5  | ARED Cylinder Flywheel Evacuation  |
| 12:25-12:35 | CDR   | On MCC-M GO Mate CKB1 БТА Telemetry Connectors [ТМИ] to БИТС2-12   |
| 12:30-12:45 | FE-5  | ARED Guide Label   |
| 12:45-13:15 | FE-1  |  |
| 12:45-13:45 | <b>CDR</b> , FE-2, <b>FE-3</b> , FE-4, FE-5 | LUNCH  |
| 13:15-13:30 | FE-1  | Crew Discretionary Event   |
| 13:30-13:45 | FE-1  | LUNCH  |
| 13:45-14:30 |   | Emergency Response to Fire On-board ISS Drill. Tagup with Specialists (S-band)                           |
| 14:30-14:40 |   | ISS Emergency Fire Drill Review Tagup with Specialists (S-band)  |

| 14:40-14:45 | FE-3               | ON MCC GO RS2 Laptop  |
|-------------|--------------------|---|
| 14:40-15:40 | CDR                | Cleanup Ops after CKB1 5TA Replacement  |
| 14:40-15:40 | FE-5               | ARED Rope Replacement   |
| 14:40-14:50 | FE-4               | MELFI. 2JA Phase. Insert Sample 3   |
| 14:40-15:40 | FE-2               | ISS Crew Orientation  |
| 14:45-15:35 | FE-3               | Transfer ЦВМ, ТВМ Images Version 8.03 to КЦП1. <i>Tagup with Specialists (S-band)</i> /     |
| 14:50-15:20 | FE-4               | Psychological Evaluation Program (WinSCAT)  |
| 15:00-15:10 | FE-1               | Test Node 1 Nadir Hatch Mechanism prior to PMA Relocate                                     |
| 15:10-15:20 | FE-1               | N1 Port Hatch Unlatch   |
| 15:20-15:30 | FE-4               | CWC Audit   |
| 15:20-15:40 | FE-1               | Inspection of Node 1 Nadir Hatch Window   |
| 15:35-15:40 | FE-3               | ON MCC GO RS2 Laptop Deactivation   |
| 15:40-15:55 |                    | ISS Emergency Fire Drill Conference ( S-band)   |
| 15:55-16:05 | FE-3               | On MCC GO Monitoring Temperature of Secondary Combustion Unit after Elektron Activation     |
| 15:55-17:10 | FE-1               | Temperature and Humidity Control (THC) Intermodule Ventilation Assembly (IMV) Valve Removal |
| 15:55-16:55 | FE-2               | Physical Exercise (CEVIS)   |
| 15:55-16:25 | FE-5               | PCS Power Down  |
| 16:05-17:05 | CDR                | Physical Exercise (VELO), day 1   |
| 16:05-17:05 | FE-3               | Physical Fitness Evaluation (on treadmill) / MO Book 2, 4, pp. 4-1 through 4-9              |
| 16:20-17:10 | FE-4               | Evening Work Prep   |
| 16:25-16:35 | FE-5               | EHS In-flight Water Treatment using MCD   |
| 16:35-16:40 | FE-5               | Connect DCP Power Cable   |
| 16:55-17:05 | FE-2               | Terminate EMU Metox Regeneration  |
| 17:05-17:35 | FE-3               | Hygiene Procedures  |
| 17:05-18:05 | CDR                | Physical Fitness Evaluation (on treadmill)  |
| 17:05-17:15 | FE-2               | Start EMU Metox Regeneration  |
| 17:10-17:45 | FE-1               | Setup the Pressure Control Assembly (PCA) for PMA3 Depress                                  |
| 17:10-18:40 | FE-4               | Physical Exercise (ARED)  |
| 17:15-17:30 | FE-5               | PLT Test Start  |
| 17:35-19:05 | FE-2               | EMU Resizing  |
| 17:35-17:55 | FE-3               | IMS Update  |
| 17:45-18:05 | FE-1               | PMA3 Depress Start  |
| 18:00-18:15 | FE-5               | Food Frequency Questionnaire  |
| 18:05-18:35 | FE-1               | EMU Resizing  |
| 18:05-18:35 | CDR                | Hygiene Procedures  |
| 18:15-19:05 | <b>FE-3</b> , FE-5 | Evening Work Prep   |
| 18:35-19:05 | CDR                |   |
| 18:40-18:50 | FE-4               | Inspect ARED Guide Rail   |
| 18:45-19:00 | FE-1               | PMA3 Pressure Check   |
| 19:00-19:05 | FE-1               | Transfer TVIS, CEVIS, and HRM data to MEC   |

| Task List   | CDR, FE-3                         | URAGAN. Observations and Photography      |
|-------------|-----------------------------------|---|
| 21:30-06:00 |                                   | SLEEP                                     |
| 21:25-21:30 |                                   | Multi Protocol Converter (MPC) Power Down |
| 19:50-21:25 | FE-1                              | Pre-sleep                                 |
| 19:35-19:50 |                                   | PMA3 Leak Check Closeout Ops              |
| 19:30-21:30 | CDR, FE-2,<br>FE-3, FE-4,<br>FE-5 | Pre-sleep                                 |
| 19:30-19:35 | FE-1                              | Multi Protocol Converter (MPC) Power On   |
| 19:05-19:30 |                                   | Daily Planning Conference (S-band)        |

## Notes:

- SM Window #9 shutter opening is at crew discretion w/ Report to MCC
  See OSTP for references to US activities
  Pre-sleep: dinner, daily food prep, evening toilet
  End of Radiogram