Radiogram No. 7162u Form 24 for 11/12/2014
REBOOST USING ATV5 2 OCS THRUSTERS. REPLACEMENT OF WATER DISTRIBUTION AND HEATING UNIT (БРП-М) IN WATER SUPPLY SYSTEM [CBO]

TIME	CREW	CREW
06:00-06:05	CDR	REMINDER - Reading Reminder
06:00-06:10	FE-1	Morning Inspection. Laptop RS1(2) Reboot Laptop RSS2 Reboot
06:00-06:10	FE-2	Morning Inspection. SM ΠCC (Caution & Warning Panel) Test
06:05-06:20	CDR	HRF - Sample collection and preparation for insertion
06:10-06:30	FE-1, FE-2	Post-sleep
06:20-06:25	CDR	HRF - Sample Blood MELFI Insertion
06:25-06:35	CDR	Morning Inspection
06:30-06:50	FE-1	Biochemical blood test. Blood Sampling
06:30-06:50	FE-2	Biochemical blood test. Blood Sampling – assistance
06:35-07:05	CDR	Post-sleep
06:50-07:40	FE-1, FE-2	BREAKFAST
07:05-07:40	CDR	BREAKFAST
07:40-07:55		Daily Planning Conference (S-band)
07:55-08:10	CDR	BREAKFAST
07:55-08:10	FE-1, FE-2	Reviewing BRI Replacement and RS Network Nominal Reconfig Procedure. Tagup with specialists
08:10-08:20	CDR	Work Prep
08:10-08:50	FE-1	Blood Biochemistry Analysis
08:10-08:30	FE-2	Work Prep
08:20-08:30	CDR	Saibo UDC Payload and Cable Reconfiguration
08:30-08:35	CDR	XF305 - Camcorder Setup
08:30-09:20	FE-2	FGB Dust Collector ΠC1, ΠC2 Filter Replacement (ΤΓΚ424ΓρΟ zone 1 enclosure No. 3) Reflect changes in IMS
08:35-09:20	CDR	CMS2 - MICROSCOPE- Closeout Ops Part 1
08:50-09:10	FE-1	Work Prep
09:20-09:40	CDR	CMS2 – MICROSCOPE - Closeout Ops Part 2
09:20-10:20	FE-2	Cleaning FGB ГЖТ Detachable Screens 1, 2, 3
09:25-10:35	FE-1	BRI R&R. Tagup with specialists
09:40-09:55	CDR	CMS2 – MICROSCOPE - Closeout Ops Part 3
09:55-10:55	CDR	ANISO - Hardware Installation Part 1
10:20-11:20	FE-2	B3 Fan Screen Cleaning in DC1
10:35-10:45	FE-1	On MCC Go Mating BRI Telemetry Connector. Tagup with specialists
10:45-11:35	FE-1	BRI Standalone C/O. Tagup with specialists
10:55-11:10	CDR	ANISO - Hardware Installation Part 2
11:10-13:00	CDR	Waste and Hygiene Compartment (WHS) Pre-Treat Tank and Pre-Treat Tank Hose Remove & Replace
11:20-11:35	FE-2	OTKLIK. Hardware Check
11:35-13:00	FE-1	ARED Exercise
11:35-11:50	FE-2	ИП-1 Flow Sensor Position Verification
11:50-12:50	FE-2	БД-2 Exercise, Day 4

12:50-13:05	FE-2	Exercise data downlink
13:00-14:00	CDR	LUNCH
13:05-14:05	FE-1, FE-2	LUNCH
14:00-15:10	CDR	LAB Carbon Dioxide Removal Assembly (CDRA) CO2 Selector Valve 104 Remove and Replace
14:05-17:05	FE-1	Installation of Cable- Insert into CPB-K2M БРП-М. Tagup with specialists
14:05-14:45	FE-2	IDENTIFIKATSIYA. Сору ИМУ-Ц micro-accelerometer data to laptop
14:50-15:05	FE-2	Private Medical Conference (Ku + S-band)
15:05-15:15	FE-2	SM CO measurement using CMS unit
15:30-17:00	FE-2	ARED Exercise
15:35-15:50	CDR	Private Medical Conference
15:55-16:25	CDR	LAB Carbon Dioxide Removal Assembly (CDRA) CO2 Selector Valve 104 Remove and Replace
16:25-17:25	CDR	T2 Exercise
17:00-17:40	FE-2	Filling <i>EDV-SV No.1002 π.37 (00053403R, ΦΓБ1ΠΓΟ_4_404_1) from EDV No.1104 (00063568R, ΦΓБ1ΠΓΟ_1_109)</i> followed by separation
17:05-17:20	FE-1	Private Medical Conference (Ku + S-band)
17:25-18:55	CDR	ARED Exercise
17:40-18:20	FE-2	СОЖ Maintenance
17:45-18:15	FE-1	Evening Work Prep
18:15-19:15	FE-1	БД-2 Exercise, Day 1
18:20-18:40	FE-2	IMS Delta File Prep
18:40-18:50	FE-2	Closing Shutters on windows 6,8,9,12,13,14
18:50-19:15	FE-2	Evening Work Prep
18:55-19:05	CDR	Evening Work Prep
19:05-19:15	CDR	Pre-sleep
19:15-19:30		Daily Planning Conference (S-band)
19:30-21:05	CDR	Pre-sleep
19:30-21:30	FE-1, FE-2	Pre-sleep
21:05-21:10	CDR	REMINDER. MELFI Insertion
21:10-21:15	CDR	REMINDER - Urine Collection Reminder
21:15-21:25	CDR	Closing USOS Window Shutters
21:25-21:30	CDR	REMINDER - Reading Reminder
21:30-06:00		SLEEP
Task List	FE-1, FE-2	Preparation of reports for Roscosmos site
		ECON-M. Observations and Photography
		URAGAN Observations and Photography

## Notes:

- See OSTPV for references to US activities.
   Pre-sleep ops: daily food prep, dinner, pre-sleep
   Russian crew uses US exercise equipment strictly per F24 or OSTPV
   No T2 exercise allowed: 00:20-00:35 (11/13/14)