



Human Resources and
Social Development

Implementation and Development of the Cloud Center of Excellence

**Environment Summary – Dalal Digital
Assistant**

Document Control

Change Record

Version	Date	Change Reference	Author
v0.1	16 Feb 2026	Initial Draft	

Document Reviewer

Name	Roles in the document	Date

Approval by HRSD

Version	Date	Approver on behalf of HRSD
V0.1		



Contents

1 Introduction

2 OCI Services

2.1 ODA

2.2 OIC

2.3 ADB

2.4 Function Application

2.5 Storage Bucket

2.6 Bastion VM

3 References

1. Introduction

This document provides a consolidated overview of the Dalal environment across key Oracle Cloud Infrastructure (OCI) services. It outlines the deployed components, their corresponding network configurations, private endpoint details, and relevant administrative information. The goal of this summary is to offer a clear reference for technical teams, enabling efficient management, troubleshooting, and future enhancement of the Dalal environment.

The environment includes Oracle Digital Assistant (ODA), Oracle Integration Cloud (OIC), Autonomous Database (ADB), Functions, Object Storage, Bastion resources, and IAM configurations. Each section highlights essential identifiers, URLs, access endpoints, and next steps required for completing or optimizing service integrations within the Dalal deployment.

2. OCI Services

2.1. ODA

Component	Details
Name	hrsd-dalal-oda
Base web URL	https://oda-ea59108db604466381c99d7b87d2b2a1-da727568.data.digitalassistant.oci.oraclecloud.com/botsui/
Private Endpoint IP	10.122.15.207
Private Endpoint FQDN	hrsd-stg-dalal-oda-pe.dalalpe.hrsdnonprodcn.oraclevcn.com

2.2. OIC

Note: To be accessed from Jump VM

Component	Details
Name	hrsd-dalal-oic
Design-time URL	https://design.integration.me-riyadh-1.ocp.oraclecloud.com?integrationInstance=hrsd-dalal-oic-axqmspejmm88-aj
Runtime URL	https://hrsd-dalal-oic-axqmspejmm88-aj.integration.me-riyadh-1.ocp.oraclecloud.com/
Private Endpoint IP	10.122.15.239
Private Endpoint FQDN	oic-pe-outbound-hrsd-dalal-oic.dalalpe.hrsdnonprodcn.oraclevcn.com

2.3. ADB

Note: To be accessed from Jump VM

Component	Details
Name	hrsd-stg-dalal-adb
Private Endpoint IP	10.122.65.2
Private Endpoint FQDN	hrsd-stg-dalal-db.adb.me-riyadh-1.oraclecloud.com
Database Actions URL	https://hrsd-stg-dalal-db.adb.me-riyadh-1.oraclecloudapps.com/ords/sql-developer

2.4. Function Application

Component	Details
Name	hrsd-stg-dalal-fn
API URL	https://functions.me-riyadh-1.oraclecloud.com
Compartment ID	ocid1.compartment.oc1..aaaaaaaa5qip5jhb5u5fnask24ywy4v42ydzxqkhdswgma7hwnhrnawdnma
Repository Fully Qualified Path	ruh.ocir.io/axqmspejmm88/hrsd-stg-dalal-ocir-01
Local Setup	Step 1: Initialize your function <pre>fn init --runtime [go java node python] my-func</pre> Step 2: Switch into the generated directory <pre>cd my-func</pre> Step 3: Create a context for this compartment and select it for use <pre>fn create context hrsd-nonprod-dalal-cmp --provider oracle fn use context hrsd-nonprod-dalal-cmp</pre> Step 4: Update the context with the compartment ID and the Oracle functions API URL <pre>fn update context oracle.compartment-id ocid1.compartment.oc1..aaaaaaaa2cdxs65hfyhhixifqusg36m3yd7bnftvkbgruxxwofw7qxyas1pa</pre> Step 5: Provide a unique repository name prefix to distinguish your function images from other people's <pre>fn update context registry ruh.ocir.io/axqmspejmm88/hrsd-stg-dalal-ocir-01:v1</pre> Step 6: Log into the registry using the auth token as your password <pre>docker login -u 'axqmspejmm88/<username>' ruh.ocir.io</pre> Step 7: Deploy your function <pre>fn deploy --app hrsd-stg-dalal-fn</pre> Step 8: Invoke your function <pre>fn invoke hrsd-stg-dalal-fn my-func</pre>

2.5. Storage Bucket

Component	Details
Name	hrsd-dalal-bkt
Private Endpoint IP	10.122.15.209
Private Endpoint FQDN	dalalbkt-axqmspejmm88.private.objectstorage.me-riyadh-l.oci.customer-oci.com dalalbkt-axqmspejmm88.private.swiftobjectstorage.me-riyadh-l.oci.customer-oci.com dalalbkt-axqmspejmm88.private.compat.objectstorage.me-riyadh-l.oci.customer-oci.com

2.6. Bastion VM

Component	Details
Name	hrsd-stg-dalal-win-jump-vm
IP Address	10.122.15.142

3. References

- [Add a Service for the Private Endpoint in Digital Assistant](#)
- [Use a Private Endpoint in a Connection](#)
- [Overview of Functions](#)
- [SDK and CLI Configuration File](#)
- [Using the Fn Project CLI with OCI Functions](#)

