

Test 1 - Results

Return to review

Chart

Pie chart with 4 slices.

End of interactive chart.

Attempt 1

All questions

Question 1: **Incorrect**

Which three statements are true about business and data object Integration Cloud (OIC) Process?

- ☒

Business object can be created based on a data object

(Correct)

- ☒

Business and data object are auto-generated when creating web forms

(Incorrect)

- ☒

Business object can be created from an XML schema or from JSON

(Correct)

- ☐

Data object can be created based on business object

- ☐

Business exceptions can use only the string data type

(Correct)

- ☐

Business object cannot contain other business object

Question 2: **Incorrect**

Which operation is NOT supported by an OIC Connection resource configured with the FTP Adapter in the Invoke role?

- ☐ **Delete File**
- ☐ **Write File**
- ☒ **Download File**
(Incorrect)
- ☐ **Read File**
- ☐ **Read File in Segments**
(Correct)
- ☐ **List Files**

Question 3: **Correct**

You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Server and Load Balancer processors are determined automatically. With regard to changing the JVM heap size for WebLogic managed server instances, which statement is correct after provisioning the instance in the scenario?

- ☐ **You cannot change the heap size unless you re-provision the SOA service instance or change the compute shape**
- ☒

You can change the heap size by using the WebLogic Server Administration Console

(Correct)

- ☒

You can change the heap size by logging a Oracle Support Service Request

- ☐

You can change the heap size to maximum of 32GB

Question 4: **Correct**

Which statement is valid regarding Connection components in Oracle Service (OIC)?

- ☒

All connection components must be associated with an adapter type regardless of role configuration

(Correct)

- ☐

All connection component configurations require the association of an active OIC Connectivity Agent group

- ☐

Connection component can be configured with either a Trigger role or an Invoke role, but not both

- ☐

Each connection component associated with a SaaS adapter type will also require a Lookup component configuration

Question 5: **Incorrect**

When creating integration in oracle Integration Cloud (OIC),a visual mapper enables you element nodes between applications by dragging source element nodes onto target element nodes Which statement is NOT true about the OIC data mapper functionality?

- ☐

The data structure for the target service is always displayed on the right side in the Designer view

- ☒

When you navigate to the mapper, the Expression Builder launches in user- friendly mode by default when you select a target element

(Incorrect)

- ☐

All source and Target data objects will be represented internally as JSON structures

(Correct)

- ☐

All transformation mapping use eXtensible Stylesheet language (XSL)

- ☐

In the Designer view, the Sources section contains the data structures of all available data objects to include integration metadata, tracking variables, global variables, and integration property values

Question 6: **Incorrect**

To Use integration Insight to map milestones to actions in and oracle integration cloud (OIC) business process implementation, certain prerequisites and conditions must be met Which is Not a valid consideration for models and mapping milestones?

- ☒

The model must be in draft state in order to map a milestone to an integration action

(Incorrect)

- ☐

A business process implementation can be mapped to milestones within only one model

(Correct)

• ☐

Extraction criteria for the milestone indicator is defined with an XPath expression

• ☐

Extraction criteria for the instance unique identifier is defined with and XPath expression

• ☐

Milestones in a single model can be mapped to multiple business processes

Question 7: **Correct**

You are designing an OIC integration that will be processing files in a shared file system located within your on-premises data centre You have decided to leverage various Stage File Action operations within the integration flow in conjunction with an on-premises OOIC connectivity agent With regard to the restrictions on using Stage File Action operations with the file and attachment features of the Connectivity agent, which statement is NOT valid concerning file operation capabilities?

• ☒

Files uploaded through the connectivity agent cannot be unzipped using a file reference

(Correct)

• ☐

Files uploaded through the connectivity agent are not available with the List File operation

• ☐

With regard to both the Read Entire File and Read File in Segments operations , files uploaded through the connectivity agent can only be read with a file reference

- ☐

Files uploaded through the connectivity agent are not available with the Zip File operation

Question 8: **Incorrect**

Within an Oracle Integration Cloud (OIC) Process application business process, the Integrations flow element provides you an option to easily integrate with other service Which THREE can be added and managed from the Integrations flow element?

- ☒

OIC Functions deployed in the same OIC compartment hosting the OIC environment

(Incorrect)

- ☐

Web Service Connectors

(Correct)

- ☐

OIC integrations hosted within the same OIC environment

(Correct)

- ☐

OIC reusable processes hosted within the same OIC environment

- ☐

OIC invokable dynamic processes hosted within the same OIC environment

- ☐

REST Connectors

(Correct)

Question 9: **Incorrect**

You are tasked with monitoring the SOA composite applications and the underlying environment within a SOA Cloud Service instance Which SOA Cloud Service web applications is a best for viewing completed composite instances?

- ☒ WebLogic Server Console
- ☐ B2B Console
- ☐ Oracle Service Bus Console
- ☐ Load Balancer Console
- ☐

Fusion Middleware Control

(Correct)

- ☐ Managed File Transfer Console

Question 10: **Correct**

When defining the frequency for schedule orchestration style integration runs you can choose either Basic or Advance option? Which expression language is used for defining advanced schedule runs?

- ☒

iCal

(Correct)

• ☐

JavaScript

• ☐

XSLT

• ☐

XPATH

• ☐

Groovy

Question 11: **Correct**

You are defining application data in an Oracle Integration Cloud (OIC) process application and are seeking to use Business Type view because it provides the tools required to create and manage various business types Which task CANNOT be performed in the Business Types View?

• ☒

Import schema files

(Correct)

• ☐

Import a business object from JSON

• ☐

Import a business object from XML

• ☐

Create enum objects

• ☐

Create business exceptions

- ☐

Create business objects

Question 12: **Correct**

You are assigned to review the specifications of the SOA Composite applications that have been deployed to your SOA cloud service instance Part of this analysis requires you to catalog the service component Architecture (SCA) components that are implemented within each composite applications What is a valid SCA component in an oracle SOA composite application?

- ☐

BAM Adapter

- ☐

B2B Agreement

- ☐

MFT Adapter

- ☐

Split-Join

- ☒

Mediator

(Correct)

Question 13: **Incorrect**

Which two are NOT start and end event options when creating a structured process in an Oracle Integration Cloud (OIC) process application?

- ☒

None start event and None end event

(Incorrect)

- ☐

Message start event and None end event

- ☐

Form start event and None end event

- ☐

SOAP start event and None end event

(Correct)

- ☒

Task start event and Task end event

(Correct)

Question 14: **Incorrect**

Which type of certificate requires the uploading of a keystore (jks) file in Oracle Integration Cloud to facilitate two-way SSL communication with external services?

- ☒

Multi Domain Certificate

(Incorrect)

- ☐

Message Protection Certificate

- ☐

Unified Communication Certificate

- ☐

Identity Certificate

(Correct)

- ☐

Trust Certificate

Question 15: **Incorrect**

With regard to oracle integration cloud (OIC)lookups, which two are valid statements?

- ☒

A Custom OIC XPath function must be used to retrieve data from a lookup in the Data Mapper

(Incorrect)

- ☒

Changes that are made to lookups referenced in active integrations will take immediately without reactivating those integrations

(Correct)

- ☐

Lookups values must include two or more domains associated with corresponding SaaS applications

(Correct)

- ☐

Lookup values are retrieved from a backend database at runtime

- ☐

You cannot clone an existing lookup if it is being currently referenced in one or more active OIC integration

Question 16: **Incorrect**

Oracle Integration Cloud (OIC) is a fully managed cloud service that provides many components and use case capabilities when an OIC Enterprise Edition instance is provisioned Which three capabilities does OIC Enterprise Edition provide?

- ☒

Create digital assistants (chatbots) and skill using natural language conversations to facilitate integration with oracle SaaS applications

(Incorrect)

- ☐
Leverage an embedded SFTP-complaint repository for storing and retrieving files
(Correct)
- ☒
Leverage an embedded continuous integration server to automate CI/CD workflow
(Incorrect)
- ☐
Model and extract business metrics in real time and gain insight into business processes by using dashboards
(Correct)
- ☐
Create integrations the use B2B e-commerce, which support the EDI X12 business protocol
(Correct)
- ☐
Deploy SOA Composite Applications (SCA) developed with JDeveloper SOA Extension and BPEL constricts

Question 17: **Incorrect**

Your organization maintains two SOA cloud service instances used separately for testing and production What is the best practice for defining the property values and endpoint addresses that may be unique to each environment when deploying the same SOA composite application archive to both instances?

- ☐
Manually update any required values for unique properties or endpoint address in the fusion middleware control immediately following the deployment of the SOA archive

- ☒

You Cannot deploy the same archive to two different environments
Instead, define the specific properties and endpoint address statically
within two separate SOA archives

(Incorrect)

- ☐

Create two separate configuration plans that contain the environment
specific values for properties and endpoint address and then associate
the appropriate plan with the SOA archive deployment

(Correct)

- ☐

Edit each application's deployment descriptor to dynamically retrieve
values for properties and endpoint addresses from the environment upon
deployment

Question 18: **Incorrect**

Which adapter is NOT provided in the Oracle Cloud adapter with Oracle SOA
Cloud Service?

- ☒

SuccessFactors Adapter

(Incorrect)

- ☐

Oracle ERP Cloud Adapter

- ☐

Salesforce Adapter

- ☐

Oracle E-Business Suite Adapter

(Correct)

Question 19: **Correct**

Which process type should you use to model a non-sequential process in an Oracle Integration Cloud (OIC) Process application?

- ☐ Adaptive Case Management (ACM) Process
- ☐ Unstructured Process
- ☐ Structure Process
- ☒ **Dynamic Process**

(Correct)

Question 20: **Incorrect**

You need to create an OIC integration that will be processing many records individually that are contained within a large file. You have been advised to use an implementation approach that includes using the Download File operation of an FTP adapter in conjunction with the Stage File Action Read file in Segments operation to mitigate issues with memory consumption. When using this approach, which is a valid consideration regarding the use of the Read File in Segments operation?

- ☒ You must provide the actual filename because file reference cannot be processed by the Read File in Segments operation

(Incorrect)

- ☐ You will need to explicitly configure a Scope action for this operation if you want to add additional actions during the procession of each segment

- ☐

Segment size will default to 50records but can be configured to any other segment size

- ☐

The Read File Segments operation allows for you process the segments sequentially or in parallel

(Correct)

Question 21: **Correct**

Which Oracle integration Cloud (OIC) XPath function can be used to retrieve data from an OIC lookup within the data mapper tool?

- ☒

lookupValue

(Correct)

- ☐

get-content-as-string

- ☐

getLookup

- ☐

get-value-from-lookup

Question 22: **Incorrect**

You are designing a new integration in OIC the need to expose a REST-ful interface trigger for client applications When choosing request and response options using the REST Adapter Endpoint Configuration Wizard, which is a valid consideration?

- ☒

Although you can define both query and templates parameters, only template parameters will be available for mapping in the mapper because query parameters are considered optional

(Incorrect)

• ☐

If you select a PUT or POST action (HTTP method), you must define a JSON response payload format

• ☐

File attachments can be accepted as a request option for the Trigger interface, but you cannot include attachments

• ☐

Both standard and custom HTTP headers can be defined for either the request or response

(Correct)

Question 23: **Incorrect**

Oracle SOA Cloud Service (SOA CS) includes a number of built-in adapters to include all of the technology adapters delivered with SOA Suite When using one of these technology adapters in a composite application deployed in SOA CS, which two are valid approaches for facilitating connectivity to on-premise applications and system?

• ☒

WLST script

(Incorrect)

• ☐

SOA on-premise connectivity agent

• ☐

PL/SQL procedure

• ☐

VPN service

(Correct)

• ☐

SSH tunnel

(Correct)

Question 24: **Incorrect**

Which is Not a key Advantage of using Oracle integration Cloud (OIC)?

• ☒

Prebuilt integrations

(Incorrect)

• ☐

Public/Private Cloud Portability

• ☐

Auto-association of Oracle SaaS Applications

• ☐

Data Mapping Recommendations

• ☐

User Choice of IDE for Development

(Correct)

Question 25: **Incorrect**

Oracle Integration Cloud Service (OIC) is available in two editions Standard and Enterprise Which OIC Enterprise Edition capabilities are ALSO available in the OIC Standard Edition? (Select two)

• ☒

Process Applications

(Incorrect)

• ☐

Visual Builder

(Correct)

- ☐

Enterprise Application adapters (such as EBS, JDE,SAP, and Siebel)

- ☐

File Server

(Correct)

- ☐

Integration Insight

- ☐

B2B Trading Partner Agreements

Question 26: **Incorrect**

Which two are valid considerations when leveraging the Oracle Integration Cloud (OIC) connectivity agent for higher availability on premise environments?

- ☒

Each host on which the agent is installed must be configured on separate subnets and assigned to the same OIC agent group

(Incorrect)

- ☐

You will need to have the OIC ServiceDeployer role permissions in order to download and install the OIC on –premise connectivity agent

- ☐

The File Adapter is not supported in high availability environments When using the File Adapter and if some groups have multiple instances, use a dedicated agent group (with one group agent only)

(Correct)

- ☐

You cannot have more than two agent instances per agent group. Attempting to include a third agent instance in the same group during installation results in an error.

(Correct)

- ☐

You should install the connectivity agent on the same host as the target application, then specify different agent group identifiers for each agent its installation

Question 27: **Correct**

You are tasked with creating a new integration Oracle Integration Cloud (OIC) that will be exposed to clients as a SOAP web service. In addition, this integration will be invoking an external SOAP web service as part of the orchestration flow logic. Therefore, you must first create two SOAP adapter connection resources (one for the trigger and one for the invoke action). With regard to the creation of these SOAP adapter connection resources, which is a valid statement?

- ☒

Suppress insertion of timestamp into the request and ignore timestamp in the response message are optional fields only for the outbound Invoke connection configuration

(Correct)

- ☐

You must explicitly specify the target server TLS version for the external web services outbound Invoke connection configuration

- ☐

The SAML and OAuth security policies are available options for creating either the inbound Trigger connection or the outbound Invoke connection configuration

- ☐

The WSDL URL property value can be defined by uploading a file for either the inbound Trigger connection or the outbound invoke connection configuration

Question 28: **Correct**

You are tasked with creating an Oracle Integration cloud (OIC) orchestrated integration flow the supports a B2B document exchange When configuring the B2B action (formerly known as the EDI translate action), there are several capabilities as well as limitations Which statement is NOT true about OIC B2B capabilities?

☒

A previously created Trading Partner Agreement is optional when configuring the inbound or outbound translations

(Correct)

☐

Performing validations on EDI documents is required for inbound translations, but optional for outbound translations

☐

You can customize standard EDI documents by adding new schema constructs or by editing existing construct

☐

When define the EDI message type, both the document version and document type must always be explicitly selected

Question 29: **Incorrect**

You can recover unsaved changes in an Oracle Integration Cloud (OIC) integration that crashes during design time because of a browser crash, loss of network connectivity, or a server going down Which statement is NOT true about this unsaved changes feature in OIC?

☒

Changes made while editing a Connections page cannot be recovered

(Incorrect)

☐

An OIC administrator with the ServiceAdministrator role can unlock an integration that has unsaved changes

- ☐

Only the person with the ServiceDeveloper role that made the changes or an admin with the ServiceAdministrator role can recover the unsaved changes

(Correct)

- ☐

Because a backup copy is created after each completed task, there is no time limit in which you need to log back in and recover your changes

- ☐

Changes made while working inside the data mapper cannot be recovered

Question 30: **Incorrect**

Which fields are used to define static or dynamic list of values in web forms of process application? (Choose the best answer)

- ☒

Links, Email, Message Fields

(Incorrect)

- ☐

Text Input and Area Fields

- ☐

Checklist, radio button, or Select controls

(Correct)

- ☐

Date, Time, and Number Fields

Question 31: **Incorrect**

You are tasked with provisioning a Managed File Transfer (MFT) Cloud Service on Oracle Cloud Infrastructure (OCI) Which statement is valid concerning MFT provisioning?

- ☐

MFT requires creating an Oracle SOA Cloud Service instance and choosing "MFT Cluster" as the service type

(Correct)

- ☒

You must include the B2B cluster configuration since the MFT service runs within the B2B framework

(Incorrect)

- ☐

Because MFT requires an Oracle ATP database, the database instance must first be provisioned in OCI

- ☐

Defining virtual machines (computer nodes) for the WebLogic Server cluster is no longer required

Question 32: **Incorrect**

Integration Insight in Oracle Integration Cloud (OIC) dramatically simplifies the process of modeling and extracting meaningful business metrics, allowing business executives to understand, monitor, and react quickly to changing demands After a model has been activated, which is NOT a valid Instance state?

- ☒

Failed

(Incorrect)

- ☐

Recoverable

- ☐

Successful

• ☐

Terminated

(Correct)

• ☐

Healthy

Question 33: **Incorrect**

Which statement is NOT true about decisions models in Oracle Integration Cloud (OIC) Process?

• ☒

In the Graph view, you can create decision requirement diagrams (DRDs) to visually represent your decision models, but only one DRD per decision model is supported

(Incorrect)

• ☐

A decision model must contain at least one decision service in order to be used in a Process application

• ☐

Decisions created using the Function notation return a value only when invoked from another decision

• ☐

A decision service exposes output decisions of a decision model as private internal REST to the Process application

(Correct)

Question 34: **Incorrect**

Which two statements are true about implementing an API first strategy?

• ☒

The code to execute business logic needs to exist and to be exposed as an API first before you build a strategy around it

(Incorrect)

- ☐

It generally is assumed that SOAP/WSDL are the key specification for defining the API

- ☐

The API is to be developed first before any UI or new business logic are created

(Correct)

- ☐

You define ate API definition/contract first before any work on its implementation or any application that use it

(Correct)

Question 35: **Incorrect**

In Oracle Integration Cloud (OIC) Process web forms editor, which three background colors are displayed?

- ☒

Purple for complex binding names

(Incorrect)

- ☐

Red for invalid binding names

(Correct)

- ☐

Blue for complex binding names

(Correct)

- ☐

Green for valid binding names

(Correct)

- ☐

Blue for unmatched binding names

- ☐

Orange for unmatched binding names

Question 36: **Incorrect**

You have a use case requiring the design of a synchronous OIC integration flow that will return a custom business fault message to the client if processing fails due to an external runtime fault encountered during the integration instance execution Which implementation strategy will best satisfy this requirement?

- ☒

Implement a scope fault handler to catch the runtime fault, then allow the Global fault handler to automatically send the runtime fault to the Error Hospital

(Incorrect)

- ☐

Implement the Global fault handler to catch the runtime fault, and then use the Re-throw Fault action to send the custom fault to the client

- ☐

Implement a scope fault handler to catch the runtime fault, and then use the Fault return action providing mapped data for the custom fault

(Correct)

- ☐

Create a custom scope fault handler to catch the runtime fault, and then use the Re-throw Fault action to send the fault to the Error Hospital

Question 37: **Incorrect**

Which four statements are valid regarding the differences between WSDL/SOAP and REST/JSON?

- ☐

Modern API-first architecture prefer to use tried-and-true WSDL services over REST services because they are quicker and easier to implement

- ☒

Unlike WSDL, REST is typically invoked with HTTP verbs

(Correct)

- ☐

REST is more easily used in developing UIs than WSDL, REST is also gaining popularity in application development

(Correct)

- ☐

WSDL is simpler; REST is richer

- ☐

WSDL is a request for; REST is a request for a resource

(Correct)

- ☐

WSDL is a tight contract; REST is a loose contract

(Correct)

Question 38: **Incorrect**

Integration Insight in Oracle Integration Cloud (OIC) provides a business-friendly experience, allowing users to model, collect, and monitor metrics for their business process Which statement is NOT true about Integration Insight models?

- ☐

Integration Insight models can define milestone activities in either OIC Integration or OIC Process business processes

• ☒

The activity associated with and Integration Insight model is a model instance

(Incorrect)

• ☐

Model indicators are limited to only one of two types: Dimensions and measures

(Correct)

• ☐

Each model instance is a unique occurrence based on the business process that is associated with the model

• ☐

The model Identifier value must be unique and is extracted only once for a model instance and cannot be changed

• ☐

A model must have both an initial milestone and a terminal milestone created in order to be activated

Question 39: **Incorrect**

One of your downstream applications is becoming overwhelmed with too many individual synchronous invocations from your current Oracle Integration Cloud (OIC) integration It has been recommended that you redesign the integration to take advantage of the batch processing capabilities of the application Which is the MOST appropriate approach for implementing this OIC design best practice?

• ☒

Reactivate the integration and use the disable tracing and message tracking option which will optimize performance for each invocation to the application

(Incorrect)

- ☐
Throttle the individual synchronous calls by adding a Wait activity prior to each invocation to the application within the loop
- ☐
Crte a custom batch call function, register the function as a Library in your OIC environment, then use the JavaScript action to invoke the application
- ☐
Use the Append option in the Write File operation of the Stage File action within a loop to create a single batch file to be sent to the application

(Correct)

Question 40: **Incorrect**

In Oracle Integration Cloud (OIC) Process, you can use human task to model user's interaction with the application You can assign the human task to a specific user, to a group of users, to users with a certain role, or to the same user that already acted on the instance for a certain role When assigning the human task based on a dynamic expression, which is a valid option?

- ☒ **You can use an expression to calculate shared role, but not users or groups**
(Incorrect)
- ☐ **You can use an expression to calculate the user or group, but not shared role**
- ☐ **You can use an expression to calculate the group or shared role, but not specific users**

- ☐

You can use an expression to calculate the user, group or a shared role

(Correct)

Question 41: **Correct**

Oracle Integration Clod (OIC) provides the File Server component—an embedded SFTP server that enables organizations to focus on building integrations without needing to host and maintain a separate SFTP server
Which statement is NOT true about the OIC File Server component?

- ☐

To access File Server from an internal OIC integration flow, a Connection resource of FTP adapter type or rest adapter type is used

- ☒

Access to the File Server REST APIs is limited to only users with the ServiceAdministrator role

(Correct)

- ☐

The File Server component is a feature that is disabled by default into newly provisioned OIC instance

- ☐

Any external SFTP client can access file Server as long as an OIC administrator has configured specific folder access permission for those clients

Question 42: **Incorrect**

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web service across the organization?

- ☒

OAuth services are used for REST band service

(Incorrect)

- ☒ **Developers no longer need to understand security specifications and security implementation details**
(Correct)
- ☐ **OWSM provides a framework that is externalized and declarative outside of the web service implementation**
(Correct)
- ☐ **Security is controlled by the developer of the service and this gives greater control to the development of the service**

Question 43: **Incorrect**

Your design of an asynchronous OIC integration flow includes the requirement for additional processing logic that is conditionally based on the result returned to the integration instance from earlier external service invocations You have decided to leverage the switch action to facilitate this implementation Which is a valid consideration concerning the configuration and capabilities of the switch action?

- ☒ **Nested switch actions are not supported, therefore you may need to create more complex conditional expressions if necessary**
(Incorrect)
- ☐ **All branches within the switch action must have a conditional expression defined to include the otherwise branch**
- ☐ **XPath version 2.0 functions can be used to create more complex conditional expressions for a switch action branch if the function returns a Boolean result**

- ☐

Data objects returned from action within a branch of a switch action will not be visible in the main flow of the integration after the switch action

(Correct)

Question 44: **Incorrect**

In Oracle Integration Cloud (OIC) Process, you create web forms to interact with end users As part of creating a web form, you add its controls, configure its data, and define form behavior Which statement is true about creating web forms?

- ☐

You can assign one or more stylesheet and only one presentation to a web form

- ☒

You can assign one or more stylesheet and only one presentation to a web form

(Incorrect)

- ☐

You can assign only one stylesheet and only one presentation to a web form

- ☐

You can assign only one stylesheet and one or more presentation to a web form

(Correct)

Question 45: **Incorrect**

Which three actions once they have been configured are allowed to be repositioned to another location within the design canvas of an orchestration style integration flow? (Choose all correct answers)

- ☒

Stage File with Read File operation

(Correct)

- ☒

Switch

(Incorrect)

- ☐

Stage File with Read File in Segments operation

- ☐

For Each

- ☐

JavaScript Call

(Correct)

- ☐

Stage File Write File operation

(Correct)

Question 46: **Incorrect**

Within the scope of an Oracle Integration Cloud (OIC) Process application, which TWO statements are valid concerning Decision Snapshots and Decision Models?

- ☒

Decision rules are expressed as rows within the table and consist of only one input entry and only one corresponding output entry

(Incorrect)

- ☒

Decision snapshots, once activated, cannot be used independently in multiple applications

(Incorrect)

- ☐

Decision snapshot are read-only copies of a decision model

(Correct)

- ☐

A decision model can be activated on a Decision Model and Notation (DMN) server

- ☐

A decision model snapshot cannot be deleted once it has been activated

(Correct)

Question 47: **Incorrect**

Which three are types of certificates in Oracle Integration Cloud (OIC) that can be imported from the Certificates page under Settings?

- ☒

Unified Communications Certificate

(Incorrect)

- ☒

Multi Domain SSL Certificate

(Incorrect)

- ☒

Identity Certificate

(Correct)

- ☒

Trust Certificate

(Correct)

- ☐

Message Protection Certificate

(Correct)

Question 48: **Correct**

You are implementing a synchronous OIC integration flow that is processing file records within a while loop action. At the end of each loop, you want to delay processing of the next record for a certain period of time. Which is a valid consideration when using the wait action?

- ☒

The wait action cannot be used in synchronous flow

(Correct)

- ☐

The maximum wait time cannot exceed two minutes when configuring a wait action in a synchronous flow

- ☐

The minimum wait time cannot be less than five seconds when configuring a wait action in any integration flow

- ☐

The wait action can only be positioned as the last action in the loop

Question 49: **Correct**

Oracle Integration Cloud (OIC) integrations can be exported so they can later be imported into another OIC instance environment. Which statement is NOT true about the import and export of OIC integration?

- ☒

Imported integrations can be reconfigured to use different connection resources by using the OIC REST API

(Correct)

- ☐

Integration must be exported as a package if you want to import them into another environment

- ☐

Imported integrations cannot be immediately activated if their dependent connection resources are not already present in the target OIC environment

- ☐

Exported integrations will include all of their dependent connection resource information with the exception of URL and credentials

Question 50: **Incorrect**

In Oracle Integration Cloud (OIC) Process, you can configure a human task that enables you to model approval task interactions What are the available options when configuring the Escalation and Expiration tab of a human task?

- ☒

Expire, Reset, Escalate

(Incorrect)

- ☐

Never expire, Expire, Never Escalate, Escalate

- ☐

Expire, Escalate, Skip, Reset

- ☐

Never expire, Expire, Renew, Escalate

(Correct)

Question 51: **Incorrect**

Which three statements are true about SOAP and the advantages it provides?

- ☒

SOAP clients can easily hold stateful references to remote server-side SOAP objects

(Incorrect)

- ☒

SOAP provides flexibility for message formatting allowing for loose coupling between a client and a server

(Incorrect)

- ☒

SOAP leverages XML-based payloads to communicate between two client machines across any modern network

(Correct)

- ☐

SOAP is platform and programming language independent

(Correct)

- ☐

SOAP over HTTP is not blocked by firewalls and proxy servers

(Correct)

- ☐

SOAP commonly serves as a cleaning agent that removes excess data from the transmission protocol

Question 52: **Correct**

Which JNDI name value must be provided when configuring the properties of a new database adapter outbound connection pool to support dependent SOA composite applications?

- ☒

The corresponding XA datasource configuration deployed to the same WebLogic cluster

(Correct)

- ☐

The corresponding XA database adapter plan deployed with this database adapter outbound connection pool

- ☐

The corresponding XA database adapter connection factory configured for this WebLogic domain

- ☐

The corresponding XA enterprise resource adapter application deployed to the same WebLogic cluster

Question 53: **Incorrect**

You have an Oracle Integration Cloud (OIC) synchronous flow that is updating external system with several invocations. However, several of your OIC integration clients are reporting that they are experiencing timeouts waiting for the response confirmation from this processing. Which is a legitimate strategy that will mitigate this issue?

- ☒

Change the implementation logic to invoke multiple fine-grained external API calls within a single loop

(Incorrect)

- ☐

Change the design implementation strategy to an asynchronous flow that provides a separate notification to clients when the processing is complete

(Correct)

- ☐

Increase the blocking timeout within the OIC integration settings to allow for extended time

- ☐

Split into smaller synchronous integration flows that can be orchestrated sequentially from a master synchronous flow

Question 54: **Incorrect**

The Oracle Integration Cloud (OIC) integration design editor provides a data mapper UI tool that is available for Map actions Which two statement are true regarding the use of mapper tool?

- ☒

You cannot drag and drop and XSLT flow control statement directly to a target node element

(Incorrect)

- ☒

You cannot drag and drop a source data element to a target node element that is already mapped

(Correct)

- ☐

You cannot drag and drop and XPath function activity directly to a target element

- ☐

You can drag and drop a source data element to multiple target node elements

(Correct)

Question 55: **Incorrect**

What are three main capabilities of oracle Integration cloud (OIC)?

- ☒

Internet of Things (IOT) application development

(Incorrect)

- ☒

Web and Mobile application development

(Correct)

- ☒

Blockchain application development

(Incorrect)

- ☐

Business process automation

(Correct)

- ☐

Digital assistant application development

- ☐

Application integration

(Correct)

Question 56: **Incorrect**

Which two are device activities that can be monitored from Oracle Internet of Things (IoT) Cloud Service?

- ☒

Device Login Activities

(Incorrect)

- ☒

Application Data

(Incorrect)

- ☐

Warning Messages

- ☐

Device Data Messages

(Correct)

- ☐

Alert Messages

(Correct)

Question 57: **Incorrect**

Oracle Application Adapters in Service-Oriented Architecture Cloud Service (SOA CS) can connect to on-Premise systems What are 2 key elements that you need to review in this architecture?

- ☒

The DMZ needs to open port 80 for proper connectivity

(Incorrect)

- ☒

Account for network connectivity and latency sensitivity to the on-premise application in the architecture

(Correct)

- ☐

Design a load balancer solution for connectivity

- ☐

Ensure that Oracle Support Notes for a hybrid cloud architecture with that application are reviewed and supported

(Correct)

Question 58: **Incorrect**

Which two options cannot be performed from the Monitoring Dashboard?

- ☒

Activity Stream Download

(Incorrect)

- ☒

Download Incident Logs

(Incorrect)

- ☐

Artifacts Download

(Correct)

- ☐

Download Diagnostic Logs

- ☐

Download Lookup

(Correct)

Question 59: **Incorrect**

Which two statements are true regarding mapper activity?

- ☒

You can drag and drop a source on to multiple targets

(Incorrect)

- ☒

You cannot drag and drop a source on to a target that is already mapped

(Correct)

- ☐

You can drag and drop function activity in the target

(Correct)

- ☐

You can drag and drop switcher activity in the target

Question 60: **Incorrect**

Which three statements are true about SOAP and advantages it provides?

- ☒

It is able to act like a cleaning agent to remove excess data from the transmission protocol

(Incorrect)

- ☒

It stands for Simple Object Application Protocol

(Incorrect)

- ☐

Since its XML based, it is platform and programming language independent

(Correct)

- ☐

It uses XML based content communicate between two client machines across any modern network

(Correct)

- ☐

RPC (Remote procedure calls) are sometimes blocked by firewalls and proxy servers - SOAP overcomes that

(Correct)

Question 61: **Incorrect**

Which is a required prerequisite for API Platform Cloud Services?

- ☐

Integration Cloud Service

(Incorrect)

- ☐

Database Cloud Service (DBCS) and Storage Cloud Service

(Correct)

- ☐

Java Cloud Service (JCS) and Database Cloud Service (DBCS)

- ☐

Storage Cloud Service and Compute Cloud Service

Question 62: **Incorrect**

Which three statements are true about SOAP and advantages it provides?

- ☒

It is able to act like a cleaning agent to remove excess data from the transmission protocol

(Incorrect)

- ☒

It uses XML based content communicate between two client machines across any modern network

(Correct)

- ☐

RPC (Remote procedure calls) are sometimes blocked by firewalls and proxy servers - SOAP overcomes that

(Correct)

- ☐

Since its XML based, it is platform and programming language independent

(Correct)

- ☐

It stands for Simple Object Application Protocol

Test 2 (Snap Test) - Results

[Return to review](#)

Chart

Pie chart with 4 slices.

End of interactive chart.

Attempt 1

All questions

Question 1: **Correct**

When defining the frequency for schedule orchestration style integration runs you can choose either Basic or Advance option? Which expression language is used for defining advanced schedule runs?

- ☒

iCal

(Correct)

- ☐

JavaScript

- ☐

XSLT

- ☐

XPATH

- ☐

Groovy

Question 2: **Incorrect**

You are defining application data in an Oracle Integration Cloud (OIC) process application and are seeking to use Business Type view because it provides the tools required to create and manage various business types Which task CANNOT be performed in the Business Types View?

- ☐

Import schema files

(Correct)

- ☐

Import a business object from JSON

- ☐

Import a business object from XML

- ☒

Create enum objects

(Incorrect)

- ☐

Create business exceptions

- ☐

Create business objects

Question 3: **Incorrect**

You are assigned to review the specifications of the SOA Composite applications that have been deployed to your SOA cloud service instance Part of this analysis requires you to catalog the service component Architecture (SCA) components that are

implemented within each composite applications What is a valid SCA component in an oracle SOA composite application?

- ☒

BAM Adapter

(Incorrect)

- ☐

B2B Agreement

- ☐

MFT Adapter

- ☐

Split-Join

- ☐

Mediator

(Correct)

Question 4: **Incorrect**

Which two are NOT start and end event options when creating a structured process in an Oracle Integration Cloud (OIC) process application?

- ☒

None start event and None end event

(Incorrect)

- ☒

Message start event and None end event

(Incorrect)

- ☐

Form start event and None end event

- ☐

SOAP start event and None end event

(Correct)

- ☐

Task start event and Task end event

(Correct)

Question 5: **Incorrect**

Which type of certificate requires the uploading of a keystore (jks) file in Oracle Integration Cloud to facilitate two-way SSL communication with external services?

- ☒

Multi Domain Certificate

(Incorrect)

- ☐

Message Protection Certificate

- ☐

Unified Communication Certificate

- ☐

Identity Certificate

(Correct)

- ☐

Trust Certificate

Question 6: **Incorrect**

With regard to oracle integration cloud (OIC)lookups, which two are valid statements?

- ☒ **A Custom OIC XPath function must be used to retrieve data from a lookup in the Data Mapper**
(Incorrect)
- ☐ **Changes that are made to lookups referenced in active integrations will take immediately without reactivating those integrations**
(Correct)
- ☐ **Lookups values must include two or more domains associated with corresponding SaaS applications**
(Correct)
- ☐ **Lookup values are retrieved from a backend database at runtime**
- ☐ **You cannot clone an existing lookup if it is being currently referenced in one or more active OIC integration**

Question 7: **Incorrect**

Oracle Integration Cloud (OIC) is a fully managed cloud service that provides many components and use case capabilities when an OIC Enterprise Edition instance is provisioned. Which three capabilities does OIC Enterprise Edition provide?

- ☒ **Create digital assistants (chatbots) and skill using natural language conversations to facilitate integration with Oracle SaaS applications**
(Incorrect)
- ☒

Leverage an embedded SFTP-complaint repository for storing and retrieving files

(Correct)

- ☐

Leverage an embedded continuous integration server to automate CI/CD workflow

- ☐

Model and extract business metrics in real time and gain insight into business processes by using dashboards

(Correct)

- ☐

Create integrations the use B2B e-commerce, which support the EDI X12 business protocol

(Correct)

- ☐

Deploy SOA Composite Applications (SCA) developed with JDeveloper SOA Extension and BPEL constricts

Question 8: **Incorrect**

Your organization maintains two SOA cloud service instances used separately for testing and production What is the best practice for defining the property values and endpoint addresses that may be unique to each environment when deploying the same SOA composite application archive to both instances?

- ☒

Manually update any required values for unique properties or endpoint address in the fusion middleware control immediately following the deployment of the SOA archive

(Incorrect)

- ☐

You Cannot deploy the same archive to two different environments
Instead, define the specific properties and endpoint address statically
within two separate SOA archives

- ☐

Create two separate configuration plans that contain the environment
specific values for properties and endpoint address and then associate
the appropriate plan with the SOA archive deployment

(Correct)

- ☐

Edit each application's deployment descriptor to dynamically retrieve
values for properties and endpoint addresses from the environment upon
deployment

Question 9: **Incorrect**

Which adapter is NOT provided in the Oracle Cloud adapter with Oracle SOA Cloud
Service?

- ☒

SuccessFactors Adapter

(Incorrect)

- ☐

Oracle ERP Cloud Adapter

- ☐

Salesforce Adapter

- ☐

Oracle E-Business Suite Adapter

(Correct)

Question 10: **Incorrect**

You need to create an OIC integration that will be processing many records individually that are contained within a large file You have been advised to use an implementation approach that includes using the Download File operation of an FTP adapter in conjunction with the Stage File Action Read file in Segments operation to mitigate issues with memory consumption When using this approach, which is a valid consideration regarding the use of the Read File in Segments operation?

• ☒

You must provide the actual filename because file reference cannot be processed by the Read File in Segments operation

(Incorrect)

• ☐

You will need to explicitly configure a Scope action for this operation if you want to add additional actions during the procession of each segment

• ☐

Segment size will default to 50records but can be configured to any other segment size

• ☐

The Read File Segments operation allows for you process the segments sequentially or in parallel

(Correct)