
A
Tissue samples
CPTAC
Tumour
Source-defined normal
Protein measurement
MS
Extract proteins
Digest to peptides
Mass spectrometry
Quantified abundance
Proteins
1,191 samples × 8,906 accessions
Transfer test
LOGO
New cohort
Tissue biology +
acquisition conditions
Sampling schematic; no tissue image, spectrum or molecular mechanism is inferred
Fixed 8,906-feature intersection uses all six cohorts before LOGO; target feature availability is known
B
Tumour
Normal
CCRCC 110 84
LUAD 111 102
UCEC 103 49
HNSCC 110 72
LSCC 110 102
PDAC 145 93
0 50 100 150 200 250
Samples
C
Both classes
Tumour only
Normal only
CCRCC 84 26
LUAD 102 9
UCEC 30 73 19
HNSCC 68 42 2
LSCC 102 8
PDAC 84 61 9
0 50 100 150
Patients
D
Random sample folds
Grouping unit: sample
Samples split independently
Patient pairs may cross folds
Patient-grouped folds
Grouping unit: patient
Each patient stays in one fold
Cohorts appear in train and test
Leave-one-cohort-out
Grouping unit: cohort
One complete cohort held out
Cancer and acquisition shift together
Blue: training Orange: held out Boxes: grouping unit (schematic, not a real fold)