

Submission Worksheet

CLICK TO GRADE

<https://learn.ethereallab.app/assignment/IT202-007-F2024/it202-api-project-milestone-2-2024-m24/grade/par36>

Course: IT202-007-F2024

Assignment: [IT202] API Project Milestone 2 2024 M24

Student: Peter R. (par36)

Submissions:

Submission Selection

1 Submission [submitted] 11/25/2024 11:07:06 PM

Instructions

^ COLLAPSE ^

Implement the Milestone 2 features from the project's proposal document:

<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWVwfo/view>

Make sure you add your ucid/date as code comments where code changes are done All code changes should reach the Milestone2 branch Create a pull request from Milestone2 to dev and keep it open until you get the output PDF from this assignment. Gather the evidence of feature completion based on the below tasks. Once finished, get the output PDF and copy/move it to your repository folder on your local machine. Run the necessary git add, commit, and push steps to move it to GitHub Complete the pull request that was opened earlier Create and merge a pull request from dev to prod Upload the same output PDF to Canvas

Branch name: Milestone2

Group



Group: Define Appropriate Tables for Data
Tasks: 2
Points: 1

^ COLLAPSE ^

Task



Group: Define Appropriate Tables for Data
Task #1: Screenshots of Table SQL
Weight: ~50%
Points: 0.50

^ COLLAPSE ^

Checklist

*The checkboxes are for your own tracking

#	Details
☐ #1	Table(s) should have the 3 core columns we'll always be using (id, created, modified) plus additional columns for the incoming API data
☐ #2	Columns should be logical and thought out (not valid to have a single field of JSON data or similar)

Sub-Task

Group: Define Appropriate Tables for Data

Task #1: Screenshots of Table SQL


Sub Task #1: Screenshot of the table (you can duplicate this subtask as needed)

100%

Task Screenshots

Gallery Style: 2 Columns

4 2 1



Shows the database with the games table and all the columns

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Explain the columns and what data they represent (briefly), also note any normalization that may have been necessary

Response:

Besides all of the required columns (id, created, modified) the others are all strings which hold video game related data. game_title holds the title of each game, platforms holds a string list of all of the platforms a game is on (can be multiple or just one), genre holds a string list of all the genres a game is (can be multiple or just one) and release_date has the game's release date in this date format (YYYY-MM-DD).

End of Task 1

Task

Group: Define Appropriate Tables for Data

Task #2: Add the pull request link for the branch related to this feature

Weight: ~50%

Points: ~0.50

100%

^ COLLAPSE ^

Details:

Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature.



Task URLs

URL #1

<https://github.com/PeterRedfern/par36-it202-007/pull/84>

URL

<https://github.com/PeterRedfern/par36-it202-007>

URL #2

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

URL

<https://github.com/PeterRedfern/par36-it202-007>

End of Task 2

End of Group: Define Appropriate Tables for Data

Task Status: 2/2

Group



Group: Data Creation Page

Tasks: 4

Points: 2

^ COLLAPSE ^

Task



Group: Data Creation Page

Task #1: Screenshots of the creation page

Weight: ~25%

Points: ~0.50

^ COLLAPSE ^

Details:

Heroku dev url must be visible in all relevant screenshots



Columns: 1

Sub-Task



Group: Data Creation Page


Task #1: Screenshots of the creation page

Sub Task #1: Show potentially valid data filled in for the custom creation page

Task Screenshots

Gallery Style: 2 Columns

4 2 1



shows data being filled in for create game

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

Group: Data Creation Page

Task #1: Screenshots of the creation page


Sub Task #2: Show how the API data is fetched for API data (must be server-side)

100%

Task Screenshots

Gallery Style: 2 Columns

4 2 1



shows how api data is fetched

game_api which fetches the games from the db

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the code

Response:

The code takes in the game title from what the user enters. From there it uses fetch_games from the game_API to search for results. It then takes those results in the if condition and puts them inside of \$game. From there, game is passed into the database.

Game_API makes a search query with the API data and carefully arranges the data. Handles special conditions for platforms and genres, making them able to have multiple in a single string. Before combining all of the data at the end into a single \$result variable.

Sub-Task

Group: Data Creation Page

Task #1: Screenshots of the creation page

Sub Task #3: Show examples of validation messages

100%


Task Screenshots

Gallery Style: 2 Columns

4

2

1



When the search button is clicked without a query, a validation message pops up

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

Group: Data Creation Page

Task #1: Screenshots of the creation page

Sub Task #4: Show an example of successful creation message

100%


Task Screenshots

Gallery Style: 2 Columns

4

2

1



inserted record message

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

Group: Data Creation Page

Task #1: Screenshots of the creation page

Sub Task #5: Design/Style should be considered (i.e., bootstrap, custom css, etc)


100%

Task Screenshots

4

2

1



custom colors and buttons

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain your design choices

Response:

There are custom colors and bootstrap elements applied. The buttons and forms are bootstrap related and the custom colors are defined in a file called styles.css.

End of Task 1

Task



Group: Data Creation Page

Task #2: Screenshots of creation page code

Weight: ~25%

Points: ~0.50

^ COLLAPSE ^

Details:

Include ucid/date comments for each code screenshot



Columns: 1

Sub-Task



Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #1: Form should have correct data types for each property being requested

4

2

1



data and button code

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

≡ Task Response Prompt

Briefly talk about each field type and why it was chosen

Response:

These fields let the user define a game by it's title, release date, genre and what consoles it's on to give an accurate but basic amount of information about each game.

Sub-Task


100%

Group: Data Creation Page
Task #2: Screenshots of creation page code
Sub Task #2: Form should have correct validation for each field (HTML, JS, and PHP)

🖼 Task Screenshots

Gallery Style: 2 Columns

4 2 1



checks in php for the correct key for each game

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

≡ Task Response Prompt

Briefly explain the validations

Response:

Besides the basic/built in validations in the forms (via HTML/bootstrap), the code checks for each key being correct before the data is sent to the database. This code is in game_api but it is called through the function fetch_games which is a major part of the insertion process.

Sub-Task

Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #3: Successful creation should have a user-friendly message

100%


Task Screenshots

Gallery Style: 2 Columns

4

2

1



confirmation message

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Explain how duplicate/existing data is handled

Response:

In this case, duplicate data is allowed. This is because of the fact that when someone fetches a similar query or invents their own entry, they could have the same name as something already in the database. However, the data still overwrites the original if the title is the same.

Sub-Task

Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #4: Any errors should have user-friendly messages

100%


Task Screenshots

Gallery Style: 2 Columns

4

2

1



error message

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly describe the scenarios

Response:

If the query fails due to incorrect data/an error in the code, the error message will flash on the screen. After that, the user should be able to try again and the query should work.

Sub-Task

100%

Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #5: Include the form/process for fetching API data


Task Screenshots

Gallery Style: 2 Columns

4

2

1



api fetch form HTML



api fetch code

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the steps (include how duplicates are handled)

Response:

The form code takes in a game title to search for and then submits the search query with a button. Once it goes through, the first 20 results are submitted into the database. Secondly, the code takes in the game title from what the user enters. From there it uses `fetch_games` from the `game_API` to search for results. It then takes those results in the `if` condition and puts them inside of `$game`. From there, `game` is passed into the database.

Sub-Task

100%

Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #6: Include some indicator between custom data and API data

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```

if ($result) {
    $game = $result; // puts api results in game
    foreach ($game as $g) { // game is 11/25/24, sets each api marker to 1 which means it is from an api
        $g['is_api'] = 1;
    }
    unset($g);
} else {
    $game = $result;
}

```

sets is_api to 1/"true"

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

⇒ Task Response Prompt

Briefly mention what the indicator is (i.e., api_id if the API has ids or is_api as a boolean-like column, etc)

Response:

The code checks if there is a result, if there is, game is set to result. From there, with game having the results, the code takes each game that was just given data from the api and sets "is_api" to 1 (true).

Sub-Task

Group: Data Creation Page

Task #2: Screenshots of creation page code

Sub Task #7: Include any other rules like role guards and login checks

100%

🖼 Task Screenshots

Gallery Style: 2 Columns

4

2

1

```

if (has_role("Admin")) { // per 11/25/24: when user only admins can access this page/create games
    flash("You don't have permission to view this page", "warning");
    die(header("Location: " . get_url("home.php")));
}

```

admin check

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

⇒ Task Response Prompt

Briefly explain the logic/reasoning

Response:

When it comes to creating games, we would only want authorized users such as an admin to create the entries (at least for now). This checks if the user is an admin and if they are not an admin, they aren't able to view the page and redirected to the homepage.

Task



Group: Data Creation Page
Task #3: Screenshot of records from DB
Weight: ~25%
Points: ~0.50

COLLAPSE

Columns: 1

Sub-Task




Group: Data Creation Page
Task #3: Screenshot of records from DB
Sub Task #1: Show at least one record fetched from the API

Task Screenshots

Gallery Style: 2 Columns

4 2 1



Shows many of the Halo games and their info fetched from the database

Caption(s) (required)

Caption Hint: Describe/highlight what's being shown (note what differs from a custom record)

Sub-Task




Group: Data Creation Page
Task #3: Screenshot of records from DB
Sub Task #2: Show at least one record created via the creation form

Task Screenshots

Gallery Style: 2 Columns

4 2 1



Two original creations, note: is_api is set to 0 (false)

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown (note what differs from the API record)*

End of Task 3

Task



Group: Data Creation Page
Task #4: Add related links
Weight: ~25%
Points: ~0.50

^ COLLAPSE ^

Checklist

*The checkboxes are for your own tracking

#	Details
☒ #1	Include the heroku prod link for this page
☒ #2	Add the pull request link for the branch related to this feature Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature

Task URLs

URL #1

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/create_game.php

URL

<https://par36-it202-007-prod-d727c5625e8e.herokuapp.com>

URL #2

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

URL

<https://github.com/PeterRedfern/par36-it202-007>

End of Task 4

End of Group: Data Creation Page

Task Status: 4/4

Group



Group: Data List Page (many entities)
Tasks: 3
Points: 2

^ COLLAPSE ^

Task



Group: Data List Page (many entities)
Task #1: Screenshots of the list page
Weight: ~33%
Points: ~0.67

Details:

Heroku dev url must be visible in all relevant screenshots



Columns: 4

Sub-Task Group: Data List Page (many entities)
Task #1: Screenshots

100%

Sub-Task Group: Data List Page (many entities)
Task #1: Screenshots

100%

Sub-Task Group: Data List Page (many entities)
Task #1: Screenshots

100%

Sub-Task Group: Data List Page (many entities)
Task #1: Screenshots

100%

Task Screenshots

Gallery Style: 2 Columns

4 2 1



default page with entries shown

Caption(s) (required) ✓

Caption Hint:
Describe/highlight what's being shown

Task Response Prompt


Briefly describe the page
Response:

The page is setup to display a list with all of the database queries and the edit, delete, and view buttons. The Edit and Delete buttons are Admin only. You can also change the list size with whatever ammount is input but

Task Screenshots

Gallery Style: 2 Columns

4 2 1



Here is the list size filter applied

Caption(s) (required) ✓

Caption Hint:
Describe/highlight what's being shown

Task Response Prompt

Briefly mention what's available to the user
Response:

Here the list size filter is being applied to only show two games.

Task Screenshots

Gallery Style: 2 Columns

4 2 1



On the left side, the page sorts the games by ID number (by default) from lowest to shortest.

Caption(s) (required) ✓

Caption Hint:
Describe/highlight what's being shown

Task Screenshots

Gallery Style: 2 Columns

4 2 1



Shows the list size set to 0 for no records with the appropriate message.

Caption(s) (required) ✓

Caption Hint:
Describe/highlight what's being shown

defaults to 10 if no value is passed.

Sub-Task

100%

Group:
Data List
Page
(many
entities)
Task #1:
Screenshots

Sub-Task

100%

Group:
Data List
Page
(many
entities)
Task #1:
Screenshots

Sub-Task

100%

Group:
Data List
Page
(many
entities)
Task #1:
Screenshots



Task Screenshots

Gallery Style: 2 Columns

4 2 1



On the right side, there is the view (details) page, edit and delete.

Caption(s) (required) ✓

Caption Hint:

Describe/highlight what's being shown



Task Response Prompt

Mention which users can interact with the view, edit, and delete links

Response:

As the buttons themselves say, anyone can view the list games page and the individual item. However, only admins can view/use the edit and delete pages.



Task Screenshots

Gallery Style: 2 Columns

4 2 1



shows the data summary

Caption(s) (required) ✓

Caption Hint:

Describe/highlight what's being shown



Task Screenshots

Gallery Style: 2 Columns

4 2 1



the page has many bootstrap features and non-HTML items

Caption(s) (required) ✓

Caption Hint:

Describe/highlight what's being shown



Task Response Prompt

Briefly explain your design choices

Response:

The list of the games and the buttons are bootstrap components that make up almost all of the page's interactive features. Other than that, the basic page colors and HTML layout customization is handled by styles.css.

End of Task 1

Task



Group: Data List Page (many entities)
Task #2: Screenshots of the list page code
Weight: ~33%
Points: ~0.67

^ COLLAPSE ^

Details:

Include uid/date comments for each code screenshot



Columns: 1

Sub-Task




Group: Data List Page (many entities)
Task #2: Screenshots of the list page code
Sub Task #1: Show the filter/sort form generation

Task Screenshots

Gallery Style: 2 Columns

4 2 1



shows the file with the form and filters

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain how the code works (i.e, some stuff may be dynamic)

Response:

At the top of the form, the nav bar is loaded in. After that, the form for sorting the list by size is loaded in, which has a form that takes in a number that is defined by the userInput. By default when number is input yet, the value is set to 10 above the php post method that takes in the result to the variable. From there the php part of the code starts with the database code that fetches the database and executes the query according to the insert statement. At the end, the PHP/Bootstrap table is made and is populated with the data from the database.

Sub-Task

100%

Group: Data List Page (many entities)

Task #2: Screenshots of the list page code

Sub Task #2: Show the DB query and how the filter/sort is handled (including the restriction on the limit field)

Task Screenshots

Gallery Style: 2 Columns

4

2

1



code (again)

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the related logic

Response:

The filter for the limit is handled by the user entering a number into the box generated near the top of the page. Once the user clicks the go button, a POST form is sent which goes into a PHP variable called \$listsize, which then goes into the query for insert to pass through. By default, the list is set to 10 at page load before the new result is called in by the user submitting the form.

Sub-Task

100%

Group: Data List Page (many entities)

Task #2: Screenshots of the list page code

Sub Task #3: Show how the output is generated and displayed

Task Screenshots

Gallery Style: 2 Columns

4

2

1



the whole code (again)

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Briefly explain the related logic

Response:

The output is taken from the database data and put into a table with the respective data being rendered under the correct column. It is sorted from lowest id first to highest id last by the ASC parameter and is given a limit of results to display by the user (default is 10).

Sub-Task

Group: Data List Page (many entities)

Task #2: Screenshots of the list page code

Sub Task #4: Show any restrictions like role guard or login checks

100%


Task Screenshots

Gallery Style: 2 Columns

4

2

1



shows that the user needs to be logged in to access

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Briefly explain the logic/reasoning

Response:

The page has a login check as this page can be viewed by any user with an account but obviously we wouldn't want a random person being able to type in a URL and viewing the data without an account first.

End of Task 2

Task

Group: Data List Page (many entities)

Task #3: Add related links

Weight: ~33%

Points: ~0.67

100%

^ COLLAPSE ^

Checklist

*The checkboxes are for your own tracking

#	Details
☐ #1	Include the heroku prod link for this page
☐ #2	Add the pull request link for the branch related to this feature Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature

Task URLs

URL #1

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/list_games.php

URL

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/list_games.php

URL #2

<https://github.com/PeterRedfern/par36-it202-007/pull/84>

URL

<https://github.com/PeterRedfern/par36-it202-007/pull/84>

URL #3

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

URL

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

End of Task 3

End of Group: Data List Page (many entities)

Task Status: 3/3

Group

100%

Group: View Details Page (single entity)

Tasks: 3

Points: 1

^ COLLAPSE ^

Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Weight: ~33%

Points: ~0.33

^ COLLAPSE ^

i Details:

Heroku dev url must be visible in all relevant screenshots



Columns: 1

Sub-Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #1: Entity should be fetch by id (via the url)

Task Screenshots

Gallery Style: 2 Columns

4 2 1



shows url with id

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #2: A missing id should redirect back to the list page with an applicable message

Task Screenshots

Gallery Style: 2 Columns

4 2 1



redirects to list_page but on the page itself, shows an empty list (because no id) and the error.

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #3: Design/Style should be considered (i.e., bootstrap, custom css, etc)

Task Screenshots

Gallery Style: 2 Columns

4

2

1



has many bootstrap elements

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

≡ Task Response Prompt

Briefly explain your design choices

Response:

The buttons for edit and delete as well as the boxes for the forms (even if they are set to readonly) are all bootstrap components. As well as the design of the navbar. The colors come from styles.css.

Sub-Task

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #4: Data shown should be more detailed/inclusive than the summary view

100%

🖼 Task Screenshots

Gallery Style: 2 Columns

4

2

1



the display page data

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

≡ Task Response Prompt

Briefly explain the details shown and how it differs from the list view

Response:

In my case, my data doesn't differ from the list view due to trying to work on functionality for most of the time on the project. I will add more data for Milestone 3 such as photos and maybe more text (if I can).

Sub-Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #5: There should be a link to edit the entity (this may be an admin-only thing, but it should be present for the respective role)

Task Screenshots

Gallery Style: 2 Columns

4

2

1



edit which is admin only due to admin check on the bottom

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Sub-Task

100%

Group: View Details Page (single entity)

Task #1: Screenshots of the details page

Sub Task #6: There should be a link to delete the entity (this may be an admin-only thing, but it should be present for the respective role)

Task Screenshots

Gallery Style: 2 Columns

4

2

1



delete which is admin only due to admin check on the bottom

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

End of Task 1

Task

100%

Group: View Details Page (single entity)

Task #2: Screenshots of the details page code

Weight: 33%

Weight: ~33%
Points: ~0.33

^ COLLAPSE ^

Details:

Include uid/date comments for each code screenshot



Columns: 1

Sub-Task

100%

Group: View Details Page (single entity)
Task #2: Screenshots of the details page code
Sub Task #1: Show how id is fetched

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```
// $id > -1) { // getID = $id/$id: get id for name page purposes
// Fetch
$id = getID();
$query = "SELECT id, game_title, platforms, genre, release_date FROM '17002-12001-games' WHERE id = '$id'";
try {
    $stmt = $db->prepare($query);
    $stmt->execute();
    $id = $stmt->fetch();
    if ($id) {
        $game = $id;
    }
} catch (PDOException $e) {
    error_log("Error fetching record: " . var_export($e, true));
    flash("Error fetching record", "danger");
}
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: game.php?id=" . $id) . "<\/div>id is fetched from the database<\/div>Caption(s) (required) ✓<\/div>Caption Hint: Describe/highlight what's being shown<\/div>≡ Task Response Prompt<\/div>Briefly explain the logic and how it's handled when the property is missing or not "valid"<\/div>Response:<\/div>The ID is fetched from the database along with the game data during the page's load sequence. When an invalid id is passed an error message shows up and you get redirected to list_games.<\/div>Sub-Task<\/div>Group: View Details Page (single entity)<\/div>Task #2: Screenshots of the details page code<\/div>Sub Task #2: Show the DB query to get the record<\/div>Task Screenshots<\/div>Gallery Style: 2 Columns<\/div>4<\/div>2<\/div>1<\/div>
```

```

if ($id > 0) { // get db = 01/01/20, gets id for map page purposes
//from
$db = getDB();
$query = "SELECT id, game_title, platform, genre, release_date FROM `1700-1200 Games` WHERE id = '$id'";
try {
    $stmt = $db->prepare($query);
    $stmt->execute();
    $r = $stmt->fetch();
    if ($r) {
        $game = $r;
    } catch (PDOException $e) {
        error_log("Error fetching record: " . var_export($e, true));
        flash("Error fetching record", "danger");
    }
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: BASE_PATH . '/admin/list_games.php'")); // redirects to list_games when failed
}
}

```

data fetched from db

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the logic

Response:

The data is called in along with the id according to the id, when the page is loaded.

Sub-Task

Group: View Details Page (single entity)

Task #2: Screenshots of the details page code

Sub Task #3: Show the code related to presenting the data and showing the links

100%

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```

<?php
//get db = 01/01/20, gets id for map page purposes
//from
$db = getDB();
$query = "SELECT id, game_title, platform, genre, release_date FROM `1700-1200 Games` WHERE id = '$id'";
try {
    $stmt = $db->prepare($query);
    $stmt->execute();
    $r = $stmt->fetch();
    if ($r) {
        $game = $r;
    } catch (PDOException $e) {
        error_log("Error fetching record: " . var_export($e, true));
        flash("Error fetching record", "danger");
    }
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: BASE_PATH . '/admin/list_games.php'")); // redirects to list_games when failed
}

//get game details
$stmt = $db->prepare("SELECT * FROM `1700-1200 Games` WHERE id = '$id'");
$stmt->execute();
$r = $stmt->fetch();
if ($r) {
    $game = $r;
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: BASE_PATH . '/admin/list_games.php'")); // redirects to list_games when failed
}

//get game details
$stmt = $db->prepare("SELECT * FROM `1700-1200 Games` WHERE id = '$id'");
$stmt->execute();
$r = $stmt->fetch();
if ($r) {
    $game = $r;
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: BASE_PATH . '/admin/list_games.php'")); // redirects to list_games when failed
}

//get game details
$stmt = $db->prepare("SELECT * FROM `1700-1200 Games` WHERE id = '$id'");
$stmt->execute();
$r = $stmt->fetch();
if ($r) {
    $game = $r;
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: BASE_PATH . '/admin/list_games.php'")); // redirects to list_games when failed
}

```

forms in php (data/server side) and HTML (actual form parameters)

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the logic

Response:

The PHP part of the code defines the data from the db that will be in the forms and makes them readonly so they cannot be changed or edited. From there a foreach loop checks every key in a form and then sends those key pairs as an associative array to the HTML code to render the forms on the page.

End of Task 2

Task



Group: View Details Page (single entity)

Task #3: Add related links

Weight: ~33%

Points: ~0.33

^ COLLAPSE ^

Checklist

*The checkboxes are for your own tracking

#	Details
☐ #1	Include the heroku prod link for this page
☐ #2	Add the pull request link for the branch related to this feature Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature

Task URLs

URL #1

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/display_game.php?id=50

URL

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/display_game.php?id=50

URL #2

<https://github.com/PeterRedfern/par36-it202-007/pull/85/>

URL

<https://github.com/PeterRedfern/par36-it202-007/pull/85/>

End of Task 3

End of Group: View Details Page (single entity)

Task Status: 3/3

Group



Group: Edit Data Page

Tasks: 4

Points: 2

^ COLLAPSE ^

Task



Group: Edit Data Page

Task #1: Screenshots of the edit page

Weight: ~25%

Points: ~0.50

^ COLLAPSE ^

i Details:

Heroku dev url must be visible in all relevant screenshots

Columns: 4

Sub-Task

100%

Group: Edit Data Page
Task #1: Screenshots of the edit page
Sub Task

Sub-Task

100%

Group: Edit Data Page
Task #1: Screenshots of the edit page
Sub Task

Sub-Task

100%

Group: Edit Data Page
Task #1: Screenshots of the edit page
Sub Task

Sub-Task

100%


Group: Edit Data Page
Task #1: Screenshots of the edit page
Sub Task

 Task
Screenshots
Gallery Style: 2 Columns

 Task
Screenshots
Gallery Style: 2 Columns

 Task
Screenshots
Gallery Style: 2 Columns

 Task
Screenshots
Gallery Style: 2 Columns



before screenshot

after screenshot

HTML validation showing that the form is required

shows successful editing of a game

bootstrap and css components used

Caption(s) (required) ✓
Caption Hint:
Describe/highlight what's being shown

Caption(s) (required) ✓
Caption Hint:
Describe/highlight what's being shown

Caption(s) (required) ✓
Caption Hint:
Describe/highlight what's being shown

Caption(s) (required) ✓
Caption Hint:
Describe/highlight what's being shown

 **Task**
Response Prompt
Briefly explain what you changed
Response:

I added another console/platform (PS2) and added another genre (RPG).

 **Task**
Response Prompt
Briefly explain your design choices
Response:

CSS styling for colors is applied through styles.css and bootstrap applies to the buttons, input forms and the nav bar.

End of Task 1

Task #2: Screenshots of edit page code
Weight: ~25%
Points: ~0.50

iDetails:

Include ucid/date comments for each code screenshot



Columns: 1

Sub-Task

Group: Edit Data Page

Task #2: Screenshots of edit page code

Sub Task #1: Form should have correct data types for each property being requested

Task Screenshots

Gallery Style: 2 Columns

1

PHP and HTML generation for the forms

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

≡ Task Response Prompt

Briefly explain the data type choices

Response:

The PHP defines the database data as text so they can be typed in and stored in the database when they are updated. This is because in the database they start off as strings and aren't numbers.

Sub-Task

Group: Edit Data Page

Task #2: Screenshots of edit page code

Sub Task #2: Form should have correct validation for each field (HTML, JS, and PHP)

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```

$game = [];
if ($id > -1) { // par36 - 11/25/24: Checks for id from database // par36 - 11/25/24: Checks for id from database
    $id = getID();
    $query = "SELECT id, game_title, platform, genre, release_date FROM '1202-2024 Games' WHERE id = '$id'";
    try {
        $game = $db->query($query);
        $game->fetch(PDO::FETCH_ASSOC);
        $id = $game['id'];
        $title = $game['game_title'];
        $platform = $game['platform'];
        $genre = $game['genre'];
        $release_date = $game['release_date'];
        $game = [
            'id' => $id,
            'game_title' => $title,
            'platform' => $platform,
            'genre' => $genre,
            'release_date' => $release_date
        ];
    } catch (PDOException $e) {
        error_log("Error fetching record: " . var_export($e, true));
        flash("Error fetching record", "danger");
    }
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: " . get_url("admin/list_games.php")));
}

```

PHP validation

HTML validation

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Briefly explain the validations

Response:

On the PHP side, if there is an invalid id passed, the page will not load properly and redirect the user to `list_games.php`.

For the HTML submissions, there is validation that the inputs must have data so that no data is left null.

Sub-Task

Group: Edit Data Page

Task #2: Screenshots of edit page code

Sub Task #3: Successful edit should have a user-friendly message

100%

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```

<?php
$id = $_GET['id'];
// par36 - 11/25/24: Checks for id from database
if (isset($_POST['game_title'])) {
    foreach ($_POST as $k => $v) {
        if (in_array($k, ['game_title', 'platform', 'genre', 'release_date'])) {
            unset($_POST[$k]);
        }
    }
    $games = $_POST;
    error_log("Cleaned up POST: " . var_export($games, true));
    // par36 - 11/25/24: User friendly success message
    // Insert data
    try {
        $query = "UPDATE '1202-2024 Games' SET " . implode(", ", array_map(function($k, $v) {
            return "$k = '$v'";
        }, array_keys($games), $games)) . " WHERE id = '$id'";
        $db->exec($query);
        flash("Updated record", "success");
    } catch (PDOException $e) {
        error_log("Something broke with the query: " . var_export($e, true));
        flash("An error occurred", "danger");
    }
}
// par36 - 11/25/24: Checks for id from database
if (isset($_POST['game_title'])) {

```

edit message in PHP

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Provide a high-level step-by-step of how the fetching of the record, populating the form, and the update works and gets changed in your DB

Response:

The ID is fetched from the database in the url and then is used to get the records of the other information. Once a

user enters new records, they are sent once the Update button is clicked through the insert function. From there if the insert is successful, the user friendly confirmation is printed.

Sub-Task

Group: Edit Data Page

Task #2: Screenshots of edit page code

Sub Task #4: Any errors should have user-friendly messages

100%

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```
try {
    insert("IT202-F2024-Games", $games, ["debug" => false, "update_duplicate" => true, "columns_to_update" => $columns]);
    flash("Updated record " . $id . " successfully", "success"); // par36 - 11/25/24: user friendly success message
} catch (PDOException $e) {
    error_log("Something broke with the query" . var_export($e, true));
    flash("An error occurred", "danger"); // par36 - 11/25/24: user friendly error message for update
}
```

error message for no update

```
$game = [];
if ($id > 0) { // par36 - 11/25/24: checks for id from database
    // fetch
    $db = getDB();
    $query = "SELECT id, game_title, platform, genre, release_date FROM IT202-F2024-Games WHERE id = :id";
    try {
        $stmt = $db->prepare($query);
        $stmt->execute(["id" => $id]);
        $r = $stmt->fetch();
        if ($r) {
            $game = $r;
        }
    } catch (PDOException $e) {
        error_log("Error fetching records " . var_export($e, true));
        flash("Error fetching record", "danger"); // par36 - 11/25/24: user friendly error message for fetch
    }
}
```

fetch error message

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the possible errors

Response:

In both cases, the id can be wrong in which the query will not update due to the id being missing or incorrect. In the case of an update error, it can occur if one of the fields is filled out incorrectly.

Sub-Task

Group: Edit Data Page

Task #2: Screenshots of edit page code

Sub Task #5: Include any other rules like role guards and login checks

100%

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```
if ($has_role("Admin")) { // par36 - 11/25/24: only admins can edit games
    flash("You don't have permission to view this page", "warning");
    die(header("location: $BASE_PATH" . "/home.php"));
}
?>
```

admin edit only

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Briefly explain the logic/reasoning

Response:

Obviously, we would only want admins to be able to edit the sitewide list of games as that would affect everyone using the application if it was to have an error or be tampered with by a malicious user.

End of Task 2

Task

100%

Group: Edit Data Page
Task #3: Screenshot of records from DB
Weight: ~25%
Points: ~0.50

^ COLLAPSE ^

Sub-Task


100%

Group: Edit Data Page
Task #3: Screenshot of records from DB
Sub Task #1: Show a before and after screenshot of the record (two screenshots)

Task Screenshots

Gallery Style: 2 Columns

4 2 1



before

after

Caption(s) (required) ✓

Caption Hint: *Describe/highlight what's being shown*

Task Response Prompt

Explain what differs

Response:

Same as the example from before shown on the page: We updated the platforms and the genre of the game.

End of Task 3

Task



Group: Edit Data Page
Task #4: Add related links
Weight: ~25%
Points: ~0.50

^ COLLAPSE ^

Checklist

*The checkboxes are for your own tracking

#	Details
☐ #1	Include the heroku prod link for this page
☐ #2	Add the pull request link for the branch related to this feature Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature

Task URLs

URL #1

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/edit_game.php?id=50

URL

https://par36-it202-007-prod-d727c5625e8e.herokuapp.com/project/admin/edit_game.php?id=50

URL #2

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

URL

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

End of Task 4

End of Group: Edit Data Page

Task Status: 4/4

Group



Group: Delete Handling
Tasks: 3
Points: 1

^ COLLAPSE ^

Task



Group: Delete Handling
Task #1: Screenshots related to delete
Weight: ~33%
Points: ~0.33

^ COLLAPSE ^

Details:

Heroku dev url must be visible in all relevant screenshots

Heroku dev url must be visible in all relevant screenshots

Include ucid/date comments for each code screenshot



Columns: 1

Sub-Task

Group: Delete Handling

Task #1: Screenshots related to delete

Sub Task #1: Show the success message of a delete

100%

Task Screenshots

Gallery Style: 2 Columns

4 2 1



delete message (doesn't show up on list_game, only on edit_game)

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Sub-Task

Group: Delete Handling

Task #1: Screenshots related to delete


Sub Task #2: Show any error messages of a failed delete (like id not being passed)

100%

Task Screenshots

Gallery Style: 2 Columns

4 2 1



delete has no page so it's code sends it back to list_games.

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Explain in concise steps how this logically works

Response:

In my code, delete_game doesn't render a page at all, it is just a delete function. Because of that, the error and success messages only print out on other pages or try to print out on it's page (when it doesn't have one). The delete success message prints out on the next Edit Page and the Delete Fail message (here) would actually print out on delete but it doesn't have a page to even render the message. In the future, I will have to work on properly redirecting the messages but I ran out of time.

Sub-Task

Group: Delete Handling

Task #1: Screenshots related to delete

Sub Task #3: Show the code related to the delete processing

100%

Task Screenshots

Gallery Style: 2 Columns

4

2

1

```
// PHP
// Note: we need to go on a new directory for delete game, not edit game
require_once("../partials/nav.php");

if (isset($_GET['delete'])) {
    flash("You don't have permission to view this page", "warning");
    die(header("location: $BASE_PATH - /home.php"));
}

$id = $_GET['id']; // param - 11/25/2014: gets id variable
function delete_req($id) {
    if ($id < 1) { // param - 11/25/2014: checks for all ids that are 1 or greater
        $id = 1; // gets id
        $query = "DELETE FROM IT202-F2009-games WHERE id = $id"; // checks db for id to delete
        try {
            $deleteReq = $db->prepare($query); // prepares delete query
            $deleteReq->execute(["id" => $id]); // executes query
            flash("Delete successful", "success"); // sends user friendly confirmation message
        } catch (PDOException $e) {
            error_log("Error deleting game: " . $e->getMessage(), true); // logs error message
            flash("Delete unsuccessful", "danger"); // sends error message to user
        }
    } else {
        flash("Invalid id", "danger"); // tells user if game id is invalid
    }
    die(header("location: " . get_url("admin/list_games.php"))); // redirects to list games after delete
} // end of function delete_req($id)
delete_req($id); // calls the delete function
//
```

delete page

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown

Task Response Prompt

Explain in concise steps how this logically works

Response:

This code checks for the id from the database, fetches the database, prepares the delete query and then executes it. Once it is successful it sends a success message to edit_game and redirects to list games.

Sub-Task

Group: Delete Handling

Task #1: Screenshots related to delete

Sub Task #4: Explain the delete logic

100%

Task Response Prompt

Is it a soft or hard delete? Are there any necessary roles or restrictions? (can only delete their data, can only be done by admin, etc)?

Response:

The delete is a hard delete and you need to be an admin to do it for security reasons. This is so any user who is logged in or not can't just delete records that others might use (in this scenario).

End of Task 1

Task

100%

Group: Delete Handling
Task #2: Screenshots of the data
Weight: ~33%
Points: ~0.33

^ COLLAPSE ^

Sub-Task

100%

Group: Delete Handling
Task #2: Screenshots of the data
Sub Task #1: Show a before and after screenshot of the DB data (two screenshots)

Task Screenshots

Gallery Style: 2 Columns

4

2

1

id	name	email	password	created_at	updated_at
1	My Game	MyGame@domain.com	12345678	2024-11-25 10:00:00	2024-11-25 10:00:00
2	Super Mario Bros	SuperMario@domain.com	87654321	2024-11-25 10:01:00	2024-11-25 10:01:00
3	Super Mario Bros 2	SuperMario2@domain.com	12345678	2024-11-25 10:02:00	2024-11-25 10:02:00
4	Super Mario Bros 3	SuperMario3@domain.com	87654321	2024-11-25 10:03:00	2024-11-25 10:03:00
5	Link	Link@domain.com	12345678	2024-11-25 10:04:00	2024-11-25 10:04:00
6	Link 2: Breath of the Wild	Link2@domain.com	87654321	2024-11-25 10:05:00	2024-11-25 10:05:00
7	Link 3: Tears of the Kingdom	Link3@domain.com	12345678	2024-11-25 10:06:00	2024-11-25 10:06:00
8	Link 4: Breath of the Wild 2	Link4@domain.com	87654321	2024-11-25 10:07:00	2024-11-25 10:07:00
9	Link 5: Tears of the Kingdom 2	Link5@domain.com	12345678	2024-11-25 10:08:00	2024-11-25 10:08:00
10	Link 6: Tears of the Kingdom 3	Link6@domain.com	87654321	2024-11-25 10:09:00	2024-11-25 10:09:00

before delete from website

id	name	email	password	created_at	updated_at
1	Super Mario Bros	SuperMario@domain.com	87654321	2024-11-25 10:01:00	2024-11-25 10:01:00
2	Super Mario Bros 2	SuperMario2@domain.com	12345678	2024-11-25 10:02:00	2024-11-25 10:02:00
3	Super Mario Bros 3	SuperMario3@domain.com	87654321	2024-11-25 10:03:00	2024-11-25 10:03:00
4	Link	Link@domain.com	12345678	2024-11-25 10:04:00	2024-11-25 10:04:00
5	Link 2: Breath of the Wild	Link2@domain.com	87654321	2024-11-25 10:05:00	2024-11-25 10:05:00
6	Link 3: Tears of the Kingdom	Link3@domain.com	12345678	2024-11-25 10:06:00	2024-11-25 10:06:00
7	Link 4: Breath of the Wild 2	Link4@domain.com	87654321	2024-11-25 10:07:00	2024-11-25 10:07:00
8	Link 5: Tears of the Kingdom 2	Link5@domain.com	12345678	2024-11-25 10:08:00	2024-11-25 10:08:00
9	Link 6: Tears of the Kingdom 3	Link6@domain.com	87654321	2024-11-25 10:09:00	2024-11-25 10:09:00

after delete from website (My Game is deleted)

Caption(s) (required) ✓

Caption Hint: Describe/highlight what's being shown (note precisely what changed)

End of Task 2

Task

100%

Group: Delete Handling
Task #3: Add the pull request link for the branch related to this feature
Weight: ~33%
Points: ~0.33

^ COLLAPSE ^

Details:

Note: the link should end with /pull/#. Same pull request shouldn't be used for each feature



Task URLs

URL #1

<https://github.com/PeterRedfern/par36-it202-007/pull/85>

URL

<https://github.com/PeterRedfern/par36-it202-007>

End of Task 3

End of Group: Delete Handling
Task Status: 3/3

Group

100%

Group: Misc
Tasks: 4
Points: 1

COLLAPSE

Task

100%


Group: Misc
Task #1: Screenshot of your project board from GitHub (tasks should be in the proper column)
Weight: ~25%
Points: ~0.25

COLLAPSE

Task Screenshots

Gallery Style: 2 Columns

4 2 1



project board completed

End of Task 1

Task

100%

Group: Misc
Task #2: Provide a direct link to the project board on GitHub
Weight: ~25%
Points: ~0.25

Task URLs

URL #1

<https://github.com/users/PeterRedfern/projects/1/views/1>

URL

<https://github.com/users/PeterRedfern/projects/>

End of Task 2

Task



Group: Misc

Task #3: Talk about any issues or learnings during this assignment

Weight: ~25%

Points: ~0.25

^ COLLAPSE ^

Task Response Prompt

Response:

Getting the database set up at first took a long time but after that things started moving much faster. Learning to map data was very useful in the second half and I'm sure that will come into play much more going into Milestone 3.

End of Task 3

Task



Group: Misc

Task #4: WakaTime Screenshot

Weight: ~25%

Points: ~0.25

^ COLLAPSE ^

i Details:

Grab a snippet showing the approximate time involved that clearly shows your repository. The duration isn't considered for grading, but there should be some time involved



Task Screenshots

Gallery Style: 2 Columns

4 2 1





WakaTime Summary Screenshot

End of Task 4

End of Group: Misc
Task Status: 4/4

End of Assignment