

```

1 . codebook ID GENDER AGE RACE_RECODE HISPANIC ETHGRP MARITLST SPARTNER OTHER_IMP OTHER_HH RLTHAPPY SPT
> IME SPOPN2 SPRELY2 SPDEMAND2 SPCRITZ2 FAMOPEN2 FAMRELY2 FAMDEMAN2 FAMCRITZ2 CLSREL FROPEN2 FRRELY2
> FRDEM22 FRCRITZ2 FRAMT PAR_NERVE FAM_NERVE FR_NERVE PAR_THREAT FAMFRTHREAT

```

---

ID	respondent id
----	---------------

---

```

      type:  string (str6)
unique values:  3,196              missing "":  0/3,196
examples:  "119501"
           "139064"
           "159463"
           "179300"

```

---

GENDER	gender of respondent
--------	----------------------

---

```

      type:  numeric (int)
      label:  GENDER
      range:  [1,2]              units:  1
unique values:  2              missing .:  0/3,196

      tabulation:  Freq.   Numeric   Label
                  1,514         1   male
                  1,682         2  female

```

---

AGE	age of respondent (calculated in CAPI from dob)
-----	---

---

```

      type:  numeric (int)
      label:  AGE, but 30 nonmissing values are not labeled
      range:  [62,91]            units:  1
unique values:  30              missing .:  0/3,196

      examples:  66
                 70
                 75
                 80

```

---

RACE_RECODE	respondent race recode (self-identified)
-------------	--

---

```

      type:  numeric (int)
      label:  RACE_RECODE
      range:  [-2,3]             units:  1
unique values:  5              missing .:  0/3,196

      tabulation:  Freq.   Numeric   Label
                  7        -2   don't know
                  4        -1   refused
                  2,471      1   white/caucasian

```

```

485      2 black/african american
229      3 asian, pacific islander,
          american indian or alaskan
          native

```

---

**HISPANIC** hispanic/latino ethnicity

---

```

      type: numeric (int)
      label: HISPANIC

      range: [-2,1]          units: 1
unique values: 4          missing .: 0/3,196

      tabulation: Freq.   Numeric   Label
                   9       -2    don't know
                   2       -1    refused
                2,840       0     no
                   345       1     yes

```

---

**ETHGRP** race/ethnicity recode (4 categories)

---

```

      type: numeric (int)
      label: ETHGRP

      range: [1,4]          units: 1
unique values: 4          missing .: 12/3,196

      tabulation: Freq.   Numeric   Label
                2,288       1     white
                 485       2     black
                 338       3  hispanic, non-black
                  73       4     other
                  12       .

```

---

**MARITLST** marital status

---

```

      type: numeric (int)
      label: MARITLST

      range: [1,6]          units: 1
unique values: 6          missing .: 0/3,196

      tabulation: Freq.   Numeric   Label
                2,118       1    married
                  73       2  living with a partner
                  33       3    separated
                 250       4    divorced
                 646       5    widowed
                  76       6  never married

```

---

**SPARTNER** does unmarried r have romantic, intimate, or sexual partner?

---

```

      type: numeric (int)

```

```

label: SPARTNER

range: [-3,1]          units: 1
unique values: 3      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
             2,191    -3    not applicable
             890      0      no
             115      1      yes

```

---

**OTHER\_IMP** anyone else who is very important?

---

```

type: numeric (int)
label: OTHER_IMP

range: [-2,1]          units: 1
unique values: 4      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
             6       -2    don't know
             2       -1    refused
            1,635      0      no
            1,553      1      yes

```

---

**OTHER\_HH** any other household members?

---

```

type: numeric (int)
label: OTHER_HH

range: [-2,1]          units: 1
unique values: 3      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
             1       -2    don't know
            2,727      0      no
             468      1      yes

```

---

**RLTHAPPY** how happy is/was relationship?

---

```

type: numeric (int)
label: RLTHAPPY, but 4 nonmissing values are not labeled

range: [-3,7]          units: 1
unique values: 10      missing .: 0/3,196

examples: -3    not applicable
           6
           7    7 very happy
           7    7 very happy

```

---

**SPTIME** do r and spouse/partner spend free time together or apart?

---

```

type: numeric (int)

```

```

label:  SPTIME

range:  [-3,3]          units:  1
unique values: 6        missing .:  0/3,196

```

```

tabulation:  Freq.    Numeric  Label
              890        -3    not applicable
               6         -2    don't know
               1         -1    refused
            1,054         1    together
               954         2    some together, some different
               291         3    different/separate things

```

---

**SPOPEN2****how often can r open up to spouse/partner?**

---

```

type:  numeric (int)
label:  SPOPEN2

range:  [-3,3]          units:  1
unique values: 6        missing .:  0/3,196

```

```

tabulation:  Freq.    Numeric  Label
              890        -3    not applicable
               5         -2    don't know
               29         0    never
               68         1    hardly ever or rarely
               538         2    some of the time
            1,666         3    often

```

---

**SPRELY2****how often can r rely on spouse/partner?**

---

```

type:  numeric (int)
label:  SPRELY2

range:  [-3,3]          units:  1
unique values: 7        missing .:  0/3,196

```

```

tabulation:  Freq.    Numeric  Label
              890        -3    not applicable
               3         -2    don't know
               1         -1    refused
               29         0    never
               40         1    hardly ever or rarely
               268         2    some of the time
            1,965         3    often

```

---

**SPDEMAND2****how often does spouse/partner make too many demands?**

---

```

type:  numeric (int)
label:  SPDEMAND2

range:  [-3,3]          units:  1
unique values: 6        missing .:  0/3,196

```

```

tabulation:  Freq.    Numeric  Label

```

890	-3	not applicable
4	-2	don't know
642	0	never
875	1	hardly ever or rarely
556	2	some of the time
229	3	often

**SPCRITZE2****how often does spouse/partner criticize?**

```

type: numeric (int)
label: SPCRITZE2

range: [-3,3]          units: 1
unique values: 6       missing .: 0/3,196

tabulation: Freq.  Numeric  Label
             890      -3    not applicable
              7       -2    don't know
             499       0    never
             843       1    hardly ever or rarely
             755       2    some of the time
             202       3    often

```

**FAMOPEN2****how often can r open up to family?**

```

type: numeric (int)
label: FAMOPEN2

range: [-2,4]          units: 1
unique values: 7       missing .: 0/3,196

tabulation: Freq.  Numeric  Label
             8       -2    don't know
              2       -1    refused
             156       0    never
             383       1    hardly ever or rarely
            1,103       2    some of the time
            1,509       3    often
              35       4    if volunteered - no family

```

**FAMRELY2****how often can r rely on family?**

```

type: numeric (int)
label: FAMRELY2

range: [-3,3]          units: 1
unique values: 6       missing .: 0/3,196

tabulation: Freq.  Numeric  Label
             35      -3    not applicable
             15      -2    don't know
            106       0    never
            169       1    hardly ever or rarely
             708       2    some of the time
            2,163       3    often

```

**FAMDEMAN2**

how often does family make too many demands?

```

      type: numeric (int)
      label: FAMDEMAN2

      range: [-3,3]          units: 1
unique values: 6          missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	35	-3	not applicable
	4	-2	don't know
	1,276	0	never
	1,191	1	hardly ever or rarely
	534	2	some of the time
	156	3	often

**FAMCRITZ2**

how often does family criticize?

```

      type: numeric (int)
      label: FAMCRITZ2

      range: [-3,3]          units: 1
unique values: 7          missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	35	-3	not applicable
	67	-2	don't know
	2	-1	refused
	1,355	0	never
	1,118	1	hardly ever or rarely
	517	2	some of the time
	102	3	often

**CLSREL**

how many family/relatives does r feel close too?

```

      type: numeric (int)
      label: CLSREL

      range: [-3,5]          units: 1
unique values: 8          missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	35	-3	not applicable
	5	-2	don't know
	52	0	none
	149	1	one
	777	2	2-3
	1,371	3	4-9
	551	4	10-20
	256	5	more than 20

**FROPEN2**

how often can r open up to friends?

```

      type: numeric (int)
      label: FROPEN2

      range: [-2,4]                units: 1
unique values: 7                missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	5	-2	don't know
	1	-1	refused
	382	0	never
	617	1	hardly ever or rarely
	1,306	2	some of the time
	834	3	often
	51	4	if volunteered - no friends

---

**FRRELY2****how often can r rely on friends?**

---

```

      type: numeric (int)
      label: FRRELY2

      range: [-3,3]                units: 1
unique values: 6                missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	51	-3	not applicable
	22	-2	don't know
	309	0	never
	353	1	hardly ever or rarely
	1,156	2	some of the time
	1,305	3	often

---

**FRDEM2****how often do friends make too many demands?**

---

```

      type: numeric (int)
      label: FRDEM2

      range: [-3,3]                units: 1
unique values: 7                missing .: 0/3,196

```

tabulation:	Freq.	Numeric	Label
	51	-3	not applicable
	4	-2	don't know
	1	-1	refused
	1,749	0	never
	1,171	1	hardly ever or rarely
	192	2	some of the time
	28	3	often

---

**FRCRITZ2****how often do friends criticize?**

---

```

      type: numeric (int)
      label: FRCRITZ2

      range: [-3,3]                units: 1

```

unique values: 6                      missing .: 0/3,196

tabulation:	Freq.	Numeric	Label
	51	-3	not applicable
	144	-2	don't know
	1,704	0	never
	1,008	1	hardly ever or rarely
	254	2	some of the time
	35	3	often

---

**FRAMT**

how many friends does r have?

---

type: numeric (int)  
label: **FRAMT**

range: [-3,5]                      units: 1  
unique values: 9                      missing .: 0/3,196

tabulation:	Freq.	Numeric	Label
	51	-3	not applicable
	7	-2	don't know
	1	-1	refused
	104	0	none
	116	1	one
	541	2	2-3
	992	3	4-9
	699	4	10-20
	685	5	more than 20

---

**PAR\_NERVE**

how often does partner get on your nerves?

---

type: numeric (int)  
label: **PAR\_NERVE**

range: [-4,3]                      units: 1  
unique values: 6                      missing .: 0/3,196

tabulation:	Freq.	Numeric	Label
	41	-4	no answer
	1,262	-3	not applicable
	205	0	never
	763	1	hardly ever or rarely
	819	2	some of the time
	106	3	often

---

**FAM\_NERVE**

how often does family get on your nerves?

---

type: numeric (int)  
label: **FAM\_NERVE**

range: [-5,3]                      units: 1  
unique values: 6                      missing .: 0/3,196

tabulation:	Freq.	Numeric	Label
	397	-5	not returned



52	-4	no answer
408	0	never
1,250	1	hardly ever or rarely
1,007	2	some of the time
82	3	often

**FR\_NERVE****how often do friends get on your nerves?**

```

type: numeric (int)
label: FR_NERVE

range: [-5,3]          units: 1
unique values: 6      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
              397      -5      not returned
              42       -4      no answer
              591       0      never
            1,472       1      hardly ever or rarely
              682       2      some of the time
              12       3      often

```

**PAR\_THREAT****how often felt threatened by partner?**

```

type: numeric (int)
label: PAR_THREAT

range: [-4,3]          units: 1
unique values: 6      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
              35      -4      no answer
            1,262     -3      not applicable
            1,666       0      never
              174       1      hardly ever or rarely
              51       2      some of the time
               8       3      often

```

**FAMFRTHREAT****how often felt threatened by family or friends?**

```

type: numeric (int)
label: FAMFRTHREAT

range: [-5,3]          units: 1
unique values: 6      missing .: 0/3,196

tabulation: Freq.   Numeric   Label
              397      -5      not returned
              38      -4      no answer
            2,421       0      never
              259       1      hardly ever or rarely
              75       2      some of the time
               6       3      often

```