Rose Bakeshop Corporation		Product: **YEMA TOAST CAKE**		
Department	Production	Revision No.	0	
Type of Document	DBC-General Product Procedure	Issue No.	1	
Document No.	RBS-PD-M01-02	Effective Date	August 2020	Page 1 of 5

DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE	
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager		
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR		
Approved by:	Gabriel Cuaycong	General Manager/QEMR		

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish general procedure for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery of Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges
Meringue	-	A light mixture of stiffly beaten egg whites and sugar
Sponge	-	Liquid mixture of egg yolk, flour, water, pre-mix and oil
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	

4. PROCEDURE DETAILS

	Detailed Activity	Responsible	Documents
START			
Pre-operational Inspection	Pre-operational inspection on machines and materials shall be conducted prior to production.	Line Leader	Production Form
Pre-heat oven at 150-160°C prior baking	Pre-heat the oven adjusting the valve to 150°C on the upper deck and 160°C on the lower deck.	Baker	Production Form
Make meringue side	Place egg white in the mixing bowl and mix until it foams. Add tar-tar and gradually pour in the sugar while continue mixing for 10 to 15 minutes. (Refer to FMDS of Chiffon Cake)	Baker	Production Form
Make sponge side	Add water, premix, egg yolk, and oil and initially mix at speed level 1 for 3 to 5 seconds. Switch the speed level to speed level 2 for 5 to 7 minutes until desired consistency is achieved. (Refer to Formulation Data Sheet of Chiffon Cake) .	Baker	Production Form
Mix meringue and sponge manually	Mix the meringue and sponge mixture manually for 1 minute until well blended.	Baker	Production Form

Continuation	Detailed Activity	Responsible	Documents
Dispense chiffon batter through machine depository	Set the Machine Depository Funnel at 600g/molder. Transfer the batter mixture into the machine and dispense it into the molder. Tap the bottom part of the molder for even distribution of cake batter.	Baker	Production Form
Bake	Bake the in-process product at 150ºC to 160ºC for 33 minutes. The time is being set upon loading in the oven.	Baker	Production Form
Unload from the oven	The oven alarms, once the set time has already reached. Baked products are immediately unloaded from the oven to avoid over baking.	Baker	Production Form
Allow to cool down and de-pan	Allowing the baked products to cool down and stabilize the condition. Slice evenly into 3 portions.	Baker	Production Form
Transfer to cake board	Transfer to cake board while checking the final quality (height, width, length and appearance).	Baker	Production Form
Coat with yema cake	Spread 200g of yema mixture on the cake surface. Securing that the cake is properly covered with yema.	Baker	Production Form
	Random checking on quality shall be conducted by QA/QC Personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).	QA/QC	QAD Form

Continuation

	Detailed Activity	Responsible	Documents
Endorse to Preparator for coding and boxing	All finished products are coded with Best Before Date and packed prior to loading. *Random checking on quality shall be conducted by QA/QC Personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).*	Preparator In-Charge QA/QC	Production Form QAD Form
Check and load for Branch delivery	Products shall be handled properly during loading into the truck. *Product handling and delivery truck shall be monitored by QA/QC personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).*	Delivery In-Charge QA/QC	Delivery Form QAD Form
END			