Rose Bakeshop Corporation		Product: **CHIFFON CAKE**		
Department	Production	Revision No.	0	
Type of Document	DBC-General Product Procedure	Issue No.	1	
Document No.	RBS-PD-M01-04	Effective Date	August 2020	Page 1 of 5

DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2** - Operations	**DCBS 3** - Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE	
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager		(MASTER COPY STAMP)
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR		
Approved by:	Gabriel Cuaycong	General Manager/QEMR		

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish general procedure for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery of Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges
Meringue	-	A light mixture of stiffly beaten egg whites and sugar
Sponge	-	Liquid mixture of egg yolk, flour, water, pre-mix and oil
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	

Continuation

START

	Detailed Activity	Responsible	Documents
Pre-operational inspection	Pre-operational inspection on machines and materials shall be conducted prior to production.	Line Leader	Production Form
Pre-heat oven at 150-160°C prior baking	Pre-heat the oven adjusting the valve to 150°C on the upper deck and 160°C on the lower deck.	Baker	Production Form
Make meringue side	Place egg white in the mixing bowl and mix until it foams. Add tar-tar and gradually pour in the sugar while continue mixing for 10 to 15 minutes. (Refer to FMDS of Chiffon Cake)	Baker	Production Form
Make sponge side	Add water, premix, egg yolk, and oil and initially mix at speed level 1 for 3 to 5 seconds. Switch the speed level to speed level 2 for 5 to 7 minutes until desired consistency is achieved. (Refer to FMDS of Chiffon Cake)	Baker	Production Form
Mix meringue and sponge manually	Mix the meringue and sponge mixture manually for 1 minute until well blended.	Baker	Production Form

Continuation

	Detailed Activity	Responsible	Documents
Transfer the batter into molder manually	Transfer the batter mixture manually into tube molder. Tap the bottom part of the molder for even distribution of batter.	Baker	Production Form
Place choco design on top	For the chocolate design of the chiffon cake. Transfer a small amount of batter mixture to a molder and add the chocolate brown food coloring and then mix it manually. Then apply it to each of the molder with the batter mixture	Baker	Production Form
Bake	Bake the in-process product at 150ºC to 160ºC for 35 minutes. The time is being set upon loading in the oven. .	Baker	Production Form
Unload from the oven	The oven alarms, once the set time has already reached. Baked products are immediately unloaded from the oven to avoid over baking.	Baker	Production Form
Allow to cool down	Allowing the baked products to cool down and stabilize the condition.	Baker	Production Form
	Random checking on quality shall be conducted by QA/QC Personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).	QA/QC	QAD Form

Continuation

	Detailed Activity	Responsible	Documents
Pack	Pack with plastic container once completely cooled-down. This is to avoid growth of molds during display at the branch.	Baker	Production Form
Endorse to Preparator Area	Endorse to Preparator Area for coding and proper stacking. *Random checking on quality shall be conducted by QA/QC Personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).*	Baker/ Preparator In-Charge QA/QC	Production Form QAD Form
For loading and Branch delivery	Products shall be handled properly during loading into the truck. *Product handling and delivery truck shall be monitored by QA/QC personnel. Issuance of Non-conformance Report shall be done on the noted deviation(s).*	Delivery In-Charge QA/QC	Delivery Form QAD Form
END			