Rose Bakeshop Corporation		Product: **SPECIAL DOUBLE BUDDY**		
Department	Production	Revision No.	0	
Type of Document	DBC-General Product Procedure	Issue No.	1	
Document No.	RBS-PD-M01-20	Effective Date	August 2020	Page 1 of 4

DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager	
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR	
Approved by:	Gabriel Cuaycong	General Manager/QEMR	

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish general procedure for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges.
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	
	-	
	-	

4. PROCEDURE DETAILS

START

	Detailed Activity	Responsible	Documents
Pre-operational inspection	Pre-operational inspection on machines and materials shall be conducted prior to production.	Line Leader	Production Form
Pre-heat oven at 250°C prior baking	Pre-heat the oven adjusting the valve to 250ºC both the upper and the lower deck.	Baker	Production Form
Mix wet and dry ingridients	Place all ingredients in the mixing basin and mix properly until desired consistency and quality of batter is achieved. (Refer to FMDS of Double Buddy)	Baker	Production Form
Dispense into baking pan	Dispense into the baking pan using the pre-set Depository Machine Dispenser.	Baker	Production Form
Bake	Bake the batter in the oven at 250°C for 4 to 5 minutes. Do not extend the baking time.	Baker	Production Form
Unload from the oven	Unload immediately once baking time is reached.	Baker	Production Form
Allow to cool down de-pan	Allow the double buddy to cool down prior de-panning so as to maintain the shape and appearance prior proceeding to the next step.	Baker	Production Form

Continuation	Detailed Activity	Responsible	Documents
Finish the product	Brush the surface with latik and dip the bottom part into basin with latik and stick them together. (Refer FMDS of Sugar Syrup/ Latik)	Baker	Production Form
	Random checking of product quality shall be conducted in the processing line. Failure to meet the standard shall be subjected to corrective actions by the Production Department. Issuance of Corrective Action Report shall be issued by the QA/QC Department.	QA/QC	QAD Form
Endorse to Preparator Area	Proper handling of double buddy shall be followed so as to avoid any damages and contamination during Branch allocation. Expiration Date shall be indicated prior loading.	Baker	Production Form
	Random checking of finished products shall be conducted. Failure to meet the standard (quality and labelling) shall be subjected to corrective actions by the Production Department. Issuance of Corrective Action Report shall be served by the Quality Assurance Department.	QA/QC	QAD Form
For Loading and Branch Delivery	Products shall be handled properly during loading into the truck.	Baker	QAD Form
	Visual checking of delivery truck in terms of sanitation and temperature shall be conducted prior loading of products.(Refer to QAD Work in Manual)	QA/QC	QAD Form
END			