Rose Bakeshop Corporation		Product: **SPECIAL HOPIA**		
Department	Production	Revision No.	0	
Type of Document	DBC-General Product Procedure	Issue No.	1	
Document No.	RBS-PD-M01-21	Effective Date	August 2020	**Page 1 of 5**

DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager	
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR	
Approved by:	Gabriel Cuaycong	General Manager/QEMR	

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish general procedure for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery of Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Dough	-	A combination of flour, leavening agent and liquid
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	
	-	
	-	

4. PROCEDURE DETAILS

	Detailed Activity	Responsible Person/ Department	Documents/ Form
START			
Pre operational inspection	Pre-operational inspection on machines and materials shall be conducted prior to production.	Line Leader	Production Form
Pre-heat oven at 250°C prior baking	Pre-heat the oven adjusting the valve to 250ºC both the upper and the lower deck.	Baker	Production Form
Mix dry and wet ingredients except the flour	**Filling:** Place all dry and wet ingredients of hopia filling except the flour in a big basin and mix manually for 1 minute.	Baker	Production Form
Add the flour	Add the flour to the mixture and continue manual mixing for 3 to 5 minutes until no visible lumps is being observed.	Baker	Production Form
Set aside	Set aside while making hopia skin.	Baker	Production Form
Mix dry and wet ingredients	**Dough/ Skin:** Place all ingredients for the hopia skin in a mixing bowl and mix for 30 minutes until stretchable body has been achieved.	Baker	Production Form
Flatten the dough	Flatten the hopia skin on the table and apply lard mixture, cornstarch and flour (chalk).	Baker	Production Form

Continuation

	Detailed Activity	Responsible	Documents/
Slice into small pieces	Slice into small pieces (15 g per piece).	Baker	Production Form
Flatten dough and fill with hopia filling	Place 50g hopia filling on the center of the hopia skin. Enclose the hopia filling within the hopia skin.	Baker	Production Form
	Random checking shall be done by QA/QC personnel. Issuance of non-conformance reports shall be done on the noted deviation(s).	QA/QC	QAD Form
Arrange on the baking pan	Arrange pieces of hopia in the baking sheet. Brush the hopia surface with egg wash.	Baker	Production Form
Bake	Bake in the oven for 12 minutes at 250ºC.	Baker	Production Form
Unload from the oven	Unload immediately once baking time is reached. Do not extend the baking time.	Baker	Production Form
Cool-down	Allow the hopia to cool down before de-panning so as to maintain the shape and appearance.	Baker	Production Form

Continuation



Detailed Activity	Responsible	Documents
Endorsement of hopia to Preparator for de-panning.	Baker	Production Form
Proper handling of hopia shall be followed so as to avoid any damages and contamination during Branch allocation. Expiration Date shall be indicated prior loading.	Preparator In-charge	Production Form
Random checking shall be done by QA/QC personnel. Issuance of non-conformance reports shall be done on the noted deviation(s).	QA/QC	QAD Form
Products shall be handled properly during loading into the truck.	Delivery In-Charge	Delivery Form
Visual checking of delivery truck in terms of sanitation and temperature shall be conducted prior loading of products.(Refer to QAD WIM)	QC/QA	QAD Form