Rose Bakeshop Corporation		Product: **JELLY ROLL CAKE**		
Department	Production	Revision No.	0	
Type of Document	DBC-Work Instruction Manual	Issue No.	1	
Document No.	RBS-PD-M02-03	Effective Date	August 2020	**Page 1 of 6**

DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE	
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager		(MASTER COPY STAMP)
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR		
Approved by:	Gabriel Cuaycong	General Manager/QEMR		

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish work instruction procedures for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges
Meringue	-	A light mixture of stiffly beaten egg whites and sugar
Sponge	-	Liquid mixture of eggy yolk, flour, water, pre-mix and oil
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	

4. PROCEDURE DETAILS

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Meringue: Place egg white in the mixing bowl and mix until it foams. Add tar-tar and gradually pour in the sugar while continue mixing for 10 to 15 minutes. (Refer to FMDS of Chiffon Cake)	Baker
	Sponge: Add water, premix, egg yolk, and oil and initially mix at speed level 1 for 3 to 5 seconds. Switch the speed level to speed level 2 for 5 to 7 minutes until desired consistency is achieved. (Refer to FMDS of Chiffon Cake)	Baker
	Mix the meringue and sponge mixture manually for 1 minute until well blended.	Baker

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Set the Machine Depository Funnel at 600g/molder. Transfer the batter mixture into the machine and dispense it into the molder. Tap the bottom part of the molder for even distribution of batter.	Baker
	Bake the in-process product at 150ºC to 160ºC for 24 minutes. The time is being set upon loading in the oven.	Baker
	The oven alarms, once the set time has already reached. Baked products are immediately unloaded from the oven to avoid over baking.	Baker
	Allowing the baked products to cool down and stabilize the condition.	Baker

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Evenly spread 150g Yema Filling on the chiffon cake surface.	Baker
	Roll the chiffon cake into a tight spiral and cover with the pattern paper.	Baker
	Endorse to Preparator Area for coding and proper stacking.	Preparator

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Products shall be handled properly during loading into the truck.	Delivery In-charge