DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE	
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager		(MASTER COPY STAMP)
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR		
Approved by:	Gabriel Cuaycong	General Manager/QEMR		

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish work instruction procedures for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery of Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	
	-	
	-	

4. PROCEDURE DETAILS

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Brush the molders with lard to avoid the baked mamon to stick on the molder during de-panning.	Baker
	Place water, premix, oil, and eggs in the mixing bowl and mix manually for 2 to 3 minutes. Then add the orange food coloring and mix for 5-10 minutes at speed level 2 or until desired consistency is achieved. (Refer to FMDS of Special Mamon)	Baker
	Mamon mixture is manually transferred into the molder. The molder yields 12 pcs of baked mamon.	Baker

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Bake the in-process product at 250ºC for 5 minutes. The time is being set upon loading in the oven. Turn down the temperature and allow the mamon to stand-by for another 5 minutes prior unloading.	Baker
	Unload the mamon after 5 minutes stand-by duration. Do not delay the unloading so that desired quality (height, color and taste) will be achieved.	Baker
	Allow the mamon to cool down for 10-15 minutes prior de-panning so as to maintain the shape and appearance prior endorsement to Preparator Area.	Baker

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Proper handling of baked mamon shall be followed so as to avoid any damages and contamination during Branch allocation. Expiration Date shall be indicated prior loading	Preparator
	Products shall be handled properly during loading into the truck.	Delivery In-charge