DISTRIBUTION LIST:		
DCBS 1- Office of the President	**DCBS 2 -** Operations	**DCBS 3 -** Admin Office

REVISION HISTORY

DCN NO.	EFFECTIVITY DATE	ISSUE NO.	REV. NO.	PAGE AFFECTED	DETAILS OF CHANGE	ORIGINATOR

PER PAGE REVISION LEVEL

PAGE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PAGE	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
REV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	NAME	POSITION	SIGNATURE
Prepared by:	May Joy Sortidos	Quality Assurance/ Control Manager	
Reviewed by:	Wilmar Marfil	Operation Manager/ Deputy QMR	
Approved by:	Gabriel Cuaycong	General Manager/QEMR	

Any hard copy of this document without the signed first page or unprotected soft copy is regarded as an uncontrolled copy. No part of this publication should be used or reproduced in any form or by any means, or stored in a database or retrieval system without prior written permission of the Quality Management Representative.

1. PURPOSE

To establish work instruction procedures for all products so as to achieve the expected output in terms of quality, safety and quantity.

2. SCOPE

This procedure covers the activities of Production Department from preparation of raw materials to processing, finishing and loading of finished products for delivery of Jathnier Corporation.

3. DEFINITION OF TERMS

TERMS	-	DEFINITION
Batter	-	A semi-liquid mixture of flour, egg, and milk or water, used for making cakes and sponges.
FMDS	-	Formulation and Material Data Sheet
WIM	-	Work Instruction Manual
	-	
	-	
	-	

4. PROCEDURE DETAILS

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Place all ingredients in the mixing basin and mix properly until desired consistency and quality of batter is achieved.	Baker
	Dispense batter mixture through the Depository Machine.	Baker
	Bake the batter in the oven at 250°C for 4 to 5 minutes. Do not extend the baking time. Unload immediately once baking time is reached.	Baker

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Unload immediately once baking time is reached. Allow the double buddy to cool down prior de-panning so as to maintain the shape and appearance prior proceeding to the next step.	Baker
	Brush the surface with latik and dip the bottom part into basin with latik and stick them together. (Refer FMDS of Sugar Syrup/ Latik)	Baker
	Proper handling of double buddy shall be followed so as to avoid any damages and contamination during Branch allocation. Expiration Date shall be indicated prior loading.	Preparator

ACTUAL ACTIVITY	PROCEDURE	RESPONSIBLE
	Products shall be handled properly during loading into the truck.	Delivery In-charge