




noise level analysis of adria array

Felix Eckel

✉ felix.eckel@ifg.uni-kiel.de

🐦 @FelixEckel

We acknowledge the support by ORFEUS &
EPOS within the EPOS SP project (Horizon
2020 Grant Agreement No. 871121)



Christian-Albrechts-Universität zu Kiel



Mathematisch-
Naturwissenschaftliche Fakultät

request data at 3 days*





* days without major teleseismic earthquakes

loading data and filter




calculate noise level



average over three days*





mean




*marked invalid if no response information found, noise level lower than 10^{-1} , higher than 10^6 or less than 23 hours of data available per day

3.0 Hz | Z

noise levels
95th percentile




nm/s




3.0 Hz | Z

noise levels
95th percentile





3.0 Hz | Z | --

noise level distribution




5.0 s | Z


noise levels
95th percentile



nm/s



5.0 s | Z




noise levels
95th percentile



5.0 s | Z | --



number of stations
nm/s




noise level distribution

20 s | H

noise levels
95th percentile




nm/s




20 s | H

noise levels
95th percentile




20 s | H | --

noise level distribution



what we have learned



what we have learned

Wrong amplitude
recordings are
identifiable

Consistent
noise levels
over large areas

Structural variations
stand out

Felix Eckel

✉ felix.eckel@ifg.uni-kiel.de

🐦 @FelixEckel



We acknowledge the support by ORFEUS & EPOS within the EPOS SP project (Horizon 2020 Grant Agreement No. 871121)



Christian-Albrechts-Universität zu Kiel

Mathematisch-
Naturwissenschaftliche Fakultät