

ICD-10 CONCUSSION CODING CHEAT SHEET

November 2015

Code Type	Details	Concussion Diagnosed		Concussion Not Diagnosed	
		Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit	Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit (required in the deployed setting per DoDI 6490.11)
TBI screening codes	<ul style="list-style-type: none"> DOD0121 Screen, TBI, Negative DOD0122 Screen, TBI, Positive Other options that may apply: DOD0123 Screen, TBI, Declined DOD0124 Screen, TBI, Not performed due to current TBI diagnosis DOD0125 Screen, TBI, not performed due to reason other than existing TBI diagnosis 	Code 1 st If reason for the visit is TBI Screening DOD0122 Screen, TBI, Positive	NO	Code 1 st If reason for the visit is TBI Screening DOD0121 Screen, TBI, Negative	NO
Concussion diagnostic codes	S06.0X0A/D/S Concussion, no LOC (<i>initial/subsequent/sequela</i>)	Code 2 nd S06.0X0A Concussion, No LOC, initial visit	Code 2 nd if symptomatic or code 1 st if asymptomatic S06.0X0D Concussion, No LOC, subsequent S06.0X0S Concussion, No LOC, sequela	NO	NO
	S06.0X1A/D/S Concussion, LOC ≤ 30 minutes (<i>initial/subsequent/sequela</i>)	S06.0X1A Concussion, LOC ≤ 30 min, initial visit	S06.0X1D Concussion, LOC ≤ 30 min, subsequent S06.0X1S Concussion, LOC ≤ 30 min, sequela	NO	NO
	S06.0X9A/D/S Concussion LOC of unspecified duration (<i>initial/subsequent/sequela</i>)	S06.0X9A Concussion, LOC of unspecified duration, initial visit	S06.0X9D Concussion, LOC of unspecified duration, subsequent S06.0X9S Concussion, LOC of unspecified duration, sequela	NO	NO
Symptom codes	Common examples: <ul style="list-style-type: none"> R51 Headache R42 Dizziness 	Code 3 rd if symptomatic (most significant symptom)	Code 1 st if symptomatic (most significant symptom)	Code 2 nd if symptomatic	Code 1 st if symptomatic
Deployment status codes	<ul style="list-style-type: none"> Z56.82 Currently deployed Z91.82 History of deployment 	Code 4 th if applicable	Code 3 rd if applicable	Code 3 rd if applicable	Code 2 nd Z56.82 Currently deployed

Code Type	Details	Concussion Diagnosed		Concussion Not Diagnosed	
		Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit	Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit (required in the deployed setting per DoDI 6490.11)
External causes of morbidity	Common examples: <ul style="list-style-type: none"> V43.51XA/D/S Car driver injured in collision with sport utility vehicle in traffic accident (<i>initial/subsequent/sequela</i>) Y37.230A/D/S: Military operations involving explosion of IED, military personnel (<i>initial/subsequent/sequela</i>) 	Code 5 th V43.51XA Car driver injured in collision with sport utility vehicle in traffic accident, initial visit Y37.230A Military operations involving explosion of IED, military personnel, initial visit	Code 4 th V43.51XD Car driver injured in collision with sport utility vehicle in traffic accident, subsequent V43.51XS Car driver injured in collision with sport utility vehicle in traffic accident, sequela Y37.230D Military operations involving explosion of IED, military personnel, subsequent Y37.230S Military operations involving explosion of IED, military personnel, sequela	Code 4 th V43.51XA Car driver injured in collision with sport utility vehicle in traffic accident, initial visit Y37.230A Military operations involving explosion of IED, military personnel, initial visit	Code 3 rd V43.51XD Car driver injured in collision with sport utility vehicle in traffic accident, subsequent Y37.230D Military operations involving explosion of IED, military personnel, subsequent
Place or Occurrence code	Example: <ul style="list-style-type: none"> Y92.007: Garden or yard of unspecified non-institutional (private) residence as the place of occurrence of the external cause 	Code 6 th Y92.007 Bathroom of unspecified non-institutional (private) residence single-family (private) house as the place of occurrence of the external cause	NO	Code 5 th Y92.007 Bathroom of unspecified non-institutional (private) residence single-family (private) house as the place of occurrence of the external cause	NO
Activity code	Example: <ul style="list-style-type: none"> Y93.02: Activity, running 	Code 7 th Y93.02 Activity, running	NO	Code 6 th Y93.02 Activity, running	NO
Personal History code	<ul style="list-style-type: none"> DoD0101 Personal History of TBI, Highest Level of Severity Unknown DoD0102, Personal History of TBI, Mild 	Code 8 th DoD0102, Personal History of TBI Mild	Code 5 th DoD0102, Personal History of TBI Mild	NO	NO
General medical exam	Z00.00 Encounter for general adult medical exam without abnormal findings	NO	NO	NO	Code 1 st in deployed setting when Soldier must return for re-eval & is asymptomatic

COMMON SYMPTOMS ASSOCIATED WITH CONCUSSION**November 2015**

Hearing	
H91.93	Unspecified hearing loss, bilateral
H93.13	Tinnitus, bilateral
H93.233	Hyperacusis, bilateral
Neurologic	
R42	Dizziness and giddiness
G44.301	Post-traumatic headache, unspecified, intractable
G44.309	Post-traumatic headache, unspecified, not intractable
G44.311	Acute post-traumatic headache, intractable
G44.319	Acute post-traumatic headache, not intractable
G44.321	Chronic post-traumatic headache, intractable
G44.329	Chronic post-traumatic headache, not intractable
Sleep	
G47.00	Insomnia, unspecified
G47.01	Insomnia, due to medical condition
G47.09	Other Insomnia
G47.8	Other sleep disorders
G47.9	Sleep disorder, unspecified
Vision	
H53.143	Visual discomfort, bilateral (photophobia)
H53.8	Other visual disturbances
H53.9	Unspecified visual disturbance
Other/General	
R11.0	Nausea
R51	Headache
R53.83	Other fatigue
Emotional/Behavioral	
R45.0	Nervousness
R45.3	Demoralization and Apathy
R45.4	Irritability and anger
R45.86	Emotional lability
R45.87	Impulsiveness
R45.89	Other signs and symptoms involving emotional state
Cognitive/Linguistic	
R41.840	Attention and concentration deficit (excludes ADHD)
R41.841	Cognitive-communication deficit
R41.842	Visuospatial deficit