Colon & Colorectal Cancer — Biomarker Testing Intelligence

Alert Window: Last 10 Days · Generated: 2026-04-12 11:07:35

Situation Summary

Stage Iv: 0 of 12
Biomarker Count: 12 entries
Top Targets: LIQUID BIOPSY (6) · RESEARCH (6)
Breakthrough: 6 entries scored ≥ 4

Research & Guidelines Timeline

Biomarker testing entries ranked by significance score. Higher scores indicate greater clinical relevance. Always discuss with your oncologist.

HIGH All Stages LIQUID BIOPSY VERIFIED LIQUID BIOPSY PUBLISHED APR 03, 2026 7

Liquid biopsies using circulating tumor DNA for surveillance of gastrointestinal cancers in Hispanics: first real-world data report

This study evaluates liquid biopsies using circulating tumor DNA for surveillance of gastrointestinal cancers in Hispanics.

pubmed.ncbi.nlm.nih.gov, pubmed.ncbi.nlm.nih.gov, pubmed.ncbi.nlm.nih.gov

MEDIUM All Stages RESEARCH VERIFIED RESEARCH PUBLISHED APR 09, 2026 0

Integration of deep learning and radiomic features from multiplex immunohistochemistry images for reproducible Multi-Outcome prediction in a Multi-Center study of colorectal cancer

This study evaluates the integration of deep learning and radiomic features from multiplex immunohistochemistry images for reproducible multi-outcome prediction in a multi-center study of colorectal cancer.

pubmed.ncbi.nlm.nih.gov, pubmed.ncbi.nlm.nih.gov, pubmed.ncbi.nlm.nih.gov

Appendix A — Patient-Friendly Summary

Plain-language overview for patients, caregivers, and family members

What's happening

Biomarker testing — also called molecular profiling or genomic testing — analyzes your tumor's DNA to identify specific mutations. The results determine which FDA-approved treatments may be available to you. The entries below represent the most significant biomarker testing research and guidelines in this report window.

GENOMIC PROFILING
The Evolving Role for Repeat Molecular Testing in Metastatic Colorectal Cancer
This study evaluates the evolving role for repeat molecular testing in metastatic colorectal cancer.

GUIDELINE
Circulating Tumor DNA as a Biomarker for Recurrence After Curative Resection of Colorectal Cancer Liver Metastases: A Systematic Review and Meta-Analysis
This study evaluates circulating tumor DNA as a biomarker for recurrence after curative resection of colorectal cancer liver metastases through a systematic review and meta-analysis.

LIQUID BIOPSY
A new paradigm in postoperative colorectal cancer surveillance: integrating advanced imaging and multi-omics
This study evaluates a new paradigm in postoperative colorectal cancer surveillance by integrating advanced imaging and multi-omics.

RESEARCH
ROME trial wasn't built in a day: the decade-long journey to randomized evidence in precision oncology
This study evaluates the decade-long journey to randomized evidence in precision oncology as part of the ROME trial.

EARLY DETECTION
From mono- to multi-cellular in vitro models: reconstructing colorectal cancer complexity for translational and personalized applications
This study evaluates the transition from mono- to multi-cellular in vitro models for reconstructing colorectal cancer complexity for translational and personalized applications.

What this means for you

If you have been diagnosed with metastatic colorectal cancer, ask your oncologist: *"Has my tumor been tested for all the biomarkers that have an FDA-approved treatment?"* Testing should happen at diagnosis — before treatment begins — because results take 1–2 weeks and can shape your first treatment decision. Ask specifically about KRAS, NRAS, BRAF V600E, MSI/MMR status, HER2, NTRK, and TMB.

Generated from structured biomarker research data · 2026-04-12 11:07:35

Appendix B — Colon & Colorectal Cancer: Biomarker Testing Reference

What Is Biomarker Testing?

Biomarker testing — also called molecular profiling or genomic testing — analyzes your tumor's DNA to identify specific mutations. A single next-generation sequencing (NGS) panel can check many gene mutations at once. Results typically take 1–2 weeks and should be obtained at diagnosis, before treatment begins.

Key Biomarkers — Test All mCRC at Diagnosis

RAS (KRAS/NRAS) · BRAF V600E · MSI/MMR status · HER2 · NTRK fusion · TMB

Testing Methods

NGS (next-generation sequencing) — checks many mutations at once from tumor tissue

Liquid biopsy / ctDNA — blood test that detects tumor DNA; useful when tissue is unavailable

IHC (immunohistochemistry) — used to test MMR status and HER2

PCR — used for specific mutation detection (e.g. MSI, KRAS)

Questions to Ask Your Oncologist

"Has my tumor been tested for all the biomarkers that have an FDA-approved treatment?"

"Was my sample taken from the primary tumor or a metastatic site — and does it need to be retested?"

"How long will results take, and will they affect my first treatment decision?"

"Is a liquid biopsy appropriate for my situation?"

Abbreviations

BRAF V600E — a specific gene mutation found in ~8–10% of colorectal cancers

ctDNA — circulating tumor DNA; tumor DNA fragments found in the bloodstream

dMMR — mismatch repair deficient; indicates the tumor may respond to immunotherapy

HER2 — a protein that drives growth in ~2–3% of colorectal cancers

IHC — immunohistochemistry; a lab staining method used to detect proteins in tissue

KRAS G12C — a specific gene mutation found in ~3–4% of colorectal cancers

mCRC — metastatic colorectal cancer (Stage IV)

MSI-H — microsatellite instability-high; indicates the tumor may respond to immunotherapy

NGS — next-generation sequencing; a method that checks many gene mutations at once

NTRK — a rare gene fusion found in <1% of colorectal cancers

RAS — a gene family (KRAS/NRAS) whose mutation status affects treatment selection

TMB — tumor mutational burden; a measure of how many mutations are in a tumor

Key Resources

ClinicalTrials.gov · NCCN Guidelines (nccn.org) · Colorectal Cancer Alliance (ccalliance.org) · Fight Colorectal Cancer (fightcrc.org) · ACS (cancer.org)

Colon & Colorectal Cancer — Biomarker Testing Intelligence

About This Report

This report is generated automatically from publicly available medical databases including PubMed, ASCO Journal of Clinical Oncology, Annals of Oncology, and NCI Cancer.gov. Entries are classified using deterministic rule-based logic and scored by clinical significance. AI-generated summaries are grounded exclusively in the source data provided.

Limitations

This report does not represent a complete picture of all published research. Database coverage, feed availability, and relevance filtering affect what appears. Research findings may not yet reflect current clinical guidelines. Always verify information at the original source before making clinical decisions.

Disclaimer

Alert classification fields are generated using deterministic rule-based analysis. Entry summaries are AI-generated from publicly available PubMed abstracts and society publications maintained by the U.S. National Library of Medicine and professional oncology societies. This report aggregates publicly available data for situational awareness only. No source content is reproduced verbatim. This report is made available under a free-use license for patient advocacy organizations, oncology practices, and individual patients. You may share or distribute it freely. You may not modify it, remove attribution, or republish it as your own work. Authorship and all intellectual property rights are retained by Randy Hinton. This report is provided for informational purposes only and does not constitute medical advice. Always consult your oncologist or a qualified healthcare provider before making any treatment decisions.

Copyright